

HARDGOODS

WINTER COLLECTION 2017-18

HEAD







That's the problem with brilliant engineering: it only makes itself apparent when the ski disappears beneath you. It's the problem with incredible design: a boot can be so sublimely comfortable that you can totally focus on other things - like the finish line. And it's the burden of every athlete - the faster they go, the easier they make it look. At HEAD, we're inspired by those who push themselves, drive the sport, and create solutions. And if you ever get to visit our headquarters, you may find that we're inspired pretty much all the time - because we're surrounded by those people

So we'd like to take a moment to say thanks to every staff member and all our athletes. Together, you're pushing the industry forward, and inspiring more and more people to put on skis and discover this beautiful sport. And every time we ask you What's your limit? The answer only opens another question,

BEHIND 4E SCENES

IT'S EASY TO LOOK AT A SKI OR A BOOT AND FORGET ABOUT THE WORK THAT WENT INTO IT.

RACE Combo HEAD

A hundredth of a second isn't the difference between first and second, it's the difference between winning and nothing at all. If you race, you understand. A centimeter is the grandest of canyons, and there's no such thing as fast enough. But thanks to our athletes and their insatiable demand for more speed, better speed, and faster speed, we're all going a lot quicker.

This is trickle-down technology at its finest. Though anything that fast could hardly be called a trickle.

WHEN YOU'VE SEEN
THE SPEED OF LIGHT
WHEN YOU LIVE ON THE EDGE
WHEN ADRENALIN
IS YOUR ONLY FUEL
WHEN YOU ARE THE ONLY
OPPONENT TO BEAT

Winter can't come fast enough and never lasts long enough.
Likewise, no run is fast enough or lasts long enough. But with snow on

lasts long enough. But with snow on the ground and the right equipment at your feet (and everywhere else), there is bliss around each turn, and satisfaction at the end of every run.

And during those magical, powdery months, there is no limit to how hard we will push ourselves to make the most of every moment. Is it winter yet? How about now?

> WHEN SLOWING DOWN IS A WASTE OF TIME WHEN YOU LIVE LIFE TO THE FULLEST SPEED WHEN YOU TURN **FEAR INTO TENACITY** WHEN YOU ARE USED TO USING THE FAST LANE



LLRIDE HEAD

Specialization is the mother of progress. Every season, specialized freeriders are going bigger and specialized racers are going faster on specialized equipment and specialized terrain. On the other hand, specialization kills freedom. The freedom to decide in the middle of the chair lift ride, whether you're going to race down the front or freeride down the back of the mountain.

The freedom to pull out of a multiple-G-turn and veer to the left into a virgin couloir. The freedom to go for one last full speed run on twilight ice as the sun sets behind the peaks you've ridden.


WHEN YOU ENJOY
EVERY TERRAIN
WHEN THE IDEALS
ARE THE ONLY
THING YOU FOLLOW
WHEN YOU LOOK BEYOND
THE HORIZON AND
THEN GO TO SKI THERE
WHEN FOCUS CONQUERS FEAR

FREESKI

There is a mindset that fits into the crowd, follows the path, and stays in the box. And then there's the personality who dies for the challengeand lives for freedom.

Those who see skiing as a test of skill, and sometimes of fate. Or as the ultimate form of expression. In man-made, in natural, and sometimes super-natural terrain. Freeriding and freestyle are brothers from different mothers. So is their attitude. And so is our equipment.


> WHEN YOU GET OUT OF LINE TO FIND YOUR OWN WHEN YOU SKI WHAT OTHERSGOOGLE WHEN YOU'RE SLAVE **ONLY TO FREEDOM** WHEN TIME STOPS WHILE YOU FLY



True love for skiing is unconditional. It's not about flawlessness, prettiness, or prowess. It's about expressing yourself, not impressing others. Faith moves mountains, confidence skis them - from daybreak until nightfall.

Whatever your line and your limit: The right equipment will turn bad weather into good karma, terrible hair days into big air days, and I-don't want-to-run-days into ounces of pure, striking joy.

> WHEN EVERY TURN BRINGS A SMILE OF JOY WHEN YOU FIND THE PERFECT LINE WHEN YOUR GEAR FINALLY **MEETS YOUR ASPIRATIONS** WHEN YOU TURN BAD WEATHER INTO GOOD KARMA





A STORY OF INNOVATION AND DESIGN, LIGHTNESS AND STRENGTH, AND A NEW HORIZON FOR FREERIDE.

LEADING WITH A SIMPLE CONCEPT THAT LINKS TO THE SKI'S USP AND RELATES DIRECTLY BACK TO OUR

REASON FOR FREERIDING...

PURE FRESHLY FALLEN POWDER.




LIGHTNESS

The revolutionary construction has been topped with a polyester fleece instead of a standard top-sheet. This topless Tech construction results in the lightest ski in its category. The triaxle weave of its carbon layer provides additional torsional rigidity for supreme responsiveness and solid edge hold.



FLOTATION

The Graphene fused tip and tail allows us to reduce and redistribute weight throughout the ski. The thinner profile enhances flotation in soft snow and maximizes maneuverability.



CONTROL

While the shock absorbing Koroyd gives the skier precise control in variable terrain, the ski provides strong torsional stiffness and great stability.

INNOVATION IS ABOUT DISCOVERING WHAT IS TRULY NECESSARY. IT IS NOT A PROCESS OF ADDITION, BUT SELECTION. TAKE AWAY THE BAGGAGE, THE EXTRA WEIGHT.

LEAVE ONLY THE PUREST.

LEAVE ONLY THE CORE.

#TOTHEKORE

KORE COLLECTION





KORE is the most technically sophisticated freeride ski we've ever made. Here's why:

KORE 117

"clinically obese"

GRAPHENE

GRAPHENE is the strongest, lightest material known to man. We fuse it into the KORE's tip and tail to make it lighter and more responsive in deep snow.

KOROYD

DIMENSIONS

145 - 117 - 129

KOROYD is a honeycomb shaped material at the heart of the KORE. It's super-light and incredibly elastic. It's strong and flexible and what makes the KORE special.

KARUBA

RADIUS


24,6

KARUBA wood core is what gives the ski its pop and personality. It's the perfect ratio of density and weight. The advantages of combining Karuba, Koroyd, and Graphene enhance the ski, making it light and balanced.

LENGTH

180/189





WORLDCUP REBELS i.SL

For those who never stop turning, and always turn quickly, this ski will take the fun-meter to 11

ARTICLE NUMBER

310207

FEATURES

KERS, Intelligence Technology Graphene Worldcup Sandwich Cap Construction Race structured UHM C Base Rebel Camber

DETAILS

20

LENGTHS	150/155/160/165/170
DIMENSIONS	124/68/108 @ Length 160
RADIUS	11,5 @ Length 160
PLATES	HEAD Race Plate EVO 14
BINDINGS	100656 Freeflex EVO
	14 Brake 85 [A]





govinas

•

WORLDCUP REBELS i.SPEED PRO

The fastest retail ski on earth, equipped with the winning race plate. Fasten your seatbelt.

ARTICLE NUMBER

310227

FEATURES

KERS, Intelligence Technology
Graphene Worldcup Sandwich
Cap Construction
Race structured UHM C Base
Rebel Camber

DETAILS

LENGTHS	170/175/180/185
DIMENSIONS	119/68/99 @ Length 180
RADIUS	18,0 @ Length 180
PLATES	HEAD Race Plate WCR 14
BINDINGS	100655 Freeflex Evo
	16 Brake 85 [A]















WORLDCUP REBELS I.SPEED

Buckle up and stay off all slow-marked slopes, because with the i Speed, you might have your ticket pulled

ARTICLE NUMBER 310247

FEATURES

KERS, Intelligence Technology Graphene Worldcup Sandwich Cap Construction Race Structured UHM C Base, Rebel Camber

DETAILC

DETAILS	
LENGTHS	165/170/175/180/185
DIMENSIONS	119/68/99 @ Length 180
RADIUS	18,0 @ Length 180
PLATES	Race Plate EVO 14
BINDINGS	100656 Freeflex Evo
	14 Brake 85 [D]

WORLDCUP REBELS I.RACE

A combi race ski for those who know where FIS can stick their rules

ARTICLE NUMBER

310267

FEATURES

KERS, Intelligence Technology Graphene Worldcup Sandwich Cap Construction Race Structured UHM C Base, Rebel Camber

DETAILS

2 = 1711 = 0	
LENGTHS	160/165/170/175/180
DIMENSIONS	122/68/102 @ Length 170
RADIUS	14,4 @ Length 170
PLATES	Race Plate EVO 14
BINDINGS	100656 Freeflex Evo
	14 Brake 85 [D]



WC REBELS ISLR

Edge to edge and short turns have never been so much fun. Big smiles included

ARTICLE NUMBER

310367

FEATURES

Intelligence Technology, Worldcup sandwich construction, Race structured high speed UHM C base, Rebel Camber, Allride Base

DETAILS

LENGTHS	155/160/165/170
DIMENSIONS	122/66/107 @ Length 165
RADIUS	11,5 @ Length 165
PLATES	Allride PR Base
BINDINGS	100717 PR 11 Brake 85 [G]





A true race ski without those huge FIS radius. Easy race turns for the whole day.

ARTICLE NUMBER

310387

FEATURES

Intelligence Technology, Worldcup sandwich construction, Race structured high speed UHM C base, Rebel Camber, Allride Base

DETAILS

LENGTHS	160/165/170/175/180
DIMENSIONS	117/68/101 @ Length 170
RADIUS	14,4 @ Length 170
PLATES	Allride PR Base
BINDINGS	100717 DD 11 Brake 85 [G]



WC REBELS i.SHAPE PRO

Want to ski like Ted Ligety? Can't squat 200kgs? No worries, the iShape Pro will make you feel like a champion.

ARTICLE NUMBER

310407

FEATURES

Intelligence Technology, ERA 3.0 Power Sidewall Ti Jacket, UHM C Base Rebel Camber, Allride Base

DETAILS

LENGTHS	149/156/163/170/177
DIMENSIO	NS 128/70/108 @ Length 170
RADIUS	13,4 @ Length 170
PLATES	Allride PR Base
RINDINGS	100717 PR 11 Brake 85 [G]





SUPERSHAPE i.SPEED

Think fast? Talk fast? Ski fast? Wanna be faster? Get on this front side master and speed up your life.

SUPERSHAPE i.MAGNUM

Like a fine champagne, there's only one size that counts the Magnum. Pop its cork and you'll fly like never before.

GRAPHENE

ARTICLE NUMBER

310327

FEATURES

KERS, ERA 3.0 S Graphene Worldcup Sandwich Cap Construction Race structured UHM C Base, Speed Rocker

DETAILC

DETAILS		
LENGTHS	156/163/170/177/184	
DIMENSIONS	124/68/104 @ Length 170	
RADIUS	14,0 @ Length 170	
PLATES	MultiFlex PR Base	
BINDINGS	100707 DDD 12 Brako 95 [E]	

ARTICLE NUMBER

310307

FEATURES

KERS, ERA 3.0 S Graphene Worldcup Sandwich Cap Construction Race structured UHM C Base, Speed Rocker

DETAILS

	LENGTHS	149/156/163/170/177
	DIMENSIONS	131/72/110 @ Length 170
	RADIUS	13,1 @ Length 170
	PLATES	MultiFlex PR Base
	BINDINGS	100708 PRD 12 Brake 85 [F]







SUPERSHAPE i.RALLY

Stay on track and rally through every corner with the ultimate side-stash-to-groomed ski.

SUPERSHAPE i.TITAN

Remember these Titans for slaying the everywhere and the in-between.

ARTICLE NUMBER

310347

FEATURES

KERS, ERA 3.0 S Graphene Worldcup Sandwich Cap Construction Race structured UHM C Base, Speed Rocker

DETAILS

DETAILS		
LENGTHS	156/163/170/177	
DIMENSIONS	135/76/114 @ Length 170	
RADIUS	13,7 @ Length 170	
PLATES	MultiFlex PR Base	
BINDINGS	100709 PRD 12 Brake 85 [F]	

ARTICLE NUMBER

310287

FEATURES

KERS, ERA 3.0 S Graphene Worldcup Sandwich Cap Construction Race structured UHM C Base, Speed Rocker

6

GRAPHENE

DETAILS

DETRIES	
LENGTHS	156/163/170/177
DIMENSIONS	137/80/117 @ Length 170
RADIUS	14,1 @ Length 170
PLATES	MultiFlex PR Base
BINDINGS	100710 PRD 12 Brake 85 [F]

R S T

PRESTIGE

Skis destined for those with the most discerning taste for quality and performance. Where the bleeding edge of design and the peak of performance meet.

ARTICLE NUMBER

310606

FEATURES

ERA 3.0 S, Intelligence[™] Chip Technology WC Sandwich Cap Construction Race Structured UHM C Base Speed Rocker

DETAILS

LENGTHS	156/163/170/177
DIMENSIONS	135/76/114 @ Length 170
RADIUS	13,7 @ Length 170
PLATES	TriFlex PR
BINDINGS	100660 PRD 14 Brake 85 [F



Minimized to maximize what matters – high performance under cover of stealth beauty.

ARTICLE NUMBER

310626

FEATURES

ERA 3.0 S, Intelligence™ Chip Technology WC Sandwich Cap Construction Race Structured UHM C Base Speed Rocker

DETAILS

 LENGTHS
 156/163/170/177

 DIMENSIONS
 124/68/104 @ Length 170

 RADIUS
 14,0 @ Length 170

 PLATES
 TriFlex PR

 BINDINGS
 100660 PRD 14 Brake 85 [F]







MONSTER 108

Step onto the Monster 108 and the steeps will seem flatter, the difficult easier, and the fun – way funner.

ARTICLE NUMBER

310807

FEATURES

ERA 3.0, Graphene WC Sandwich Cap Construction Structured UHM C Base, Allride Rocker

	DETAILS	
	LENGTHS	170/177/184/191
	DIMENSIONS	142/108/127@ Length 177
	RADIUS	23,5 @ Length 177
	BINDINGS	114105 AAARENALIN 16 AT short w/o Brake [B]

MONSTER 98

The 98 is a Monster in any condition and is the ideal ski for those who dominate the front side and back side with equality.

ARTICLE NUMBER

310827

FEATURES

ERA 3.0, Graphene WC Sandwich Cap Construction Structured UHM C Base, Allride Rocker

DETAILS	
LENGTHS	163/170/177/184/191
DIMENSIONS	135/98/120 @ Length 177
RADIUS	21,3 @ Length 177
RINDINGS	114115 ΔΔΔΤΤΔCK ² 14 ΔT w/o Brake [Δ]









MONSTER 88

Stable and fast, yet nimble and fun. Fear not, this Monster will chew up and spit out any terrain that comes your way.

ARTICLE NUMBER

310847

FEATURES

ERA 3.0, Graphene WC Sandwich Cap Construction Structured UHM C Base, Allride Rocker

DETAILS		
LENGTHS	163/170/177/184	
DIMENSIONS	133/88/114 @ Length 177	
RADIUS	17,4 @ Length 177	
BINDINGS	11/122 A A ATTA CK2 13 CW Q5 [A]	

MONSTER 83

As the Jekyll and Hyde of the Monster series – the 83 is calm on the outside but ready to slay anything in its way. Corduroy beware – you will be trenched.

ARTICLE NUMBER

310867

FEATURES

ERA 3.0, Graphene WC Sandwich Cap Construction Structured UHM C Base, Allride Rocker

DETAILS			
LENGTHS	156/163/170/177/184		
DIMENSIONS	125/83/110 @ Length 177		
RADIUS	18,0 @ Length 177		
BINDINGS	114129 AAATTACK ² 13 GW 85 [A]		









POWER INSTINCT TI PRO

Skiers who long for freshly groomed snow as much as they do perfect powder have a new friend, the woo-and-metalmade Power Instinct.

GRAPHENE

ARTICLE NUMBER

310907

FEATURES

ERA 3.0 Graphene, WC Sandwich Cap Construction Structured UHM C Base, Allride Rocker

DETAILS

	LENGTHS	156/163/170/177	
	DIMENSIONS	124/82/109 @ Length 170	
	RADIUS	16,5 @ Length 170	
	PLATE	Allride PR Base	
	BINDINGS	100713 PR 11 MBS Brake 85 [G]	

RAW INSTINCT TI PRO

Shaped for medium length turns and built with the perfect mix of metal and wood, the Raw is nimble, stable, and fun.

ARTICLE NUMBER

310947

FEATURES

ERA 3.0 Graphene, WC Sandwich Cap Construction Structured UHM C Base, Allride Rocker

DETAILS

LENGTHS	149/156/163/170/177
DIMENSIONS	124/78/110 @ Length 170
RADIUS	14,7 @ Length 170
PLATE	Allride PR Base
BINDINGS	100713 DD 11 MRS Brake 85 [G]













STRONG INSTINCT TI

Finally, a mid-fat ski made ideal for mid-level skiers! Hard, soft, fast, or slow, find your inner Arnold on the Strong Instinct.

ARTICLE NUMBER

310967

FEATURES

ERA 3.0 Graphene, Power Sidewall Ti Jacket Structured UHM C Base, Allride Rocker

DETAILS

LENGTHS 156/163/170/177 **DIMENSIONS** 130/83/115 @ Length 170 RADIUS 14,2 @ Length 170 PLATE BINDINGS 100713 PR 11 MBS Brake 85 [G] BINDINGS 100713 PR 11 MBS Brake 85 [G] BINDINGS 100713 PR 11 MBS Brake 85 [G]

SUPREME INSTINCT TI

Curvy and carvy this ski is designed to make easy work of the piste and the bumps. Your search for Supreme fun ends here!

ARTICLE NUMBER

310987

FEATURES

ERA 3.0 Graphene, Power Sidewall Ti Jacket Structured UHM C Base, Allride Rocker

DETAILS

	LENGTHS	149/156/163/170
	DIMENSIONS	127/74/110 @ Length 170
	RADIUS	13,0 @ Length 170
	PLATE	Allride PR Base
	DINIDINICC	100712 DD 11 MDC Praka 05

NATURAL INSTINCT

It's true, some people are intimidated by skiing. Fear no more, this Instinct will make skiing feel easy, fun, and... Natural.

ARTICLE NUMBER

311007

FEATURES

ERA 3.0 Graphene, Power Sidewall Jacket Structured UHM C Base, Allride Rocker

DETAILS

LENGTHS	149/156/163/170
DIMENSIONS	127/74/110 @ Length 170
RADIUS	13,0 @ Length 170
PLATE	Allride PR Base
RINDINGS	100713 PR 11 MBS Brake 85 [G]









KORE 93

Sometimes it's deep. Sometimes it's tracked. Sometimes it's bumped. Lots of times it's groomed. If this is when and where you ski, then the 93 is for thee. Any condition, anytime. #TOTHEKORE

ARTICLE NUMBER

311447

FEATURES

Graphene-KOROYD-Carbon Sandwich Cap Construction KARUBA Light Weight Wood Core Topless Tech, Split Sidewalls Structured diecut UHM C Base Tip-Tail Rocker

	DETAILS		
	LENGTHS	153/162/171/180/189	
	DIMENSIONS	133/93/115 @ Length 180	
	RADIUS	16,4 @ Length 180	
	BINDINGS	114126 AAATTACK ² 13 GW w/o Brake 95 [A]	

KORE 105

For those who live on the edge, the KORE 105 will get you even further out there. Prepare to lead your posse with the perfect blend of lightweight and high performance. At a versatile 105mm, this is the perfect secret stash seeker.

ARTICLE NUMBER

311427

FEATURES

Graphene-KOROYD-Carbon Sandwich Cap Construction KARUBA Light Weight Wood Core Topless Tech, Split Sidewalls Structured diecut UHM C Base Tip-Tail Rocker

DETAILS

LENGTHS	171/180/189
DIMENSIONS	135/105/125 @ Length 180
RADIUS	17,8 @ Length 180
BINDINGS	114113 AAATTACK ² 16 GW w/o Brake [A]

EXPLORE THE NATURE WITH THIS UNIQUE TOOL. ALL IN ONE, ONE FOR ALL.

THE ALPINE WALKER

The Alpine Walker is a ready to use ski package, which opens a completely new approach to the snow. The whole package can easily fit in the back of the car and it makes skiing up fun and skiing down a breeze. Whether you are alone or with all the family just take the Alpine Walker and start your skiing adventure.



ARTICLE NUMBER

310797 Complete Set which includes skis, bindings, poles, bag and skins

POLES

Two-part Telescope pole, 7075 Aluminum, Twist Lock, Bicomponet Grip, Diameter 16/14, 110-140 adjustable

Wood Core Cap Construction Nano Tech Surface

	LENGTHS	130
	DIMENSIONS	124/80/106 @ Length 130
	RADIUS	10 @ Length 130
	BINDINGS	AAAmbition 10 AT Brake 85 [C]



ALL COUNTRY SKINS

Composition:

65% Mohair and 35% Nylon









CADDY This Caddy will carry you over the top, above the lip, and beyond the wall. Parks, pipes, and hits make this ski shine rough and rowdy. - the more the better!

ARTICLE NUMBER

Sandwich Twintip Construction

Highly transparent UHM Base, Tuffwalls

171/176/181

DIMENSIONS 120/84/109 @ Length 176

19,0 @ Length 176

114121 AAATTACK²

13 GW Brake 85]

ISS-Indipendent Suspension System

311527

FEATURES

PNP Rocker

DETAILS

LENGTHS

BINDINGS

ARTICLE NUMBER 311507

FRAMEWALL

FEATURES

Framewall, Sandwich Twintip Construction Diecut UHM C Base ISS – Independent Suspension System PNP Rocker

The first roll cage ever built with a ski in

it, the Frame Wall is built tough for the

DETAILS

LENGTHS	161/171/176/181
DIMENSIONS	121/84/110 @ Length 181
RADIUS	20,2 @ Length 181
BINDINGS	114129 AAATTACK ²
	13 GW Brake 85 [A]

THE SHOW

FRAMEWAI

Show off on this light and strong capwrapped wood core game-changer. Progress can be bought.

ARTICLE NUMBER

311547

FEATURES

Sandwich Twintip Construction Highly transparent UHM Base PNP Rocker

DETAILS

LENGTHS	154/163/172/181
DIMENSIONS	112/79/106 @ Length 172
RADIUS	19,1 @ Length 172
BINDINGS	114129 AAATTACK ²
	13 GW Brake 85 [A]



GREAT JOY

Technology has never felt this great! At 98 mm, this amazing all mountain ski breezes through powder and glides over groomers.

ARTICLE NUMBER

311647

FEATURES

LIBRA: Women's Camber, ERA 3.0, Super Light Weight Distribution
Graphene Superlite Sandwich Cap Construction
highly transparent UHM Base, Allride Rocker

DETAILS

LENGTHS	153/158/163/168/173
DIMENSIONS	141/98/124 @ Length 168
RADIUS	14,3 @ Length 168
BINDINGS	114137 AAATTACK ²
	12 GW Brake 110 [A]

WILD JOY

Every woman has a wild side. Skiers embrace it. Be wild and find JOY around every bend, mogul, and tree on the brand new Wild JOY. At 90mm under foot, this ski is ideal for those who are wild about everything from powder to groomers.

ARTICLE NUMBER

311667

FEATURES

LIBRA: Women's Camber, ERA, 3.0, Super Light Weight Distribution Graphene KOROYD Carbon Construction highly transparent UHM Base, Allride Rocker

DETAILS

LENGTHS	153/158/163/173
DIMENSIONS	139/90/119 @ Length 168
RADIUS	14,4 @ Length 168
BINDINGS	114136 AAATTACK ²
	12 GW Brake 95 [A]







TOTAL JOY

Light, fun, and easy, the total JOY brings a new meaning to all mountain high performance. Never has such an easy-turner been so incredibly emboldening.

ARTICLE NUMBER

311627

FEATURES

LIBRA: Women's Camber, ERA, 3.0, Super Light Weight Distribution
Graphene KOROYD Carbon Construction
Structured UHM C Base, Allride Rocker

DETAILS

DETAILS	
LENGTHS	148/153/158/163/168
DIMENSIONS	133/85/113 @ Length 163
RADIUS	13,6 @ Length 163
PLATES	SuperLiteRail
BINDINGS	100690 JOY 11 SLR
	Brake 90 [H]

SUPER JOY

High speed, high class, and high fashion rule the super JOY. Maybe it's the other way around, since the Super Joy rules the slopes. No matter – reJOYce.

ARTICLE NUMBER

311607


FEATURES

LIBRA: Women's Camber, ERA, 3.0, Super Light Weight Distribution Graphene KOROYD Carbon Construction Structured UHM C Base, Allride Rocker

DETAILS

LENGTHS	143/148/153/158/163/168
DIMENSIONS	128/75/108 @ Length 163
RADIUS	12,5 @ Length 163
PLATES	SuperLiteRail
BINDINGS	100691 JOY 11 SLR
	Brake 78 [H]

Y Light done right.







EPIC JOY SLR

Nomen est Omen. With this on-piste beauty you have a high-performance, lightweight machine under foot. This will be an all-time classic.

ARTICLE NUMBER

311677

FEATURES

LIBRA: Women's Camber, ERA, 3.0, Super Light Weight Distribution Graphene KOROYD Carbon Construction Structured UHM C Base, Allride Rocker

DETAILS

LENGTHS	148/153/158/163/168
DIMENSIONS	120/65/100 @ Length 163
RADIUS	11,9 @ Length 163
BINDINGS	100725 JOY 11 SLR
	Brake 78 [H]







ABSOLUT JOY

Balance and control this absolute will bring a smile to any improving skier's face. Go ahead, try to not smile – you can't! Truly, it's absolut JOY.

ARTICLE NUMBER

311687

FEATURES

LIBRA: Women's Camber, ERA 3.0, Super Light Weight Distribution Graphene Power Sidewall Jacket, Superlite Composite Core Highly transparent UHM Base, Allride Rocker

DETAILS

LENGTHS	143/148/153/158/163/168
DIMENSIONS	129/79/109 @ Length 163
RADIUS	13,5 @ Length 163
BINDINGS	100695 JOY 9 AC SLR
	Brake 90 [H]



PURE JOY

Skiing is at the heart of joy, and this ski ensures you get plenty of it. Always easy going and always in control, the pure JOY will bring a lifetime on the slopes.

ARTICLE NUMBER

311707

FEATURES

LIBRA: Women's Camber, ERA 3.0, Super Light Weight Distribution Graphene Power Sidewall Jacket Highly Transparent UHM Base, Allride Rocker

DETAILS

DETAILS	
LENGTHS	143/148/153/158/163
DIMENSIONS	127/73/107 @ Length 158
RADIUS	10,9 @ Length 158
BINDINGS	100696 JOY 9 AC SLR
	Brake 78 [H]









WC IRACE TEAM SW SLR II

This ain't no toy ski. With a full wood core and sidewalls, young speedsters will be stable and quick as they race all over the mountain.

ARTICLE NUMBER

314147

FEATURES

Intelligence Technology Graphene WC Sandwich Construction UHM C Base, Structured Surface also available without SLR II ART.Nr: 314157

DETAILS

LENGTHS	100/110/120/130/140/150/160
DIMENSIONS	111/67/95 @ Length 140
RADIUS	10,8 @ Length 140
PLATES	SLR II Base
BINDINGS	100678 SLR 7.5 AC Brake 78 [H]





Start them early, and start them often. With a high quality wood core, kids will lern faster and ski longer than ever before.

ARTICLE NUMBER

314187

FEATURES

Power Sidewall Jacket ERA 2.0, Structured Surface UHM C Base

DETAILS	
LENGTHS	120/130/140/150/160
DIMENSIONS	123/70/101 @ Length 140
RADIUS	9,7 @ Length 140
PLATES	SLR II Base
BINDINGS	100678 SLR 7.5 AC Brake 78 [H]



SUPERSHAPE TEAM SLR II

Start them early, and start them often. With a high quality sidewall jacket concstruction, kids will lern faster and ski longer than ever before.

ARTICLE NUMBER

314237

FEATURES

Jr. Power Frame ERA 2.0, E Base black, Structured Surface Also available without SLR II (ART.Nr: 314227)

DETAILS

DETAILS	
LENGTHS	67/77/87/97/107
	117/127/137/147/157
DIMENSIONS	111/67/96 @ Length 127
RADIUS	8,0 @ Length 127
PLATES	SLR II Base
BINDINGS	100682 SLR 4.5 AC Brake 74 [I]
	100678 SLR 7.5 AC Brake 78 [H]





Parents know that parks and pipes are rough on their kids' gear. The Caddy Jr. stands up to the big hits and delivers durable fun.

ARTICLE NUMBER

314067

FEATURES

Sandwich Twintip Construction Highly transparent UHM Base Tuffwalls, PNP Rocker

DETAILS

LENGTHS	131/141/151/161
DIMENSIONS	116/81/106 @ Length 141
RADIUS	11,8 @ Length 141
BINDINGS	11/083 SY 7 5 Brake 90 []]



RESIDUE SLR II

The only thing sticking around after this Residue flys by will be the trail of snow dust following your smiling child taking their first jump in the park!

ARTICLE NUMBER

314117

FEATURES

Twintip Construction, UHM C Base Structured Surface, PNP Rocker

DETAILS	
LENGTHS	118/127/136/145/154
DIMENSIONS	109/77/103 @ Length 145
RADIUS	13,4 @ Length 145
PLATES	SLR II Base
BINDINGS	100679 SLR 7.5 AC Brake 78 [H]









JOY SLR II

Skiing brings JOY. JOY brings laughter. Therefore, skiing brings laughter, and there's nothing better than a giggling girl on skis!

SOUPHEAD SLR II

This player is for little riders with big ambitions. When fun is the goal, look no further than the Souphead.

MONSTER SLR II

For boys who want to have skis just like their Dads, the Monster is perfect for learning to enjoy a lifetime of skiing.

ARTICLE NUMBER

314247

FEATURES ERA 2.0 Jr. Power Frame E Base black Junior Rocker

DETAILS

67/77 / 87/97/107
117/127/137/147
111/67/96 @ Length 127
8,0 @ Length 127
SLR II Base
100683 SLR 4.5 AC Brake 74 [I]
100679 SLR 7.5 AC Brake 78 [H]

ARTICLE NUMBER

314307

FEATURES Twintip Construction E Base black

Structured Surface

DFTAILS

DETAILS	
LENGTHS	87/97/107
	117/127/137
DIMENSIONS	104/68/92 @ Length 127
RADIUS	9,4 @ Length 127
PLATES	SLR II Base
BINDINGS	100683 SLR 4.5 AC Brake 74 [I]
	100679 SLR 7.5 AC Brake 78 [H]

ARTICLE NUMBER

314287

FEATURES

Era 2.0, Jr. Power Frame E Base black, Junior Rocker Structured Surface

DETAILS

DEINIL	
LENGTHS	67/77/87/97/107
	117/127/137/147/157
DIMENSIONS	111/67/96 @ Length 127
RADIUS	8,0 @ Length 127
PLATES	SLR II Base
BINDINGS	100682 SLR 4.5 AC Brake 74 [I]
	100678 SLR 7 5 AC Brake 78 [H]

SKI TECHNOLOGY KFRS



THE EXTRA BOOST

integrated system.

KERS Technology works like a turbo charger that provides additional power and acceleration by stiffening the tail of the ski in outturns.

The effect: a boost, catapulting the rider into the next turn. Just like when Formula 1 pilots push a button for that extra notch of Speed. HEAD KERS Technology is an electronic, fully automatic and


TECHNICAL BACKGROUND

HEAD KERS Technology is an evolution of the idea behind HEAD's Intelligence™ Technology. But unlike Intelligence™, KERS does not influence the torsional stiffness of the ski, KERS empowers the skis' longitudinal flex. Also KERS Technology is based on a completely new chip capable of accumulating power and keeping it in store for the right moment. Piezoelectric fibers transform kinetic energy into electrical energy which is stored in the embedded chip in the ski. Electrical energy is immediately released to areas of the ski, where additional energy is requested by the sensor. Timing and release are automatically controlled and coordinated. Depending on the flex pattern of different ski models, sensors are programmed beforehand: the more aggressive the ski has to be, the stiffer the tail will become.

Skis experience maximum flex at the end of a turn. At this moment an active microship releases energy into the fibers of the tail. The tail of the ski then stiffens up, immediately increasing rebound for maximum acceleration at the end of the outturn.



ELECTRONIC SKI MANAGEMENT SYSTEM




HEAD's theory of relativity: Ski performance is not an absolute measure. What you want out of a ski always depends on how and where you ride. On hard-packed slopes you want perfect edge grip. On soft snow, you want more maneuverability. Breaking the slope record you want your ski to perform differently than when you're just cruising with your friends or family. Adaptive HEAD Intelligence™ Technology helps your ski perform perfectly - both relative to terrain and your individual riding mode.

HOW IT WORKS

Intellifibers positioned at 45° in front of the binding transform mechanical impulses into electrical energy. The harder you ride, the more energy is produced. The electrical energy is led back to the Intellifibers. This causes them to stiffen up, putting more rebound and torsional stiffness into the ski.

WHAT IT DOES

Their 45° position in front of the binding increases the ski's torsional stiffness, pushing the edge into the snow in hard turns. IntelligenceTM progressively stabilizes the entire ski at high speeds.




THE EXTRA BOOST

Some HEAD high-end skis boast Intelligence[™] Chip Technology. Here, the electrical energy produced by the Intellifibers is not just recycled, but accumulated and released bit by bit through a pre-programmed chip - individually timed to match the oscillation properties of the ski. Thus, the effect of Intelligence[™] is multiplied, providing even more performance relative to your skiing style.

JOY COLLECTION



THE SUPERLIGHT SKI THAT PACKS MORE ACTION AND JOY INTO YOUR DAY. THANKS TO GRAPHENE, THE WORLD'S LIGHTEST, THINNEST AND STRONGEST MATERIAL, SKIING WILL NO LONGER BE THE SAME. THIS REVOLUTIONARY MATERIAL ALLOWS FOR LIGHTER SKIS WITH UNPARALLELED BALANCE AND CONTROL, THAT WILL FILL YOUR DAY WITH JOY.



*Light done right.



LIGHTNESS

THANKS TO THE LATEST SUPER LITE AND SUPER STRONG MATERIALS



True to HEAD's DNA, we remain on the forefront of ski technology. And now we are incredibly proud to introduce GRAPHENE — an incomparably light and unbelievably strong material. Layers of GRAPHENE, only a single atom thick, combine to make skis that flex and react intuitively to even the smallest inputs. When mixed with other lightweight materials like Koroyd and carbon, GRAPHENE enables weight savings of up to 350 grams.



THROUGH UNIQUE WEIGHT DISTRIBUTION PROFILES


With GRAPHENE we are able to manipulate the geometric profile and weight distribution of the ski in any way we like. Depending on the nature of the ski model, the type of skier, and the expected snow conditions, we fine—tune weight and flex distribution characteristics to optimize the skiing experience. Never before has a ski been more perfectly balanced or more efficient — in every model of the size run. In our new women's line, each ski's weight distribution is set up for one of two categories: "on—piste" and "off—piste".



CONTROL WITH WOMEN'S CAMBER AND ERA 3.0


Thanks to GRAPHENE, our women's camber has a lower profile, which makes for easy turn completion and truly epic performance. And because the handling of the ERA 3.0 Rocker has been enhanced, it's not just the turns that are easier to execute — even changes from edge to edge are effortless. With GRAPHENE you always have grip and control — in every situation, through all conditions, with every move you make.





FEEL INNOVATION. WITH GRAPHENE EMBADDED IN THE SUPERSHAPE YOU WILL ENTER A NEW DIMENSION OF SKIING. THE UNIQUE CHARACTERISTICS OF THIS NOBEL PRICE WINNING MATERIAL ENABLES A TOTALLY DIFFERENT CONSTRUCTION OF OUR HIGH PERFORMANCE SKIS. PERFECT GRIP FROM THE FIRST RUN UNTIL THE LAST. ACCELERATE, STEER AND CHARGE AT ALL CONDITIONS BY PERFECT WEIGHT BALANCE DISTRIBUTION AND THEREFORE ACCURATE TURN INITIATION.

WC SANDWICH CAP CONSTRUCTION



EFFORTLESS POWER

These skis have a core construction with a much larger woodcore. Due to the lightweight properties of GRAPHENE, we are able to use a thicker and wider aluminium sheet, which covers the entirety of the ski, ensuring a more reactive and powerful ride.

BALANCE

With GRAPHENE positioned in the center of the ski we have been able to reduce the thickness of the center and shift more material in the tip and tail, allowing for a ski with a truly harmonized flex distribution, easier engagement and quicker edge-to-edge changes.

CONTROL

Thanks to a thicker tip and tail it has been possible to design specific geometries for the four different shovels. Due to immediate effective edge, the ski is constantly in contact with the terrain no matter the angle.



i.Speed just wants to go faster. Clip in, hang on, and leave your comfort zone behind.



i.Magnum is a precision instrument for turning speed into pleasure. Go as fast as you want all day long.




i.Rally can do it all, so get creative. There's no such thing as ice too hard, powder too soft, or turns too tight.



i.Titan is a go-anywhere, shred-everything, multitasker. You'll need a snow cat to scrape the grin off your face.

SHOVEL ILLUSTRATIONS

A smaller shovel radius means the front contact area of the ski moves forward and engages faster into a turn.




MONSTER & INSTINCT COLLECTION

THESE SKIS HAVE GRAPHENE IN THEIR DNA. GRAPHENE IS THE THINNEST AND LIGHTEST ELEMENT EVER DISCOVERED BY MANKIND. GRAPHENE IS ALSO THE STRONGEST MATERIAL ON THE PLANET, STRONGER THAN DIAMOND AND 300 TIMES STRONGER THAN STEEL. HAVE NO FEAR, THESE SKIS WILL CHEW UP AND SPIT OUT ANY TERRAIN THAT COMES YOUR WAY.

REACTIVENESS

Thanks to GRAPHENE's lightness and strength, we are able to reduce common material like wood and glass fibres to add extra titanal layers, creating a ski with unique reactiveness and responsiveness.

Without Graphene each ski would have 300 gramms more of material to undure the force of the titanal layers.




BALANCE

Thanks to GRAPHENE we are able to modify the balance properties of the ski to optimize the skiing experience on all terrains. The ski configurations can vary between Allride and Off-Piste.

OFF-PISTE BALANCE



ALLRIDE BALANCE





CONTROL

Thanks to GRAPHENE, our camber has a lower profile, which makes for easy turn completion and truly epic performance. And because the handling of the ERA 3.0 Rocker has been enhanced, it's not just the turns that are easier to execute – even changes from edge to edge are effortless. With GRAPHENE you always have grip and control – in every situation, through all conditions, with every move you make.



INTELLIGENCE STABILIZERS Reduction of vibrations



LOWER PROFILE For more solid stance



ERA 3.0 PROGRESSIVE RADIUS Up to 50% less angulation for full edge contact



ERA 3.0 ROCKER TIP For easy turning

SKIS TECHNOLOGY I GRAPHENE CORES SUPERSHAPE/MONSTER/INSTINCT

WC SANDWICH CAP CONSTRUCTION

Developed with the most sophisticated material known to man. The Graphene WC sandwich Cap construction, is developed with the most sophisticated material known to man. The Graphene WC Sandwich Cap Construction with a balanced mix of light Graphene and extra titanal lavers. the ski combines the most extreme agility with extreme responsiveness, the ultimate performance.

3 Titanal Layer

6 GRAPHENE

9 Dampening Layer

1 Top Sheet


2 Glass fiber fleece

4 Glass fiber

7 Sidewall 11 Base

Reinforced Fiberglas

5 Wood Core



POWER SIDEWALL TI JACKET CONSTRUCTION

The Titanal layer in combination with the Graphene, creates a solid and responsive performance ski. The synthetic injected core supported with ABS sidewalls allows for a soft longitudinal flex coupled with super responsive torsional flex, thanks to the sidewall jacket.

1 Top Sheet

4 Diagonal Glass fibers 5 Synthetic Core

8 Titanal



SUPERLITE POWER SIDEWALL JACKET CONSTRUCTION

3 GRAPHENE

A synthetic injected core supported with ABS sidewalls. This superlite construction thanks to GRAPHENE allows for a soft longitudinal flex coupled with a super responsive torsional flex, thanks to the sidewall jacket.


1 Top Sheet

4 Diagonal glass fiber

2 Glass fiber

5 Synthetic core

6 Sidewall 8 Perforated steel layer
9 Base



SKIS TECHNOLOGY I GRAPHENE CORES WOMEN SPECIFIC CORES

Developed with the most sophisticated material known to man, the Superlite sandwich construction uses Graphene, KOROYD and CARBON to guarantee the lightest ski in the world without compromising on performance. The ultimate construction for a high performing women ski.

5 Koroyd

1 Top Sheet 4 Carbon glass fiber 2 Reinforced glass fiber 3 GRAPHENE

6 Wood core

3 Glass fiber

6 Wood core

8 Dampening Layer 7 Sidewall

11 Base 10 Carbon

GKC SUPERLITE SANDWICH CAP CONSTRUCTION 3 4 GRAPHENE

SUPERLITE SANDWICH CAP CONSTRUCTION

Thanks to the unique properties of Graphene, the Superlite Sandwich Cap Construction has had a reduction in the materials inserted with an increase in its responsiveness, allowing faster and more precise change form edge to edge. The ultimate ski for flotation and responsiveness.

1 Top Sheet

2 Glass fiber fleece

8 Diagonal glass fiber

7 Sidewall 11 Base

4 6 GRAPHENE 9 Reinforced glass fiber

SUPERLITE POWER SIDEWALL JACKET COMPOSITE CORE

To make this construction even lighter, material from the heart has been replaced by a lighter material and a layer of Graphene has been inserted to not only insure the performance is unchanged but actually increased, as the overall thickness of the core is reduced, making it a composite that is easy and forgiving, but always precise.

1 Top Sheet

2 Glass fiber

4 Diagonal glass fiber 5 Synthetic core 8 Edge

6 Lite core

9 Reinforced glass fiber

10 Base

7 Sidewall

GRAPHENE

3 4

1

7

9

10

10

5

SKIS TECHNOLOGY I HEAD CORE

WC SANDWICH CAP CONSTRUCTION


A wood core sandwich construction with Titanal which combines the solid and responsive performance of the vertically laminated wood core and control offered by the Titanal. Upper layer wrapped by Cap that insures longer durability.

WOOD CORE CAP CONSTRUCTION A vertically laminated wood core surrounded by a sock of fiberglass and the whole body is wrapped by a durable topsheet. This forgiving construction is ideal for ramping up the learning curve.

S A N D W I C H C A P C O N S T R U C T I O N Is the world cup sandwich construction with a Cap that wraps over the top edge of the sidewall to make the ski more suitable for all mountain skiing.

POWER SIDEWALL JACKET A synthetic injected core supported with ABS sidewalls. This lightweight construction allows for a soft longitudinal flex coupled with a super responsive torsional flex, thanks to the sidewall jacket.

Rocker done right.



01

ALLRIDE ROCKER

A rocker who feels comfortable on the steepest slopes and deepest pow - made for skiers who feel comfortable on steepest slopes and deepest pow, and who are always ready to make the best out of every single skling day. Allride Rocker enables superior steering and increased flustation. We place exactly the right amount of rocker in each model to ensure maximum performance for all ability levels. Steering is easier for all skiers and soft snow versatility is enhanced.

02

PNP ROCKER

Some people want to fly high - If you're one of them, be sure your skil features the PNP Rocker. Consider it a pair of wings for skils, developed in the HEAD freestyle laboratory. Our Park & Pipe Rocker incorporates tip and tall rise with regular camber underfoot. PNP gives skils a significant amount of pop and energy for boosting tricks. So diwe in, go bigger, fly further, and rock the park and pipe as hard as you can.

10% 70% 20%

03

SPEED ROCKER

For perfect handling on herdpack – a slight tip rise on a skil with standard camber, which means great performance, easy turn initiation, and high versatifity on soft show 10% rocker and 90% camber is just enough to take the sting out of the edges, while keeping the title you need to turn. Speed Rocker turns HEAD performance skill into a weapon of speed with power steering. It's fast, Are you?

04


TNT ROCKER

For more powerful freeriding • Tip & Tall Rise meet partial camber;
The recipe for great float and freedom in powder with enough standing power to enjoy those days you didn't pray for snow. Really the best of both worlds. 40% Rocker is radical enough to satisfy the freeridin' sout, 60% Camber helps keep your speed and your budget in check - because with the versatility of TNT rocker, you'll have to buy one less ski for your guiver.

05

JUNIOR ROCKER

For perfect aliride performance. Kids don't like compromises. But they don't like sticking to decisions either. One day they're a rockstar. And the next day they want to be a bunny. With 20% tocker and 80% camber, kids get tons of float, easy turn initiation, and plenty of speed and control. HEAD's Junior Rocker simply works for anyone, anywhere.



SKIS TECHNOLOGY I ERA 3.0



ERA 3.0

Imagine a ski that performs for everyone, anywhere: One for all. All in one.

HEAD ERA 3.0 is not your one-dimensional «Have a problem? We fix it!» technology.

ERA 3.0 is a combination of technologies, shape and geometry. Think Rocker, think Radius, think Rebound. Think 3-dimensional.




ALLRIDE ROCKER

For superior steering and increased floatation. We place a highly targeted amount of rocker in each model to ensure maximum performance for all ability levels. Steering is easier for all skiers and soft snow versatility is enhanced.

PROGRESSIVE RADIUS

For tremendous turning. Regular rocker makes skiers place their ski further on edge to have it touch from tip-to-tail. With progressive radius, up to 50 % less angulation is needed to enjoy full edge contact. More edge on the snow = more edge grip.



INTELLIRISE REBOUND

For targeted stability. We move our legendary piezoelectric Intellifibers to the tip of the ski. The nasty tip vibrations found on regular rockers are not found here. These skis are too smart for that.



ERA 2.0

THE LITTLE BROTHER OF ERA 3.0.

It is everything ERA 3.0 has to offer as far as design, performance and geome-

try integration, but without the addition of "Rebound" with its piezoelectric Intellifibers. While we do want to see kids experience skiing performance at the highest level, they should have the best possible tools to learn and perform.

SKIS TECHNOLOGY I FRAMEWALL





FRAMEWALL

The extraordinary stressing of Park&Pipe skis generally result in fast abrasion and easy chipping of the top sheet. This problem has been solved by the all new FRAMEWALL. The three dimensional build of the sidewalls covers the skis top sheet and prevents it from chipping and other external hazards, which results in delamination. The FRAMEWALL is the first 360 protector on a ski, that increases the skis durability and performance considerably!



FREEFLEX EVO

Freeflex EVO reduces the impact on the natural ski flex to a minimum. Decreased forward pressure, completely redesigned new roller pincer systems and wings, plus an intelligent gliding element all add up to the rEVOlution of racing: fastest time, from the starting gate to the finish line with Freeflex EVO.






LOWER WEIGHT - MORE FUN

What is ideal: a lower weight or improved safety?
This question is a thing of the past when it comes to choosing the perfect touring binding. Tyrolia's new AAAmbition AT binding combines both desired features by using the high tech material Carbon© in the mid part of the binding. Constant stability at a significantly reduced binding weight (200g) make the Tyrolia AAAmbition Carbon an AT binding with proven downhill performance and safety features. Its benefits of very low weight are highly valued when hiking and touring the back country.

Available in 3 Lengths: SHORT (265-295mm), MEDIUM (295-325mm) and LONG (315-345mm).



BOOTS

WINTER COLLECTION 2017-18



HEAD



Hi-Top Tech

Direct contact between leg and shell provides the maximum energy transmission and ski control.

Duo Flex

The Duo Flex drivers enable a progressive and reactive flex with precise ski control through all phases of the turn.

Control Frame

An innovative profile and two different materials provide a perfect synthesis of comfort and rearward support, and energy transmission.

FEEL THE ADVANTEDGE

AdvantEdge Boots
With as little as 5° a forward flex skier starts transmitting a tremendous amount of power to the ski while maintaining confidence and control.

AdvantEdge Boots

With as little as 5° a forward flex skier starts transmitting a tremendous amount of power to the ski while maintaining confidence and control.



Super Easy Entry

Hi Top tech provides the easiest hand entry and exit and prevents foot pinching by holding the boot tongue in the correct position inside the boot.

HOW DOES IT WORK? 10:00







Is the new revolutionary system that ensures comfortable, performances-oriented customization in HEAD's superb skiboots.

THE NEW HEAD SOLES FOR VECTOR EVO AND ADVANT EDGE




High-profiled slip-resistant sole



Increased walking comfort and improved natural roll thanks to a curved rubber sole









GRIPWALK. COMPATIBLE WITH:- Alpine ski bindings with the additional Gripwalk marking - Bindings that accept alpine touring boots according to . ISO 9523







WALK SOLE cod. 601

WALK SOLE. COMPATIBLE WITH:

- Alpine ski bindings which are marked to work with Walk Soles or Walk To Ride soles - Bindings that accept alpine touring boots according to ISO 9523

HEAD CANTING SYSTEM



following solutions



RAPTOR 140S RS

ARTICLE NUMBER

607007

FEATURES

Flex Performance tuning
Racing Double canting
Rear support tuning
FIS approved sole thickness
Low racing wedge

LINER

Performance Pro liner HP frame footbed 40 mm Double Power Booster velcro strap

BUCKLES

4 screwed micro-adjustable Spineflex racing alloy buckles Low profile buckles

DETAILS

| LEVEL | Professional | | FLEX INDEX | 150/140/130 | SIZES | 220-225-230-... | -295-305 | SUELL | Plantage |

SHELL PU Performance
LAST RS 1800cc
Last 94 96 98

Size 25.5 26.5 27.5

COLOR White

Forward Lean 16°, Ramp Angle 4°





RAPTOR 110S RS W

ARTICLE NUMBER

607014

FEATURES

Flex tuning
Racing Double canting
FIS approved sole thickness

Low racing wedge

LINER

Women's HeatFit Pro liner HP frame footbed 40 mm velcro strap

BUCKLES

4 micro-adjustable Spine-Tech alloy buckles Low profile buckles

DETAILS

 LEVEL
 Professional

 FLEX INDEX
 110/100

 SIZES
 220-225-230-...-275

 SHELL
 PU − JR Cuff

 LAST
 RS 1800cc

 Last
 92
 94
 96

 Size
 24.5
 25.5
 26.5

COLOR Black

RACE BALANCE Forward Lean 16°, Ramp Angle 4°



RAPTOR 90 RS W

ARTICLE NUMBER

607018

FEATURES

Flex tuning
Racing Double Canting
FIS approved sole thickness
Low racing wedge

LINER

Women's HeatFit Pro liner HP frame footbed 40 mm velcro strap

BUCKLES

4 micro-adjustable alloy buckles
Low profile buckles

DETAILS

 LEVEL
 Expert

 FLEX INDEX
 90/80

 SIZES
 220-225-230-...-275

 SHELL
 PU - JR Cuff

 LAST
 RS 1800cc

 Last
 92
 94
 96

 Size
 24.5
 25.5
 26.5

 COLOR
 Gray

RACE BALANCE

Forward Lean 16°, Ramp Angle 4°



RAPTOR 80 W

ARTICLE NUMBER

607019

FEATURES

Flex tuning
Racing Double Canting
FIS approved sole thickness
Low racing wedge

LINER

Women's HeatFit Pro liner
HP frame footbed
40 mm velcro strap

BUCKLES

4 micro-adjustable alloy buckles Low profile buckles

DETAILS

 LEVEL
 Expert

 FLEX INDEX
 80/70

 SIZES
 220-225-230-...-275

 SHELL
 PU - JR Cuff

 LAST
 RS 1800cc

 Last
 92
 94
 96

 Size
 24.5
 25.5
 26.5

 COLOR
 Turquoise

RACE BALANCE

Forward Lean 16°, Ramp Angle 4°



RAPTOR 120S RS

ARTICLE NUMBER

607008

FEATURES

Racing flex tuning
Racing Double canting
FIS approved sole thickness
Low racing wedge

LINER

HeatFit Pro liner
HP frame footbed
40 mm velcro strap

BUCKLES

4 micro-adjustable Spine-Tech alloy buckles Low profile buckles

DETAILS

 LEVEL
 Professional

 FLEX INDEX
 120/110

 SIZES
 220-225-230-...

 -295-305

SHELL PU LAST RS 1

Last 94 96 98

Size 25.5 26.

COLOR WIT

Forward Lean 16°, Ramp Angle 4°



HAMMER 110

ARTICLE NUMBER	
607023	
FEATURES	
Triad ergoflex shell	

FEATURES	
Triad ergoflex shell	
Shock absorbing canting	
Shock absorbing wedge	
Form Fit	
Replaceable tongue	
Biinjected pads, Rubber grip	sole
Flex Adjust	

LINER
Perfect Fit Pro liner
Shock-absorber footbed
50 mm velcro strap
Gel shin saver
Shock absorbing toe-box

BUCKLES

DOCKELS	
3 micro-adjustable alloy buckles	

LEVEL		Αd	vanced		
FLEX IN	DEX	110	0/100		
SIZES		240	0-245-		
		-29	90-295		
SHELL		PU/SL			
LAST		FR 1800cc			
Last	96		98	100	
Size	25.	.5	26.5	27.5	
COLOR		Red	d/ black		
ERGO BA	ALAN	ICE			



THRASHER 100

BUCKLES				
2 micro-adjustable alloy buckles				
DETAII	.S			
LEVEL	Pr	ofessiona	1	
FLEX IN	DEX 10	0/90		
SIZES	24	10-245-	290-295	
SHELL	PU	J/SL		
LAST	FF	1800cc		
Last	96	98	100	
Size	25.5	26.5	27.5	
COLOR	Bl	ack-red		
ERGO BALANCE				
Forward Lean 16°, Ramp Angle 4°				
	DETAIL LEVEL FLEX IN SIZES SHELL LAST Last Size COLOR ERGO B	2 micro-adju DETAILS LEVEL Pr FLEX INDEX 10 SIZES 24 SHELL PL LAST FR Last 96 Size 25.5 COLOR BIGERGO BALANCE	2 micro-adjustable allow DETAILS LEVEL Professional FLEX INDEX 100/90 SIZES 240-245-3 SHELL PU/SL LAST FR 1800cc Last 96 98 Size 25.5 26.5 COLOR Black-red ERGO BALANCE	



Gel shin saver, Shock absorbing

spoiler, Shock absorbing toebox

607025	2 micro-adjustable plastic buckles			
FEATURES	DETAIL	.S		
Triad ergoflex shell	LEVEL	А	dvanced	
Shock absorbing canting	FLEX IN	DEX 8	0/70	
Shock absorbing wedge	SIZES 2		40-245-	290-295
Form Fit	SHELL	Р	U/SL	
Flex Adjust	LAST	F	R 1800cc	
	Last	96	98	100
LINER	Size	25.5	26.5	27.5
HeatFit liner	COLOR Black-yellow			OW
Shock-absorber footbed	ERGO BALANCE			
50 mm velcro strap	Forward Lean 16°, Ramp Angle 4°			

BUCKLES







HP frame footbed 30 mm velcro strap

VECTOR EVO 110S W

ARTICLE NUMBER

607040

FEATURES

Bi-Inj. dynamic frame Easy entry shell design Racing flex tuning, Single canting Rear support tuning, Form Fit Walk sole compatible Grip walk sole compatible **HEAD Canting system** sole compatible

LINER

Women's EVO Perfect Fit HD liner

BUCKLES

4 micro-adjustable Spine-Tech alloy buckles, 2 Double Power levers, 1 Supermacro ratchet

DETAILS.

DETAIL	3				
LEVEL		Expert			
FLEX IND	EX.	110	/100		
SIZES		230-235275			
SHELL		PU/SL			
LAST		S 18	350cc		
Last	96		98		100
Size	24.	5	25.5		26.5
COLOR		Antı	racite/b	าไล	ck-vellow

EVO BALANCE

Forward Lean 14°, Ramp Angle 4°



VECTOR EVO 120S

VECTOR EVO 130S

Bi-Inj. dynamic frame

Easy entry shell design

Rear support tuning Form Fit, FOAM wedge

Walk sole comaptible Grip walk sole compatible

HEAD Canting system

EVO Perfect Fit HD PRO liner

sole compatible

HP frame footbed

40 mm Double Power

Booster velcro strap Gel Shin Saver

LINER

Racing flex tuning, Single canting

ARTICLE NUMBER

607032

FEATURES

ARTICLE NUMBER

607035 Antracite/black-green 607034 White/green

FEATURES

Bi-Inj. dynamic frame Easy entry shell design Racing flex tuning, Single canting Rear support tuning, Form Fit Walk sole compatible Grip walk sole compatible HEAD Canting system sole compatible

LINER

EVO Perfect Fit HD liner HP frame footbed 40 mm velcro strap

BUCKLES

BUCKLES

DETAILS

LEVEL

SIZES

SHELL

LAST

COLOR EVO BALANCE

Last 98

25.5

4 micro-adjustable Spineflex alloy

Professional

310-320

S 1850cc

100

26.5

Forward Lean 14°, Ramp Angle 4°

Antracite/black-vellow

PU

250-255-...-305

buckles, 2 Double power levers

1 Supermacro ratchet

Low profile buckles

FLEX INDEX 130/120

4 micro-adjustable Spine-Tech alloy buckles, 2 Double power levers, 1 Supermacro ratchet Low profile buckles

DETAILS

DETAIL	.5				
LEVEL	Pro	Professional			
FLEX IN	DEX 120	0/110			
SIZES	250	0-255-	305		
SHELL	PU				
LAST	S 1	850cc			
Last	98	100	102		
Size	25.5	26.5	27.5		
COLOR	Ant	tracite/I	olack–greer		
	Wh	ite/gree	n		

Forward Lean 14°, Ramp Angle 4°



VECTOR EVO 90 W

ARTICLE NUMBER

607071 607072

FEATURES

Bi-Inj. dynamic frame Easy entry shell design Racing flex tuning, Single canting Rear support tuning, Form Fit Walk sole compatible Grip walk sole compatible **HEAD Canting system** sole compatible

LINER

Women's EVO Perfect Fit S liner HP frame footbed 30 mm velcro strap

BUCKLES

4 micro-adjustable alloy buckles 1 Supermacro ratchet

DETAILS

EVO BALANCE

LEVEL	Ex	pert		
FLEX IN	DEX 90	/80		
SIZES	23	0-235-		275
SHELL	PU	/SL		
LAST	S 1	L850cc		
Last	96	98		100
Size	24.5	25.5		26.5
COLOR	An	tracite/	blac	ck
	Gra	av/white		

Forward Lean 14°, Ramp Angle 4°



ARTICLE NUMBER

607061

FEATURES

Bi-Inj. dynamic frame Easy entry shell design Racing flex tuning, Single canting Rear support tuning, Form Fit Walk sole compatible Grip walk sole compatible HEAD Canting system sole compatible

LINER

EVO Perfect Fit S liner HP frame footbed 40 mm velcro strap

BUCKLES

EVO BALANCE

4 micro-adjustable alloy buckles 1 Supermacro ratchet Low profile buckles

DETAILS

LEVEL	Expert				
FLEX IN	DEX 11	110/100			
SIZES	ES 250-255305				
SHELL	PU/SL				
LAST	S	S 1850cc			
Last	98	100	102		
Size	25.5	26.5	27.5		
COLOR	An	tracite/I	olack-red		

EVO BALANCE

Forward Lean 14°, Ramp Angle 4°







CHALLENGER 120

ARTICLE NUMBER

607026

FEATURES

Bi-Inj. energy frame + Adaptive fit technology Power ski-hike mechanism Easy entry shell design Rear support tuning Single canting

LINER

Perfect Fit HP liner, HP frame footbed, 40 mm velcro strap

BUCKLES

4 micro-adjustable alloy buckles 2 Double Power levers 1 Supermacro ratchet Low profile buckles

DETAIL	LS		
LEVEL	Exp	pert	
FLEX IN	DEX 12	0	
SIZES	25	0-255	305
SHELL	PU	/SL	
LAST	S 2	2000cc	
Last	97-99	99-101	101-103
Size	25.5	26.5	27.5

COLOR VERSO BALANCE

Forward Lean 16°, Ramp Angle 6°

Black/anthr.-yellow



ADVANT EDGE 125S

ARTICLE NUMBER

607102

FEATURES

Bi-Inj. control frame Hi-Top Tech, Duo Flex Easy entry shell design Stiffer/softer flex adjustme Single canting, Form Fit Walk sole compatible Grip walk sole compatible HEAD Canting system sole compatible

LINER

Perfect Fit HD PRO liner Sport frame footbed, 40 m Double Power Booster velcro strap

BUCKLES

4 micro-adjustable Spine-Tech alloy buckles, 2 Double Power

levers, 1 Supermacro ratchet

	Low profile buckles					
	DETAIL	.S				
ent	LEVEL	A	dvanced			
	FLEX IN	DEX 1	.25/115			
	SIZES	2	250-255-	305-		
		3	310-320-	330-340		
	SHELL	F	U			
	LAST	C	2100cc			
	Last	100	102	104		
	Size	25.5	26.5	27.5		
	COLOR	A	nthr./bla	ck		
nm	ALLRIDE	BALAI	NCE		_	

ADVANT EDGE 105 ARTICLE NUMBER

607103

FEATURES

Bi-Inj. control frame Hi-Top Tech, Duo Flex Easy entry shell design Stiffer/softer flex adjustment Single canting, Form Fit Walk sole compatible Grip Walk sole compatible **HEAD Canting system** sole compatible

LINER

Perfect Fit HD liner Sport frame footbed

BUCKLES

40mm velcro strap

4 micro-adjustable alloy buckles 2 Double Power levers, 1 Supermacro ratchet, Low profile buckles

Forward Lean 14°, Ramp Angle 5°

DETAILS

LEVEL	Ad	vanced		
FLEX INI	DEX 10	5/95		
SIZES	25	0-255	305	
SHELL	PU	I/SL		
LAST	C 2	2100cc		
Last	100	102	104	
Size	25.5	26.5	27.5	
COLOR	Re	d/Black		

ALLRIDE BALANCE

Forward Lean 14°, Ramp Angle 5°



CHALLENGER 110

ARTICLE NUMBER 607028

FEATURES

Bi-Inj. energy frame + Adaptive fit technology Power ski-hike mechanism Easy entry shell design Rear support tuning Single canting

LINER Perfect Fit S liner HP frame footbed 40 mm velcro strap

BUCKLES

4 micro-adjustable alloy buckles 1 Supermacro ratchet Low profile buckles

DETAILS

LEVEL	Exp	ert	
FLEX IN	DEX 110)	
SIZES	250)-255	305
SHELL	SL		
LAST	S 2	000сс	
Last	97-99	99-101	101-103
Size	25.5	26.5	27.5
COLOR	Bla	ck/anthr.	-red
VERSO E	BALANCE		
Forwa	rd Lean	16°, Ran	np Angle 6º



ARTICLE NUMBER

607029

FEATURES

Bi-Inj. energy frame Adaptive fit technology Power ski-hike mechanism Easy entry shell design Rear support tuning Single canting

LINER

Women's Perfect Fit S liner HP frame footbed 40 mm velcro strap

BUCKLES

4 micro-adjustable alloy buckles 1 Supermacro ratchet

DETAILS

PLIAIL	.5		
LEVEL	Exp	ert	
FLEX INI	DEX 100)	
SIZES	230)-235	270-275
SHELL	SL		
LAST	S 2	000cc	
Last	97-95	99-97	101-99
Size	24.5	25.5	26.5
COLOR	Bla	ck/anthr	fucsia
VERSO E	BALANCE		
Forwar	d Lean	16°, Ran	np Angle 6°

ADVANT EDGE 95

ARTICLE NUMBER

607116 Anthr. /black- green 607121 Yellow/black

FEATURES

Bi-Inj. control frame Hi-Top tech, Duo Flex Easy entry shell design Single canting Stiffer/softer flex adjust Walk sole compatible Grip walk sole compatible **HEAD Canting system** sole compatible

LINER

Perfect Fit S liner, Sport frame footbed, 40 mm velcro strap

BUCKLES

4 micro-adjustable alloy buckles, 2 Double Power levers, 1 Super macro ratchet, Low profile buckles

DETAILS

LEVEL	Aa	vanced	
FLEX IN	DEX 95	/85	
SIZES	25	0-255	305
SHELL	SL		
LAST	C 2	2100cc	
Last	100	102	104
Size	25.5	26.5	27.5

COLOR Anthr. /black- green Yellow/black

ALLRIDE BALANCE

Forward Lean 14°, Ramp Angle 5°



ADVANT EDGE 85

ADVANT EDOL 03				
ARTICLE NUMBER	BUCKL	ES		
607148	4 micr	o-adjus	stable allo	oy buckles
	1 Supe	ermacro	ratchet	
FEATURES	Low pr	rofile bu	ıckles	
Bi-Inj. control frame				
Hi-Top tech, Duo Flex	DETAIL	LS		
Easy entry shell design	LEVEL	Int	ermediat	te
Single canting	FLEX IN	DEX 85		
Walk sole compatible	SIZES	25	0-255-2	260-
Grip walk sole compatible		26	530)5
HEAD Canting system	SHELL	SL		
sole compatible	LAST	C 2	2100cc	
	Last	100	102	104
LINER	Size	25.5	26.5	27.5
HeatFit liner, Sport frame footbed	COLOR	An	thr./blac	:k

ALLRIDE BALANCE

Forward Lean 14°, Ramp Angle 5°



ADVANT EDGE 75

40 mm velcro strap

ARTICLE NUMBER	BUCKL	ES		
607189 Antracite/black-red	4 micro-adjustable plastic buckles			
607192 White/ black-yellow	1 Supe	ermacro	ratchet	
	Light b	uckle		
FEATURES				
Bi-Inj. control frame	DETAIL	.S		
Hi-Top tech, Duo flex	LEVEL	Inte	ermediat	te
Easy entry shell design	FLEX IN	DEX 75		
Single canting	SIZES	25	0-255-	260-
Walk sole compatible		26	530)5
Grip walk sole compatible	SHELL	SL		
HEAD Canting system	LAST	C 2	100cc	
sole compatible	Last	100	102	104
	Size	25.5	26.5	27.5
LINER	COLOR	An	tracite/l	olack-red
Comfort liner		Wh	ite/ blac	k-yellow
Sport frame footbed	ALLRIDE	BALANC	E	
40 mm velcro strap	Forward Lean 14°, Ramp Angle 5°			



ADVANT EDGE 95 W

ARTICLE NUMBER	BUCKI	LES		
607106	4 mic	ro-adjus	stable allo	by buckles
	2 Dou	ble Pow	er levers	
FEATURES	1 Sup	ermacro	ratchet	
Bi-Inj. control frame, Hi-Top tech				
Duo flex, Easy entry shell design	DETAI	LS		
Stiffer/softer flex adjust	LEVEL	Ad	lvanced	
Single canting	FLEX IN	IDEX 95	/85	
Double adjustable cuff, Form fit	SIZES	22	0-225-2	230-235
Walk sole compatible			-275	
Grip walk sole compatible	SHELL	PU	I/SL	
HEAD Canting system	LAST	C 2	2100cc	
sole compatible	Last	98	100	102
	Size	24.5	25.5	26.5

LINER

Women's Perfect Fit HD liner Women auto adaptive tech Fleece lining, Sport frame footbed 30 mm velcro strap

ADVANT EDGE 85 W

ARTICLE NUMBER
607126 Anthr./black
607127 White/gray-yellow

FFATURES

FEATURES	
Bi-Inj. control frame, Hi-Top t	ech
Duo flex, Easy entry shell desi	gn
Stiffer/softer flex adjust	
Single canting, Women extra:	
Double adjustable cuff	
Walk sole compatible	
Grip walk sole compatible	
HEAD Canting system	
sole compatible	

LINER

Women's Perfect Fit S liner Women auto adaptive tech Fleece lining, Sport frame footbed 30 mm velcro strap Prepared for heating system

BUCKLES

4	micro-adjustable alloy buckles				
2 Double Power levers					
1	Supermacro ratchet				

COLOR Trs. anthr/black

Forward Lean 14°, Ramp Angle 5°

ALLRIDE BALANCE

DETAILS

ALLRIDE BALANCE

DETAI	LJ				
LEVEL		Αdν	/anced		
FLEX INDEX		85/75			
SIZES		220-225-230-235-			
			275		
SHELL		SL			
LAST		C 2100cc			
Last	98		100		102
Size	24.	5	25.5		26.5
COLOR					
Anthr.	/bla	ck			
White	/gra	у-у	ellow		

Forward Lean 14°, Ramp Angle 5°





ADVANT EDGE 75 W

	ARTICLE NUMBER	
	607149	
	FEATURES	
	Bi-Inj. control frame, Hi-Top tech	
	Duo flex, Easy entry shell design	
	Single canting Women extra-	

FEA Bi-Du Double adjustable cuff Walk sole compatible Grip walk sole compatible HEAD Canting system sole compatible

LINER
Women's HeatFit liner
Fleece lining, Sport frame fo
30 mm velcro strap

Prepared for heating system

BUCKLES

4 micro-adjustable alloy buckles 1 Supermacro ratchet

DETAILS
LEVEL

DETAIL	.S		
LEVEL	Int	ermedia	te
FLEX IND	DEX 75)	
SIZES	22	0-225-	230-235
		-275	
SHELL	SL		
LAST	C	2100cc	
Last	98	100	102
Size	24.5	25.5	26.5
COLOR	Ar	thr./blac	ck-turq.

ALLRIDE BALANCE

Forward Lean 14°, Ramp Angle 5°



CUBE3 90

ARTICLE NUMBER	BUCKLE	S		
606215	2 micro	-adjus	table allo	by buckles
	1 micro	-adjus	table wic	de-body
FEATURES	alloy bu	ıckle		
Integrated autoskiwalk	1 Supe	rmacro	ratchet	
LINER	DETAIL	S		
SuperHeat3 quick entry liner	LEVEL	Adv	/anced	
Sport frame footbed	FLEX IND	EX 90		
35 mm velcro strap	SIZES	250)-255-2	260-
		26	530	5
	SHELL	PU	/SL	
	LAST	EC	2200cc	
	Last	102	104	106
	Size	25.5	26.5	27.5
	COLOR	Bla	ck/anth.	



ADVANT EDGE 65 W

ARTICLE NUMBER	
607193 White/gray	
607196 Anthr./black	

FEATURES

Bi-Inj. control fra	ame, Hi–Top tech
Duo flex, Easy en	ntry shell design
Single canting, W	lomen extra:
Double adjustabl	e cuff
Walk sole compa	tible
Grip walk sole co	mpatible
HEAD Canting sys	stem
sole compatible	

LINER Comfort liner, Fleece lining Sport frame footbed 30 mm velcro strap

BUCKLES

4 micro-adjustable plastic buckles 1 Supermacro ratchet Light buckle

DETAI	LS			
LEVEL	In	Intermediate		
FLEX IN	DEX 6	5		
SIZES	2	20-225-	-230-235-	
		275		
SHELL	SI	L		
LAST	С	C 2100cc		
Last	98	100	102	
Size	24.5	25.5	26.5	
COLOR	W	hite/gray	/	
	Α	nthr./bla	ck	
ALLRID	E BALAN	CE		
Forward Lean 14°, Ramp Angle 5°				



CUBE3 80

BUCKLES	
2 micro-adjustable plastic buckle	
1 micro-adjustable wide-body	
alloy buckles	
1 Supermacro ratchet	

COMFORT BALANCE

Forward Lean 16°, Ramp Angle 6°

HeatFit quick entry liner
Sport frame footbed
35 mm velcro strap

·v			
FLEX INDEX SIZES			
SHELL			
	EC 2200cc		
10	106		
25	27.5		
R Black/anth yellow			
COMFORT BALANCE			
Forward Lean 16°, Ramp Angle 6°			
	_ _		



CUBE3 70

ARTICLE NUMBER	BUCKLES
606234	3 micro-adjustable plastic buckles
	1 Supermacro ratchet
FEATURES	
Integrated autoskiwalk	DETAILS
	LEVEL Intermediate
LINER	FLEX INDEX 70
Comfort quick entry liner	SIZES 250-255-260-
Sport frame footbed	265320
35 mm velcro strap	SHELL SL
	LAST EC 2200cc
	Last 102 104 106
	Size 25.5 26.5 27.5
	COLOR Black/anth -red

DETAIL	-3			
LEVEL	In	Intermediate		
FLEX IN	DEX 70	70		
SIZES	25	250-255-260-		
	26	5532	20	
SHELL	SL	SL		
LAST	EC	2200cc		
Last	102	104	106	
Size	25.5	26.5	27.5	
COLOR	Black/	⁄anthre	d	
COMFOR	RT BALAN	NCE		

Forward Lean 16°, Ramp Angle 6°





CUBE3 80 W

606218

FEATURES

Integrated autoskiwalk

LINER

Women's SuperHeat3 guick entry liner, Sport frame footbed 35 mm velcro strap

BUCKLES

2 micro-adjustable alloy buckles 1 micro-adjustable wide-body alloy buckles

1 Supermacro ratchet

DETAIL	.S			
LEVEL	Adv	/anced		
FLEX IN	DEX 80			
SIZES	230	230-235275		
SHELL	PU	PU/SL		
LAST	EC	EC 2200cc		
Last	100	102	104	
Size	24.5	25.5	26.5	
COLOR Anth./black				
COMFOR	T BALANO	Œ		
Forward Lean 16°, Ramp Angle 6°				



DREAM 100 W

ARTICLE NUMBER

607237

FEATURES

Stiffer/softer flex adjustment Adjustable wedge arch support Double canting, Double adjustable profile, Woman-specific supportive heel option, Form Fit

LINER

Women's Perfect Fit HP liner Fur lining, Self-shaping footbed with Sanitized®, 30 mm velcro strap, Prepared for heating system

BUCKLES

4 micro-adjustable alloy buckles 2 Double Power levers 1 Supermacro ratchet

DETAILS

LEVEL	Pr	Professional		
FLEX IN	DEX 10	100/90		
SIZES	22	220-225-23027		
SHELL	SHELL PU			
LAST	W	WP 1950cc		
Last	96	98	100	
Size	24.5	25.5	26.5	
COLOR	Black-turquoise			



CUBE3 70 W

ARTICLE NUMBER

606224

FEATURES

Integrated autoskiwalk

LINER

Women's HeatFit quick entry liner Sport frame footbed 35 mm velcro strap

BUCKLES

2 micro-adjustable plastic buckles 1 micro-adjustable wide-body alloy buckle, 1 Supermacro ratchet

DETAILS

LEVEL	Intermediate			
FLEX IN	DEX 70			
SIZES	23	230-235275		
SHELL	SL			
LAST	EC	2200cc		
Last	100	102	104	
Size	24.5	25.5	26.5	
COLOR	Gra	эу		
COMFOR	RT BALAN	CE		
Forwa	rd Lean	16°, Ra	mp Angle 6°	



DREAM 80 W

ARTICLE NUMBER

606405

FEATURES

Adjustable wedge arch support Double canting Double adjustable profile Woman-specific supportive heel option, Form Fit

LINER

Women's Perfect Fit HP liner Fur lining, Self-shaping footbed with Sanitized®, 30 mm velcro strap, Prepared for heating system

BUCKLES

4 micro-adjustable alloy buckles 1 Supermacro ratchet

DETAILS

DETAIL	.5			
LEVEL	Ad	Advanced		
FLEX INI	DEX 80)		
SIZES	22	220-225-230275		
SHELL	SL	SL		
LAST	LAST WP 1950cc			
Last	96	98	100	
Size 24.5		25.5	26.5	
COLOR	Black-white			



ARTICLE NUMBER

606235 White 606239 Black

FEATURES

Integrated autoskiwalk

LINER

Women's Comfort quick entry liner

BUCKLES

3 micro-adjustable plastic buckles 1 Supermacro ratchet

LEVEL Intermediate SIZES 230-235-...-275 SL LAST EC 2200cc Last 26.5 24.5 25.5 Size COLOR White



Sport frame footbed 35 mm velcro strap

DETAILS

FLEX INDEX 60 SHELL Black COMFORT BALANCE Forward Lean 16°, Ramp Angle 6°



72

75

RAPTOR 90S RS

ARTICLE	NUMBER
(07246	

Jr HeatFit Pro liner HP frame footbed 40 mm velcro strap

607246

FEATURES

Jr racing flex tuning, Jr cuff
Double canting
FIS approved sole thickness
Adult norm

BUCKLES

4 micro-adjustable Spine-Tech alloy buckles, Low profile buckles

DETAILS

DETAIL	.5				
LEVEL	Pr	Professional			
FLEX INI	DEX 90	90/80			
SIZES	22	220-225			
	-2	275-280	-285		
SHELL	Pl	PU			
LAST	R	S 1800cc			
Last	94	96	98		
Size	25.5	26.5	27.5		
COLOR	W	hite			
RACE BA	RACE BALANCE				

Forward Lean 16°, Ramp Angle 4°



RAPTOR 80 RS

I	A	R'	ΤI	C	LE	N	U	N

607248

FEATURES

Jr racing flex tuning, Jr cuff Double canting FIS approved sole thickness Adult norm

LINER

Jr HeatFit Pro liner HP frame footbed 40 mm velcro strap

BUCKLES

4 micro-adjustable alloy buckles Low profile buckles

DETAILS

LEVEL	Ex	pert		
FLEX INI	DEX 80	80/70		
SIZES	22	220-225		
	-275-280-285			
SHELL PU				
LAST	RS	1800cc	:	
Last	94	96	98	
Size	25.5	26.5	27.5	
COLOR White				
RACE BA	LANCE			
Forwar	d Lean	16°, Ra	mp Angle 4°	





RAPTOR 70

ARTICLE NUMBER	BUCKLES		
607250	4 micro-adjustable alloy buckles		
	Low profile buckles		
FEATURES			
Jr racing flex tuning	DETAILS		
Adult norm (size 220 up)	LEVEL	Expert	
	FLEX INDEX	70/60	
LINER	SIZES	200-210-220275	
Junior team liner	SHELL	SL	
Self-shaping footbed	LAST	JR Racing	
30 mm velcro strap	COLOR	White	



RAPTOR 50

ARTICLE NUMBER	BUCKLES		
607254	4 micro-a	4 micro-adjustable low profile	
	plastic bu	ckles	
FEATURES			
Jr racing flex tuning	DETAILS		
Adult norm (size 220 up)	LEVEL	Advanced	
	FLEX INDEX	50	
LINER	SIZES	200-210-220275	
Junior team liner	SHELL	SL	
Self-shaping footbed	LAST	JR Racing	
30 mm velcro strap	COLOR	White	



RAPTOR CADDY 50

ARTICLE NUMBER	BUCKLES	
607252	4 Low pr	ofile plastic buckles
FEATURES	DETAILS	
Jr racing flex tuning	LEVEL	Advanced
Adult norm (size 220 up)	FLEX INDEX	(50
	SIZES	200-210-220275
LINER	SHELL	SL
Junior team liner	LAST	JR Racing
Self-shaping footbed	COLOR	Black-white
40 mm velcro strap		



RAPTOR 40

ARTICLE NUMBER	BUCKLES	5
607261	3 Low p	rofile plastic buckles
FEATURES	DETAILS	
Adult norm (size 220 up)	LEVEL	Advanced
	FLEX INDE	X 40
LINER	SIZES	185-190245
Junior team liner	SHELL	SL
Self-shaping footbed	LAST	JR Racing
	COLOR	White



RAPTOR CADDY 40

ARTICLE NUMBER	BUCKLES	S
607260	3 Low p	rofile plastic buckles
FEATURES	DETAILS	
Adult norm (size 220 up)	LEVEL	Advanced
	FLEX INDE	X 40
LINER	SIZES	185-190245
Junior team liner	SHELL	SL
Self-shaping footbed	LAST	JR Racing
	COLOR	Black-white







GEOMETRY

Jr. Hi-top - higher tongue profile and asymmetrical lateral support.



2 PHASE FLEX


Gradual and natural centered balance.


VARIO LAST DESIGN

HEAD's Anatomical last has been developed with respect to the natural growth of kid's feet:

Wider last on small sizes.

L = Lenght W= Width











Z3

ARTICLE NUMBER

607270 Black-white 607271 Yellow-black 607272 White 607273 White-pink

FEATURES

Jr high top tech, Duo flex Vario last, Easy entry shell construction Junior norm, Design your boot stickers



LINER

Junior liner, Tongue handle, Comfort footbed

BUCKLES

3 plastic buckles

DETAILS

LEVEL Intermediate SIZES 230-235-...-265 SHELL SL LAST COLOR Black-white, Yellow-black White, White-pink

Z2

ARTICLE NUMBER

606549 Black-white 606551 Yellow-black 606552 White 606546 White-pink

Natural kid stance, Jr high top tech, Duo flex Vario last, Easy entry shell construction Junior norm, Design your boot stickers



LINER

Junior liner, Tongue handle, Comfort footbed

BUCKLES

2 plastic buckles

DETAILS

LEVEL Beginner SIZES 195-205-215-225 SHELL SL LAST COLOR Black-white, Yellow-black White, White-pink

Z1 ARTICLE NUMBER

606561 Black-white 606562 Yellow-black 606563 White 606556 White-pink

FEATURES

Natural kid stance, Jr high top tech, Duo flex Vario last, Easy entry shell construction Junior norm, Design your boot stickers



LINER

Junior liner, Tongue handle, Comfort footbed

BUCKLES

1 plastic buckle

DETAILS

LEVEL	Beginner
SIZES	155-165-175-185
SHELL	SL
LAST	Junior
COLOR	Black-white, Yellow-black
	White, White-pink




BOOT TECHNOLOGY / RAPTOR, VECTOR EVO AND CHALLENGER

SPINEFLEX BUCKLES

Spineflex is a revolutionary buckle concept with a flexible element and a constant closure point. The flexible element allows the buckle to adapt to the shell profile and thus provide a homogeneous foot wrapping

independent from the degree of closure. The increased precision and comfort created from the absence of pressure points results in better performance.





BOOT TECHNOLOGY / VECTOR EVO AND CHALLENGER

DOUBLE POWER SPINEFLEX BUCKLES

Spineflex is a revolutionary buckle concent with a flexible element and a constant independent from the degree of closure.


The increased precision and comfort created from the absence of pressure points closure point. The flexible element allows results in better performance. The ergothe buckle to adapt to the shell profile and nomic, patented Double Power lever thus provide a homogeneous foot wrapping increases the leverage of the buckle by 50%, halving the effort required to buckle in. constant release values.



BOOT TECHNOLOGY / CHALLENGER, VECTOR EVO, ADVANT EDGE, EDGE AND CUBE

SUPERMACRO TOOTHPLATE

With a push of a simple button, the ratchet provides a 28 mm range of adjustment granting to fit any leg.






BOOT TECHNOLOGY / CHALLENGER

ADAPTIVE FIT TECHNOLOGY


Adaptive Fit Technology is the first and only ski boot technology that lets you change the width of your boot from a comfort/performance last to a precision/performance last with the turn of a screw.



BOOT TECHNOLOGY / RAPTOR, VECTOR EVO, CHALLENGER, ADVANT EDGE

DOUBLE POWER BOOSTER VELCRO

The strap of the Double Power Booster Velcro works as a double pulley for better closure and a tighter wrapping on the cuff. The elastic Booster Strap allows more dynamical response of the boot. The result: more precise transmission and faster ski reaction. (Manufactured under license from Skimetrix Ltd.)





BOOT TECHNOLOGY / VECTOR EVO

DYNAMIC FRAME SHELL

POWER EFFICENT DESIGN: BETTER SKIING WITH LESS EFFORT

Modern skiing requires comfort, efficiency, and control. HEAD's new EVO Frame is built around the legendary Vector last, but features a new highly efficient Dynamic frame which directs 80% of the energy directed from the body toward the rear of the shell.

Forefoot area is less subjected to mechanical stresses but needs to provide the feeling on the snow. The Dynamic Frame has been designed to obtain the best sensitivity and the dynamic response of the boot sole when the ski is flexing.



BOOT TECHNOLOGY / HAMMER, THRASHER

TRIAD ERGOTECH SHELL

The innovative three piece construction, "Triad Ergotech Shell", provides precision and performance in any terrain and snow condition.

The boots progressive and natural flex is provided by the open throat shell, in addition to the interchangeable tongue and pivot point. The pivot point is placed where the ankle flexes at the rotating point of the shell.



An innovative system

that help to absorb any impact:

- Gel Shin Saver
- Rear spoiler
- Canting - New toe box material to
- avoid toe bang - Footbed and wedge



4 CLOSING POINTS

Precise and effective foot retention with maximun performance throught improved balance and control.





BOOT TECHNOLOGY / CUBE


EASY AS 1, 2, 3. DEVELOPING OUR CUBE3 LINE, WE DECIDED TO TACKLE THE ONE CHALLENGE EVERY SKIER FACES EVERY DAY ON THE MOUNTAIN: TO COMBINE GREAT SKIING PERFORMANCE WITH GREAT WALKING PERFORMANCE. AFTER ALL, ON ANY GIVEN DAY, WE SPEND UP TO 30% OF OUR TIME OUTSIDE OF THE BINDING.

EASYIN

Thanks to a new quick entry geometry, the Cube3 is extremely easy to get into. Simply tilt back the shaft and step in. In addition, the 3-buckle construction with an oversized top buckle allows easy and quick buckling in and a great, snug fit.

EASY WALK

Outside of the binding, the shaft of the Cube3 is always unlocked, allowing natural walking. This, in combination with (patended) SoftWalk heel and grip system on the heel, makes the Cube a superb walking boot.



EASY SKI

The moment you step into your binding the patented integrated AutoSkiWalk mechanism blocks the shaft, allowing you to speed off down the mountain without bowing, bend-









/AAAttack² TECHNOLOGY/

Skiers prefer equipment which provides control, performance and usability. Not only for open slopes and untracked powder areas, also for stoked park and half pipe rides.

The TYROLIA AAAttack² reaches the next stage in combining functionality and modern design to meet these demands. A perfect tool for all–around skiers who are willing to attack!



THE NEW FR PRO² TOE

The next level to Access All Areas is reached with the new AAAttack² bindings. A new toe construction extends the possibilities of allmountain skiing: The new standard toe construction in the AAAttack² line – FR PRO² – is compatible with Alpine and GripWalk ski boots. The super secure 77mm metal Anti Friciton Device – AFD Metal – can be adjusted to Alpine Boots (Type A ISO 5355) and GripWalk Boots.



GW: suitable for Alpine (A) and GripWalk (GW) Ski Boots

84

The AAAttack² 14 AT and the AAAttack² DEMO models can be adjusted for Alpine and Touring (T) ski boots, including GripWalk (GW), Walk Sole and Walk To Ride (W) ski boots. With these bindings, boot-binding compatibility issues during demo or in rental become things of the past.



AT: suitable for Alpine (A) and Touring (T) ski boots, including GripWalk (GW), Walk Sole and Walk To Ride (W) ski boots.

Basically, there is an ideal binding model within the AAAttack² line to fit your ski boot. (see p. 88/89)



SAFETY FIRST

To increase the safety and performance aspect of the new AAAttack² bindings, a new release kinematic was developed to reduce friction and guarantee more constant release values. The interaction between the spring and tension element is designed as new system which significantly reduces friction for even more precise and constant release values.

The top models, AAAttack 2 18X GW and AAAttack 2 16 GW feature the Race Pro Heel with a reduced stand height of only 17mm. The AAAttack 2 13 and 12 have the lighter Race Heel. The AAAttack 2 11 models feature a modified solid SX Heel construction and reduced weight for optimal all-mountain performance.

PERFECT INDIVIDUALITY

These fired up allmountain binding models are available in different DIN settings for different demands. With regards to their clear design and compact measurements, the AAAttack models can be used on skis from 80mm widths onwards. Some models are available without brakes. This gives riders the opportunity to customize the setup to their needs. Brakes are available in different widths: 85/95/110/130/150mm.

Whatever you want – freeski, powder, park, pipe, slope – the tool to access all areas.

ADVANTAGES OF ADJUSTING THE AFD

Adjusting the height of the AFD according to your ski boot sole height has many advantages for your customer and your shop/fleet:



Exact adaptation of boot-binding system



Better performance on skis



Precise release values and re-centering of the boot



More precise values at the preseason and in-season inspections and less deficient products

KEEPS YOU BRAVE AAATTACK² BOOT-BINDING-COMPATIBILITY

	ALPINE - ISO 5355		TOURING - ISO 9523	
LINE 2017/18 Model	ALPINE ADULT (A)	GRIPWALK (GW)	WALK SOLE / WALK TO RIDE (W)	TOURING (T)
AAATTACK ² 18 X GW	•	•		
AAATTACK ² 16 GW	•	•		
AAATTACK ² 14 at	•	•	•	•
AAATTACK ² 13 GW	•	•		
AAATTACK ² 12 gw	•	•		
AAATTACK ² 11 GW	•	•		
AAATTACK ² 13 at demo	•	•	•	•
AAATTACK ² 11 at Demo	•	•	•	•



FREEFLEX EVO 14

Red hot and delivering premium speed the Freeflex EVO 14 expert level binding provides a fast, reactive ride with premium safety and natural ski flex.

ARTICLE NUMBER	DETAILS	
100656 FREEFLEX EVO 14	STAND HEIGHT	21 mm
BRAKE 85 [D]	DIN	4-14
	WEIGHT	2330 g
FEATURES	COLORS	Matt Black/White/
RX Toe with TRP System,		Flash Yellow
ABS – Anti Blocking System,		
Full Diagonal, Freeflex Pro,		
D-RX Heel		



FREEFLEX EVO 11

Race Lite Heel

Delivering confidence and power to beat the clock the race ready Freeflex EVO 11 features top-end safety, lightening reactivity and unhindered ski flex for aspiring race rebels.

ARTICLE NUMBER	DETAILS	
100657 FREEFLEX EVO 11	STAND HEIGHT	21 mm
BRAKE 85 [D]	DIN	3-11
	WEIGHT	2260 g
FEATURES	COLORS	Matt Black/White/
RX Toe with TRP System,		Flash Yellow
ABS – Anti Blocking System,		
Full Diagonal, Freeflex Pro,		



TECHBOX

FREEFLEX EVO

Freeflex EVO reduces the impact on the natural ski flex to a minimum. Decreased forward pressure, completely redesigned roller pincer systems and wings, plus an intelligent gliding element all add up to the rEVOlution in racing: fastest time, from the starting gate to the finish line with Freeflex EVO.







FREEFLEX EVO 18 X

ARTICLE NUMBER

BRAKE 85 [A]

FEATURES

100602 FREEFLEX EVO 18 X

Race Toe with TRP System, Race

AFD, Freeflex Pro, Race Pro RD Heel

performance and unhindered ski flex.

The FIS approved Freeflex Evo 16 dedicated race binding empowers pro level World Cup Rebels with premium safety and performance and minimum ski flex interference.

The pro level Freeflex Evo 18 X is a premium race binding, tried

and tested by our team of World Cup rebels, with pro level safety,

DETAILS

WEIGHT

STAND HEIGHT 17 mm

8-18

3170 g

Black/White/ Flash Yellow

ARTICLE NUMBER	DETAILS	
100655 FREEFLEX EVO 16	STAND HEIGHT	17 mm
BRAKE 85 [A]	DIN	5-16
	WEIGHT	2690 g
FEATURES	COLORS	Black/White/
Race Toe with TRP System,		Flash Yellow
Race AFD, Freeflex Pro,		
Race Pro Heel		



AAATTACK² 18 X GW

AAAttack! AAAttack! AAAttack! The compact, rugged and brand new AAAttack² 18 X GW delivers customised aggressive skiing to freeskiers on the attack. For Alpine and GripWalk Ski Boots.

114111 AAATTACK ² 18 X	GW w/o
BRAKE [A] Red	
FEATURES	
FEATURES FR PRO ² Toe,	

STAND HEIGHT	17 mm
DIN	8-18
WEIGHT	2130g (*2430g)
COLOR	Red

AAATTACK² 16 GW

Compact, supremely versatile with the new FR PRO² toe for Alpine and GripWalk Ski boots and with constant release values the AAAttack² 16 GW is a tough, all-mountain binding for high-end performance from powder and piste to the park and beyond.

114112 AAATTACK ² 16 GW w/o
BRAKE [A] Red
114113 AAATTACK ² 16 GW w/o
BRAKE [A] Green
114114 AAATTACK ² 16 GW w/o
BRAKE [A] Solid Black

STAND HEIGHT	17 mm
DIN	5-16
WEIGHT	1940g (*2240g)
COLORS	Red, Green
	Solid Black

	BRAKE

FEATURES
FR PRO ² Toe,
AFD Metal, Race PRO FR Heel

AAATTACK² 14 AT

The AAAttack² 14 AT features premium downhill performance with the versatility of the new FR PRO² AT toe that adjusts to alpine (Type A) and touring (Type T) ski boots including GripWalk (GW), Walk Sole and Walk To Ride (W) ski boots.

114115 AAATTACK ² 14 A	Γw∕o
BRAKE [A] Solid Black	
FEATURES	
FEATURES FR PRO ² AT Toe,	

STAND HEIGHT	24 mm
DIN	4-14
WEIGHT	1930g (*2230g)
COLOR	Solid Black

ATTACK²BOOT-BINDING-COMPATIBILITY

	ALPINE - ISO 5335	TOURING - ISO 9523			
LINE 2017/18 Model	ALPINE ADULT (A)	GRIPWALK (GW)	WALK SOLE / WALK TO RIDE (W)	TOURING (T)	
AAATTACK ² 18 X GW	•	•			
AAATTACK ² 16 GW	•	•		:	
AAATTACK ² 14 AT	•	•	•	•	
AAATTACK ² 13 GW	•	•			
AAATTACK ² 12 GW	•	•		:	
AAATTACK ² 11 GW	•	•		:	
AAATTACK ² 13 at Demo	•	•	•	•	
AAATTACK ² 11 at Demo	•	•	•	•	



AT - Alpine Touring.
Suitable for Alpine Boots (ISO 5355),
and Touring (ISO 9523) ski boots including GripWalk
(GW), Walk Sole and Walk To Ride (W) ski boots.



GW - GripWalk (Bindings marked with GW fit Alpine and GripWalk Boot Types).

A - Alpine Boot Standard (ISO 5355)

T - Touring Boot Standard (ISO 9523)



AAATTACK² 13 GW

Tough, compact and with precision handling the all-terrain AAAttack² 13 GW is a freeski binding for powerful top notch performance from park transitions to backcountry booters.

RTICLE NUMBER	114128 AA	ATTACK ² 13 GW w/o
14120 AAATTACK ² 13 GW w/o	BRAKE [A] Solid Black	
BRAKE [A] Red	114129 AAATTACK ² 13 GW	
14121 AAATTACK ² 13 GW	BRAKE 85 [A] Solid Black	
RAKE 85 [A] Red	114130 AAATTACK ² 13 GW	
14122 AAATTACK ² 13 GW	BRAKE 95 [A] Solid Black	
RAKE 95 [A] Red	114131 AAATTACK ² 13 GW	
14123 AAATTACK ² 13 GW	BRAKE 110 [A] Solid Black	
BRAKE 110 [A] Red		
14124 AAATTACK ² 13 GW w/o	FEATURES	
BRAKE [A] Green	FR PRO ² Toe,	
14125 AAATTACK ² 13 GW	AFD Metal, NX FR Heel	
BRAKE 85 [A] Green		
14126 AAATTACK ² 13 GW	DETAILS	
BRAKE 95 [A] Green	STAND HEIGHT	17 mm
14127 AAATTACK ² 13 GW	DIN	4-13
BRAKE 110 [A] Green	WEIGHT	1770g (*2070g)
	COLORS	Red, Green, Solid Black
	* with BRAKE	

AAATTACK² 12 GW

The shortcut to aggressive freeskiing for women – the tough, lightweight AAAttack² 12 GW gives premium hold, safety and boot–to–edge power transfer in all zones.

ARTICLE NUMBER	DETAILS	
114135 ATTACK ² 12 GW	STAND HEIGHT	21 mm
BRAKE 85 [A] Matt White	DIN	3,5-12
114136 ATTACK ² 12 GW	WEIGHT	2070g
BRAKE 95 [A] Matt White	COLOR	Matt White
114137 ATTACK ² 12 GW		
BRAKE 110 [A] Matt White	FEATURES	
	FR PRO ² Toe	2,
	AFD Metal, N	NX FR Heel

AAATTACK² 11 GW

Built to be pushed hard and to push back even harder the AAAttack² 11 is a powerful, safe and stylish freeski binding for allmountain skiers and contemporary trick–savvy freeskiers.

ARTICLE NUMBER	114147 AAATTACK ² 11 GW	
114140 AAATTACK ² 11 GW w/o	BRAKE 90 [L] Solid Black	
BRAKE [L] Red	114148 AAATTACK ² 11 GW	
114141 AAATTACK ² 11 GW	BRAKE 100 [L] Solid Black	
BRAKE 90 [L] Red		
114142 AAATTACK ² 11 GW	FEATURES	
BRAKE 100 [L] Red	FR PRO ² Toe,	
114143 AAATTACK² 11 GW w/o	AFD Metal, SX FR Heel	
BRAKE [L] Green		
114144 AAATTACK ² 11 GW	DETAILS	
BRAKE 90 [L] Green	STAND HEIGHT	21 mm
114145 AAATTACK ² 11 GW	DIN	3-11
BRAKE 100 [L] Green	WEIGHT	1550g (*1800g)
114146 AAATTACK ² 11 GW w/o	COLORS	Red, Green, Solid Black
BRAKE [L] Solid Black	* with BRAKE	





AAAMBITION 12 AT

Designed to make alpine touring better the AAAmbition 12 features the benefits of innovative climb ing technology, natural ski flex plus proven TYROLIA safety features and downhill performance. For Alpine (ISO 5355) and Touring Ski Boots (ISO 9523).

ARTICLE NUMBER

111610 TYROLIA AAAMBITION 12 AT w/o BRAKE [C] Solid White/Black

FEATURES

AT Toe, AFS, Telescopic Tube,
AT Heel

DETAILS

STAND HEIGHT	38 mm (** 41 mm)	
DIN	4-12	
WEIGHT	1810 g (* 1980 g)	
COLOR	Solid White/Black	

^{**} with Demo Track, * with BRAKE



AAAMBITION 10 AT

The AAAmbition 10 is the key to a supreme touring experience – the ultimate alpine touring binding offering on–the–hoof variable climb technology, natural ski flex and supreme downhill prowess.

For Alpine (ISO 5355) and Touring Ski Boots (ISO 9523).

ARTICLE NUMBER

111716 TYROLIA AAAMBITION 10 AT w/o BRAKE [C] Solid White/Black

FEATURES

AT Toe, AFS, Telescopic Tube, AT Heel

DETAILS

STAND HEIGHT	38 mm (** 41 mm)
DIN	3-10
WEIGHT	1790 g (* 1960 g)
COLOR	Solid White/Black

** with Demo Track, * with BRAKE



AAAMBITION 12 AT CARBON

Built with a lightweight, strong carbon® profile for less fatigue and performance descents the AAAmbition Carbon is the ultimate AT binding for premium backcountry adventures. For Alpine (ISO 5355) and Touring Ski Boots (ISO 9523).

ARTICLE NUMBER

111710 TYROLIA AAAMBITION 12 AT CARBON S BRAKE 85 [C] Black Carbon 111711 TYROLIA AAAMBITION 12 AT CARBON M BRAKE 85 [C] Black Carbon 111712 TYROLIA AAAMBITION 12 AT CARBON L BRAKE 85 [C] Black Carbon

FEATURES

AT Toe, AFS, Carbon Tube, AT Heel

DETAILS

STAND HEIGHT	38 mm
DIN	4-12
WEIGHT	1620g (*1780g)
COLOR	Black Carbon

^{*} with BRAKE

TECHBOX CARBON

LOWER WEIGHT - MORE FUN



What is ideal: a a lower weight or improved safety? This question is a thing of the past when it comes to choosing the perfect touring binding. Tyrolia's AAAMBITION 12 AT CARBON binding combines both desired features by using the high tech material Carbon® in the mid part of the binding. Constant stability at a significantly reduced binding weight (200g) make the Tyrolia AAAmbition Carbon an AT binding with proven downhill performance and safety features. Its benefits of very low weight are highly valued when hiking and touring the back country.

Available in 3 Lengths: SHORT (265-295mm), MEDIUM (295-325mm) and LONG (315-345mm).



AAADRENALIN 16 AT SHORT / LONG

For a stable, versatile freeride experience with direct power transfer choose the AAAdrenalin 16 AT – a revolution in freeski bindings, combining outstanding downhill performance with an ergonomic walking mechanism for short hikes. Fits Alpine (ISO 5355) and Touring Ski Boots (ISO 9523). Short for Boot Sole Lengths from 270–330mm, Long for Boot Sole Lengths from 300–360mm.

ARTICLE NUMBER	DETAILS	
114105 TYROLIA AAADRENALIN 16 AT	STAND HEIGHT	38 mm
w/o BRAKE [B] short, Solid Black	DIN	5-16
114106 TYROLIA AAADRENALIN 16 AT	WEIGHT	2440 g
w/o BRAKE [B] long, Solid Black		(* 2740 g) - SHORT
		2460 g
FEATURES		(*2760 g) - LONG
FR PRO Toe,	COLOR	Solid Black
AFS Metal, Hiking Platform,	* with BRAKE	
Race Pro FR Heel		
FR PRO Toe, AFS Metal, Hiking Platform,		·



AAADRENALIN 13 AT SHORT / LONG

The freeride AAAdrenalin 13 AT combines performance driven downhill technology with a fast, convenient ergonomic walking mechanism, for outstanding performance in all zones of the mountain. Fits Alpine (ISO 5355) and Touring Ski Boots (ISO 9523). Short for Boot Sole Lengths from 270–330mm, Long for Boot Sole Lengths from 300–360mm.

ARTICLE NUMBER	DETAILS	
114010 TYROLIA AAADRENALIN 13 AT	STAND HEIGHT	39 mm
w/o BRAKE [F] SHORT, Solid Black	DIN	4-13
114011 TYROLIA AAADRENALIN 13 AT	WEIGHT	2420 g
w/o BRAKE [F] LONG, Solid Black		(* 2720 g) - SHORT
		2440 g
FEATURES		(*2740 g) - LONG
FR PRO Toe,	COLORS	Solid Black
AFS Metal, Hiking Platform,	* with BRAKE	
NX FR Heel		
NX FR Heel		



PRD 14

The tough and stable PRD 14 promises better allride performance with less effort - featuring premium safety, easy handling and performance ski control.

AKTICLE	IUMBER
100660 F	PRD 14 BRAKE 85 [F]
Matt blac	k/Grey
FEATURES	
. LA. VILL	,
DV Too wi	th TDD Systom Full Diagonal
RX Toe wi	th TRP System, Full Diagonal,
	th TRP System, Full Diagonal, ti Blocking System,
ABS – An	

DETAILS

STAND HEIGHT	33,5 mm
DIN	4-14
WEIGHT	2090 g
COLORS	Matt Black/Grey

PRD 12

The customisable fit PRD 12 binding, with Supershape colour coordination, provides fast, snappy control with maximum safety and less burn in the turns both on and off piste.

ARTICLE NUMBER	DETAILS	
100707 PRD 12 BRAKE 85 [F]	STAND HEIG	GHT 33,5 mm
Matt Black/Matt White/fl.Yellow	DIN	3,5-12
100708 PRD 12 BRAKE 85 [F]	WEIGHT	2090 g
Matt Black/Matt White/fl. Green	COLORS	
100709 PRD 12 BRAKE 85 [F]	Matt Blac	k/Matt White/fl.Yellow
Matt Black/Matt White/fl. Red	Matt Black/Matt White/fl. Green	
100710 PRD 12 BRAKE 85 [F]	Matt Blac	k/Matt White/fl. Red
Matt Black/Matt White/Light Blue	Matt Blac	k/Matt White/Light Blue

FEATURES

RX Toe with TRP System, Full Diagonal,
ABS – Anti Blocking System,
Suitable for all PR bases,
D-RX (Diagonal) Heel

PR 11

Choose the modular PR11 allride binding delivering supreme all-mountain performance with maximum safety to skiers of all levels and terrain persuasions.

ARTICLE NUMBER	FEATURES
100715 PR 11 Brake 85 [G]	SX Toe with TRP System,
Matt Black/White	Full Diagonal,
100716 PR 11 Brake 78 [G]	AFS – Anti Friction Slider,
Matt Black/Blue/Orange	Suitable for all PR Bases, SX Heel
100717 PR 11 Brake 85 [G]	
Matt Black/Flash/Yellow	DETAILS
100718 PR 11 Brake 85 [G]	STAND HEIGHT 31mm
Matt Black/Red/Green	DIN 3-11
	WEIGHT 1770 g
	COLORS
	Matt Black/White
	Matt Black/Blue/Orange
	Matt Black/Flash Yellow
	Matt Black/Red/Green



PRD 12 MBS

The mass market innovation combining multiple boot sole compatibiliy with fast and easy adjustment. Just 2 Positions to fit Alpine (ISO 5355) and GripWalk (GW) boots (Position 1) plus Walk Sole and Walk To Ride (W) ski boots (Position 2).

ARTICLE NUMBER	DETAILS	
114157 PRD 12 MBS BRAKE 85 [F]	STAND HEIGHT	33,5 mm
Solid Black	DIN	3,5-12
114158 PRD 12 MBS BRAKE 85 [F]	WEIGHT	2100 g
Matt White/Black	COLORS	Solid Black
100706 PRD 12 MBS BRAKE 85 [F]		Matt White/Black
Matt Black/White		

FEATURES

AM (Allmountain) Toe with	
TRP System, Full Diagonal, AFS,	
Suitable for all PR Bases;	
D-RX Heel	

PR 11 MBS

Multiple boots sole standards (Alpine, GripWalk and Walk Sole/ Walk To Ride ski boots) are covered with this performance allmountain binding, combined with fast and easy length adjustability.

ARTICLE NUMBER	FEATURES	
114159 PR 11 MBS w/o BRAKE [G]	AM (Allmou	ntain) Toe with
Solid Black	TRP System	, Full Diagonal, AFS,
114160 PR 11 MBS BRAKE 85 [G]	Suitable for	all PR Bases; SX FR Heel
Solid Black		
114161 PR 11 MBS BRAKE 85 [G]	DETAILS	
Solid White	STAND HEIGHT	31 mm
100713 PR 11 MBS BRAKE 85 [G]	DIN	3-11
Matt Black/White	WEIGHT	1580g (*1880g)
	COLORS	Solid Black
		Solid White

^{*} with BRAKE

MBS BOOT BINDING COMPATIBILITY

	ALPINE - ISO 5355		TOURING - ISO 9523	
LINE 2017/18 MODEL	ALPINE ADULT (A)	GRIPWALK (GW)	WALK SOLE /WALK TO Ride (W)	TOURING (T)
PRD 12 MBS	•	•	•	
PR 11 MBS	•	•	•	



Alpine, GripWalk (pre-set position)



Walk Sole/Walk To Ride

TECHBOX MBS

MBS - MULTI BOOT STANDARD



MBS - the only mass market feature with easy adjustment to different boot sole heights from Alpine & GripWalk to Walk Sole and Walk To Ride ski boots.

Within the 2017.18 PowerRail line, TYROLIA introduces 2 new models with a unique feature for the mass performance segment: MBS – Multi Boot Standard. These models are suitable for Alpine (ISO 5355), GripWalk and Walk Sole/Walk To Ride ski boots.

Adjustment is simple and easy: only two different positions (position 1 – Alpine/GripWalk and position 2 - Walk Sole/Walk To Ride) are marked on the binding toe. Alter the marked position by turning with a screwdriver. No further adjustments or fine tuning with a paper strip are necessary. Done! The ideal solution for multiple boot sole types, even for busy on-snow demos or rentals!



JOY 11 SLR

Undeniably the best women's binding on the mountain, the lightweight, high performance JOY 11 SLR delivers quick edge-toedge reaction and smooth and agile carving.

DETAILS

DIN

WEIGHT

COLORS White/Teal

ARTICLE NUMBER	
100690 JOY 11 SLR	
BRAKE 90 [H] White/Teal	
100691 JOY 11 SLR	
BRAKE 78 [H]	
Matt Black/Flash Yellow	
100725 JOY 11 SLR	
BRAKE 78 [H]	
Matt Black/White	

FEATURES RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider,

SuperLiteRail/SuperLiteRail II,

SX Heel

STAND HEIGHT 28 mm 3-11 1640 g Matt Black/Flash Yellow Matt Black/White

JOY 9 AC SLR

BRAKE 78 [H] Matt Black/Teal

SX Lite Toe with TRP System,

SuperLiteRail/SuperLiteRail II,

AFS Jr. – Anti Friction Slider Junior,

FEATURES

Full Diagonal,

SX Lite Heel

Designed to put the joy into skiing the Joy 9 AC SLR allows supreme fun and performance with half the effort and fatigues.

ARTICLE NUMBER	DETAILS	
100726 JOY 9 AC SLR	STAND HEIGHT	28 mm
BRAKE 85 [H] Matt Black/Pink	DIN	2,5-9
100694 JOY 9 AC SLR	WEIGHT	1400 g
BRAKE 78 [H] White/Black	COLORS	Matt Black/Pink
100695 JOY 9 AC SLR		White/Black
BRAKE 90 [H] White/Black		Matt Black/Teal
100696 JOY 9 AC SLR		

SX Junior Toe with TRP System, Full Diagonal, AFS Junior, SuperLiteRail/SuperLiteRail II, SX Junior Heel **FEATURES**

SLR 7.5 AC (JUNIOR)

Safer, snappier and more precise the lightweight and comfortable SLR 7.5 AC is the best low input, high performance binding on the mountain.

ARTICLE NUMBER	DETAILS	
100678 SLR 7.5 AC	STAND HEIGH	T 27 mm
BRAKE 78 [H] Solid White/Black/	DIN	2-7,5
Flash Yellow	WEIGHT	1360 g
100679 SLR 7.5 AC	COLORS	
BRAKE 78 [H] Solid White/Black	Solid White	e/Black/Flash Yellow
	Solid White	e/Black
FFATURES		

AC = these bindings will fit both adult and children boots

SLR 4.5 AC (JUNIOR)

SX Kid Toe with TRP System,

Full Diagonal, AFS Junior, SuperLiteRail/SuperLiteRail II,

SX Kid Heel

Designed for performance progression, the light, safe and reliable SLR 4.5 AC delivers fun and confidence to the learning curve of skiing.

RTICLE NUMBER	DETAILS	
00682 SLR 4.5 AC	STAND HEIG	HT 27 mm
RAKE 74 [I] Solid White/Black/	DIN	0,75-4,5
ash Yellow	WEIGHT	1250 g
00683 SLR 4.5 AC	COLORS	
RAKE 74 [I] Solid White/Black/	Solid Whit	te/Black/Flash Yellow
	Solid Whit	te/Black

AC = these bindings will fit both adult and children boots

TECHBOX

SUPERLITERAIL II - A BINDINGS-BASE SYSTEM BELOW 1700 G!

With the 2-piece SLR II base, weight was reduced significantly. Only 1680 grams per pair (SLR 9.0 AC) makes this system extraordinary light, due to a base weight of only 280 g and a refined lighter binding construction. The benefits: easier turns, less fatigue and more fun on the slopes!

The base offers 4 different mounting positions to cover boot sole lengths between 199 and 347 mm.



EVO 9 AC JR RACE

Light, fast, responsive and fitted with the latest safety technology the EVO 9 AC JR RACE provides junior racers with race winning performance.

ARTICLE NUMBER	DETAILS	
100688 EVO 9 AC JR RACE	STAND HEIGHT	21 mm
BRAKE 78 [J] Solid Black/White	DIN	2,5-9
Flash Yellow	WEIGHT	1490 g
	COLORS	Solid Black/White
FEATURES		Flash Yellow
SX Lite Toe with TRP System,		

AC = these bindings will fit both adult and children boots

Full Diagonal, AFS Jr, SX Lite Heel



SX 7.5 AC

Building confidence with stability, direct power transfer and precision ski control - this is the SX 7.5 AC binding for junior skiers who crave progression.

ARTICLE NUMBER	DETAILS	
111858 SX 7.5 AC	STAND HEIGHT	21 mm
BRAKE 78 [J] Solid White/Black	DIN	2-7,5
114180 SX 7.5 AC	WEIGHT	1400 g
BRAKE 78 [J] Solid Black/White	COLORS	Solid White/Black
114083 SX 7.5 AC		Solid Black/White
BRAKE 90 [J] Solid Black/White		Solid Black/White

FEATURES

SX Junior Toe with TRP System,
Full Diagonal, AFS Junior,
SX Junior Heel

AC = these bindings will fit both adult and children boots



SX 4.5 AC

The safe, performance driven SX 4.5 AC is the encouragement and confidence that aspiring young champions of speed need to succeed.

ARTICLE NUMBER	DETAILS		
111554 SX 4.5 AC	STAND HEIGHT	15 mm	
BRAKE 74 [K] Solid Black/Silver	DIN	0,75-4,5	
111555 SX 4.5 AC	WEIGHT	1190 g	
BRAKE 74 [K] Silver/Black	COLORS	Solid Black/Silver	
111557 SX 4.5 AC		Silver/Black	
BRAKE 74 [K] Solid White/Black		Solid White/Black	

FEATURES

SX Kid Toe with TRP System, Full Diagonal, AFS Junior, SX Kid Heel

AC = these bindings will fit both adult and children boots

BINDINGS SET-ALTERNATIVES / OVERVIEW

EKI ART.N. Performance	NAME	BINDING ART.N.	BINDING NAME	BINDING COLORS
2ERFORMANCE 310287	Supershape i.Titan SW MFPR	100710	PRD 12 BRAKE 85 [F]	matt black/matt white/light blue
		114157 100660	PRD 12 MBS BRAKE 85 [F] PRD 14 BRAKE 85 [F]	solid black matt black/grey
310347	Cuparahana i Dallu CW MCDD	100706 100709	PRD 12 MBS BRAKE 85 [F]	matt black/white matt black/matt white/fl. red
310341	Supershape i.Rally SW MFPR	114157	PRD 12 BRAKE 85 [F] PRD 12 MBS BRAKE 85 [F]	solid black
		100660 100706	PRD 14 BRAKE 85 [F] PRD 12 MBS BRAKE 85 [F]	matt black/grey matt black/white
310307	Supershape i.Magnum SW MFPR	100708 114157	PRD 12 BRAKE 85 [F] PRD 12 MBS BRAKE 85 [F]	matt black/matt white/fl. green solid black
		100660	PRD 14 BRAKE 85 [F]	matt black/grey
310327	Supershape i.Speed SW MFPR	100706 100707	PRD 12 MBS BRAKE 85 [F] PRD 12 BRAKE 85 [F]	matt black/white matt black/matt white/fl. yellow
		114157 100660	PRD 12 MBS BRAKE 85 [F] PRD 14 BRAKE 85 [F]	solid black matt black/grey
310606	D C. CHITTO	100706	PRD 12 MBS BRAKE 85 [F]	matt black/white
310606	Prestige SW TFB carry over	100660 114157	PRD 14 BRAKE 85 [F] PRD 12 MBS BRAKE 85 [F]	matt black/grey solid black
310626	Premium SW TFB carry over	100706 100660	PRD 12 MBS BRAKE 85 [F] PRD 14 BRAKE 85 [F]	matt black/white matt black/grey
		114157 100706	PRD 12 MBS BRAKE 85 [F] PRD 12 MBS BRAKE 85 [F]	solid black matt black/white
LLRIDE				
310807	MONSTER 108 Ti SW	114105 114106	AAADRENALIN 16 AT SHORT W/o BRAKE [B] AAADRENALIN 16 AT LONG W/o BRAKE [B]	solid black solid black
		114114 114113	AAATTACK ² 16 GW w/o BRAKE [A] AAATTACK ² 16 GW W/O BRAKE [A]	solid black green
		114127 114131	AAATTACK ² 13 GW BRAKE 110 [A] AAATTACK ² 13 GW BRAKE 110 [A]	green solid black
310827	MONSTER 98 Ti SW	114115	AAATTACK ² 14 AT w/o BRAKE [A]	solid black
		114105 114106	AAADRENALIN 16 AT SHORT w/o BRAKE [B] AAADRENALIN 16 AT LONG w/o BRAKE [B]	solid black solid black
310847	MONSTER 88 Ti SW	114131 114122	AAATTACK ² 13 GW BRAKE 110 [A] AAATTACK ² 13 GW BRAKE 95 [A]	solid black red
310041	MONSTER OUT SW	114130	AAATTACK ² 13 GW BRAKE 95 [A]	solid black
		114114 114112	AAATTACK ² 16 GW w/o BRAKE [A] AAATTACK ² 16 GW w/o BRAKE [A]	solid black red
310867	MONSTER 83 Ti SW	114115 114129	AAATTACK ² 14 AT w/o BRAKE [A] AAATTACK ² 13 GW BRAKE 85 [A]	solid black solid black
		114114	AAATTACK ² 16 GW w/o BRAKE [A]	solid black
310907	Power INSTINCT SW Ti Pro AB	114115 114160	AAATTACK ² 14 AT w/o BRAKE [A] PR 11 MBS BRAKE 85 [G]	solid black solid black
		100718 100709	PR 11 BRAKE 85 [G] PRD 12 BRAKE 85 [F]	matt black/red/green matt black/matt white/fl. red
310947	Paw INSTINCT SWIT: Dec AD	100713 114160	PR 11 MBS BRAKE 85 [G]	matt black/white
JIU741	Raw INSTINCT SW Ti Pro AB	100718	PR 11 MBS BRAKE 85 [G] PR 11 BRAKE 85 [G]	matt black/red/green
		100708 100713	PRD 12 BRAKE 85 [F] PR 11 MBS BRAKE 85 [G]	matt black/matt white/fl. green matt black/white
310967	Strong INSTINCT Ti AB	100717 114160	PR 11 BRAKE 85 [G] PR 11 MBS BRAKE 85 [G]	matt black/flash yellow solid black
		100707	PRD 12 BRAKE 85 [F]	matt black/matt white/fl. yellow
310987	Supreme INSTINCT Ti AB	100713	PR 11 MBS BRAKE 85 [G] PR 11 BRAKE 78 [G]	matt black/white matt black/blue/orange
		114159 100713	PR 11 MBS W/O BRAKE [G] PR 11 MBS BRAKE 85 [G]	solid black matt black/white
311007	Natural INSTINCT AB	100716	PR 11 BRAKE 78 [G]	matt black/blue/orange
		114159 100713	PR 11 MBS W/O BRAKE [G] PR 11 MBS BRAKE 85 [G]	solid black matt black/white
311107	Primal INSTINCT AB	100715 114160	PR 11 BRAKE 85 [G] PR 11 MBS BRAKE 85 [G]	matt black/white solid black
		100713	PR 11 MBS BRAKE 85 [G]	matt black/white
311127	Primal INSTINCT PP9	111435 100713	SX 10 BRAKE 78 [E],[J] PR 11 MBS BRAKE 85 [G]	silver/black matt black/white
REESKI ig Mountain				
311407	Kore 117	114113 114105	AAATTACK ² 16 GW W/O BRAKE [A] AAADRENALIN 16 AT SHORT W/O BRAKE [B]	green solid black
		114106	AAADRENALIN 16 AT LONG w/o BRAKE [B]	solid black
311427	Kore 105	114124 114113	AAATTACK ² 13 GW W/O BRAKE [A] AAATTACK ² 16 GW W/O BRAKE [A]	green green
		114105 114106	AAADRENALIN 16 AT SHORT W/O BRAKE [B] AAADRENALIN 16 AT LONG W/O BRAKE [B]	solid black solid black
		114115	AAATTACK ² 14 AT w/o BRAKE [A]	solid black
311447	Kore 93	114127 114126	AAATTACK ² 13 GW BRAKE 110 [A] AAATTACK ² 13 GW BRAKE 95 [A]	green green
		114115 114010	AAATTACK ² 14 AT w/o BRAKE [A] AAADRENALIN 13 AT SHORT w/o BRAKE [F]	solid black solid black
II Country		114011	AAADRENALIN 13 AT LONG w/o BRAKE [F]	solid black
310757	Nebula 78	111716	AAAMBITION 10 AT w/o BRAKE [C]	solid white/black
310797	Alpine Walker	111610 111716	AAAMBITION 12 AT w/o BRAKE [C] AAAMBITION 10 AT w/o BRAKE [C]	solid white/black solid white/black
ark&Pipe 311507	Frame Wall	114129	AAATTACK ² 13 GW BRAKE 85 [A]	solid black
311307	ri dile Wali	114114	AAATTACK ² 16 w/o BRAKE [A]	solid black
311527	Caddy	114147 114121	AAATTACK ² 11 GW BRAKE 90 [L] AAATTACK ² 13 GW BRAKE 85 [A]	solid black red
		114111 114112	AAATTACK ² 18 X GW w/o BRAKE [A] AAATTACK ² 16 GW w/o BRAKE [A]	red red
0115	** **	114141	AAATTACK ² 11 GW BRAKE 90 [L]	red
311547	the Show	114129 114125	AAATTACK ² 13 GW BRAKE 85 [A] AAATTACK ² 13 GW BRAKE 85 [A]	solid black green
/OMEN		114144	AAATTACK ² 11 GW BRAKE 90 [L]	green
311647	great Joy	114137	AAATTACK ² 12 GW BRAKE 110 [A]	matt white
311667 311627	wild Joy total Joy SLR	114136 100690	AAATTACK ² 12 GW BRAKE 95 [A] JOY 11 SLR BRAKE 90 [H]	matt white white/teal
311607 311677	super Joy SLR epic Joy SLR	100691 100725	JOY 11 SLR BRAKE 78 [H] JOY 11 SLR BRAKE 78 [H]	matt black/flash yellow matt black/white
311687	absolut Joy SLR	100695	JOY 9 AC SLR BRAKE 90 [H]	white/black
311707 311727	pure Joy SLR easy Joy SLR2	100696 100726	JOY 9 AC SLR BRAKE 78 [H] JOY 9 AC SLR BRAKE 85 [H]	matt black/teal matt black/pink
UNIOR 319877	SG 200 Race Plate RDX	100602	FREEFLEX EVO 18 X BRAKE 85 [A]	black/white/flash yellow
319887 319897	SG 195 Race Plate RDX SG 185 Race Plate RDX	100602 100602	FREEFLEX EVO 18 X BRAKE 85 [A] FREEFLEX EVO 18 X BRAKE 85 [A]	black/white/flash yellow black/white/flash yellow
319907	SG 175 JRP RDX	100602	FREEFLEX EVO 18 X BRAKE 85 [A]	black/white/flash yellow
	WC Rebels i.GS RD Team SW JRP RDX 173	100656 100656	FREEFLEX EVO 14 BRAKE 85 [D] FREEFLEX EVO 14 BRAKE 85 [D]	matt black/white/flash yellow matt black/white/flash yellow
314007	WC Rebels i.GS RD Team SW JRP RDX 166		FREEFLEX EVO 11 BRAKE 85 [D]	matt black/white/flash yellow matt black/white/flash yellow
314007	WC Rebels i.GS RD Team SW JRP RDX 159	100657 100657	EREEL EX ENU 11 BBVKE of LU1	
314007	WC Rebels i.GS RD Team SW JRP RDX 159 WC Rebels i.GS RD Team SW JRP RDX 152 WC Rebels i.GS RD Team SW JRP RDX 145	100657 100688	FREEFLEX EVO 11 BRAKE 85 [D] EVO 9 AC JR RACE Brake 78 [J]	solid black/flash yellow
314007	WC Rebels i.GS RD Team SW JRP RDX 159 WC Rebels i.GS RD Team SW JRP RDX 152	100657		
	WC Rebels i,GS RD Team SW JRP RDX 159 WC Rebels i,GS RD Team SW JRP RDX 152 WC Rebels i,GS RD Team SW JRP RDX 145 WC Rebels i,GS RD Team SW JRP RDX 138 WC Rebels i,GS RD Team SW JRP RDX 131 WC Rebels i,GS RD Team SW JRP RDX 124	100657 100688 100688 100688 100688	EVO 9 AC JR RACE Brake 78 [J] EVO 9 AC JR RACE Brake 78 [J] EVO 9 AC JR RACE Brake 78 [J] EVO 9 AC JR RACE Brake 78 [J]	solid black/flash yellow solid black/flash yellow solid black/flash yellow solid black/flash yellow
314007	WC Rebels i.GS RD Team SW JRP RDX 159 WC Rebels i.GS RD Team SW JRP RDX 152 WC Rebels i.GS RD Team SW JRP RDX 142 WC Rebels i.GS RD Team SW JRP RDX 138 WC Rebels i.GS RD Team SW JRP RDX 138 WC Rebels i.GS RD Team SW JRP RDX 131 WC Rebels i.GS RD Team SW JRP RDX 150 WC Rebels i.GS RD Team SW JRP RDX 156 WC Rebels i.SL RD Team SW JRP RDX 156 WC Rebels i.SL RD Team SW JRP RDX 156	100657 100688 100688 100688 100688 100656 100657	EVO 9 AC JR RACE Brake 78 [J] FREEFLEX EVO 14 BRAKE 85 [D] FREEFLEX EVO 11 BRAKE 85 [D]	solid black/flash yellow solid black/flash yellow solid black/flash yellow solid black/flash yellow matt black/white/flash yellow matt black/white/flash yellow
	WC Rebels I.GS RD Team SW JRP RDX 159 WC Rebels I.GS RD Team SW JRP RDX 152 WC Rebels I.GS RD Team SW JRP RDX 145 WC Rebels I.GS RD Team SW JRP RDX 138 WC Rebels I.GS RD Team SW JRP RDX 138 WC Rebels I.GS RD Team SW JRP RDX 131 WC Rebels I.GS RD Team SW JRP RDX 124 WC Rebels I.GS RD Team SW JRP RDX 124 WC Rebels I.GS RD Team SW JRP RDX 126	100657 100688 100688 100688 100688 100656	EVO 9 A.C. JR RACE Brake 78 [J] EVO 9 A.C. JR RACE Brake 78 [J] EVO 9 AC. JR RACE Brake 78 [J] EVO 9 AC. JR RACE Brake 78 [J] FREEFLEX EVO 14 BRAKE 85 [D]	solid black/flash yellow solid black/flash yellow solid black/flash yellow solid black/flash yellow matt black/white/flash yellow matt black/white/flash yellow matt black/white/flash yellow matt black/white/flash yellow
	WC Rebels LGS RD Team SW JRP RDX X59 WC Rebels LGS RD Team SW JRP RDX X52 WC Rebels LGS RD Team SW JRP RDX X145 WC Rebels LGS RD Team SW JRP RDX X145 WC Rebels LGS RD Team SW JRP RDX X131 WC Rebels LGS RD Team SW JRP RDX X124 WC Rebels LGS RD Team SW JRP RDX X124 WC Rebels LSS RD Team SW JRP RDX X56 WC Rebels LSS RD Team SW JRP RDX X56 WC Rebels LSS RD Team SW JRP RDX X150 WC Rebels LSS RD Team SW JRP RDX X150 WC Rebels LSS RD Team SW JRP RDX X144 WC Rebels LSS RD Team SW JRP RDX X138 WC Rebels LSS RD Team SW JRP RDX X138 WC Rebels LSS RD Team SW JRP RDX X138	100657 100688 100688 100688 100688 100656 100657 100657 100657 100657	EVO 9 AC JIR RACE Brake 78 [J] FREFILEX EVO 14 BRAKE 85 [D] FREFILEX EVO 14 BRAKE 85 [D] FREFILEX EVO 15 BRAKE 85 [D] FREFILEX EVO 16 BRAKE 85 [D] FREFILEX EVO 16 BRAKE 85 [D] FREFILEX EVO 17 BRAKE 85 [D] FREFILEX EVO 18 BRAKE 85 [D]	solid black/flash yellow solid black/flash yellow solid black/flash yellow solid black/flash yellow and black/flash yellow matt black/white/flash yellow flash yellow matt black/white/flash yellow matt black/white/flash yellow
314027	WC Rebels LGS RD Team SW JRP RDX X59 WC Rebels LGS RD Team SW JRP RDX X52 WC Rebels LGS RD Team SW JRP RDX X52 WC Rebels LGS RD Team SW JRP RDX X145 WC Rebels LGS RD Team SW JRP RDX X131 WC Rebels LGS RD Team SW JRP RDX X144 WC Rebels LGS RD Team SW JRP RDX X154 WC Rebels LGS RD Team SW JRP RDX X156 WC Rebels LGS RD Team SW JRP RDX X156 WC Rebels LSI. RD Team SW JRP RDX X154 WC Rebels LSI. RD Team SW JRP RDX X138 WC Rebels LSI. RD Team SW JRP RDX X138 WC Rebels LSI. RD Team SW JRP RDX X124 WC Rebels LSI. RD Team SW JRP RDX X126 WC Rebels LSI. RD Team SW JRP RDX X126 WC Rebels LSI. RD Team SW JRP RDX X126 WC Rebels LSI. RD Team SW JRP RDX X126 WC Rebels LSI. RD Team SW JRP RDX X126 WC Rebels LSI. RD Team SW JRP RDX X126 WC Rebels LSI. RD Team SW JRP RDX X126	100657 100688 100688 100688 100656 100657 100657 100657 100657 100658	EVO 9 AC JR RACE Brake 78 [J] FRESTER EVO M BRAKE 85 [D] FRESTERX EVO M BRAKE 85 [D] FRESTERX EVO II BRAKE 85 [D] FRESTERX EVO II BRAKE 85 [D] FRESTERX EVO II BRAKE 85 [D] FRESTER EVO II BRAKE 85 [D] FRESTER EVO II BRAKE 85 [D] EVO 9 AC JR RACE Brake 78 [J] EVO 9 AC JR RACE Brake 78 [J]	solid black/flash yellow solid black/flash yellow solid black/flash yellow solid black/flash yellow and black/flash yellow matt black/white/flash yellow matt black/white/flash yellow matt black/white/flash yellow matt black/white/flash yellow solid black/flash yellow solid black/flash yellow solid black/flash yellow
	WC Rebels i.GS RD Team SW .JRP RDX IS9 WC Rebels i.GS RD Team SW .JRP RDX IS2 WC Rebels i.GS RD Team SW .JRP RDX IS4 WC Rebels i.GS RD Team SW .JRP RDX IS3 WC Rebels i.GS RD Team SW .JRP RDX IS3 WC Rebels i.GS RD Team SW .JRP RDX IS3 WC Rebels i.S. RD Team SW .JRP RDX IS4 WC Rebels i.S. RD Team SW .JRP RDX IS6 WC Rebels i.S. RD Team SW .JRP RDX IS4 WC Rebels i.S. RD Team SW .JRP RDX IS4 WC Rebels i.S. RD Team SW .JRP RDX IS4 WC Rebels i.S. RD Team SW .JRP RDX IS4 WC Rebels i.S. RD Team SW .JRP RDX IS3 WC Rebels i.S. RD Team SW .JRP RDX IS3 WC Rebels i.S. RD Team SW .JRP RDX IS3 WC Rebels i.S. RD Team SW .JRP RDX IS3 WC Rebels i.S. RD Team SW .JRP RDX IS3 WC REBELS I.S. RD Team SW .JRP RDX IS4 WC Rebels i.S. RD Team SW .JRP RDX IS4	100657 100688 100688 100688 100656 100657 100657 100657 100657 100657	EVO 9 AC JR RACE Brake 78 [J] EVO 9 AC JR RACE Brake 78 [J] EVO 9 AC JR RACE Brake 76 [J] EVO 9 AC JR RACE Brake 76 [J] EVO 9 AC JR RACE Brake 76 [J] FREFELEX EVO 11 BRAKE 65 [D] FREEFLEX EVO 11 BRAKE 65 [D] EVO 9 AC JR RACE Brake 78 [J]	solid black/flash yellow solid black/flash yellow solid black/flash yellow solid black/flash yellow mat black/white/flash yellow bath black/white/flash yellow solid black/flash yellow solid black/flash yellow
314027 314147 314187	WC Rebels i.GS RD Team SW .JRP RDX IS9 WC Rebels i.GS RD Team SW .JRP RDX IS2 WC Rebels i.GS RD Team SW .JRP RDX IS2 WC Rebels i.GS RD Team SW .JRP RDX IS8 WC Rebels i.GS RD Team SW .JRP RDX IS8 WC Rebels i.GS RD Team SW .JRP RDX IS1 WC Rebels i.GS RD Team SW .JRP RDX IS2 WC Rebels i.SL RD Team SW .JRP RDX IS2 WC Rebels i.SL RD Team SW .JRP RDX IS5 WC Rebels i.SL RD Team SW .JRP RDX IS4 WC Rebels i.SL RD Team SW .JRP RDX IS4 WC Rebels i.SL RD Team SW .JRP RDX IS4 WC Rebels i.SL RD Team SW .JRP RDX IS2 WC Rebels i.SL RD Team SW .JRP RDX IS2 WC Rebels i.SL RD Team SW .JRP RDX IS2 WC Rebels i.SL RD Team SW .JRP RDX IS2 WC Rebels i.SL RD Team SW .JRP RDX IS2 WC Rebels i.SL RD Team SW .JRP RDX IS2 SUPERSHAPE SERVER SUPERSHAPE SUPERSHAPE SUPERSHAPE SERVER SUPERSHAPE SUPERSHAP	100657 100688 100688 100688 100688 100686 100656 100657 100657 100657 100688 100688 100678	EVO 9 AC JIR RACE Brake 78 [J] EVO 9 AC JIR RACE Brake 76 [J] FREEFICK EVO 11 BRAKE 55 [D] EVO 9 AC JIR RACE Brake 78 [J] EVO 9 AC JIR RACE Brake 78 [J] SLR 15 AC BRAKE 78 [I] SLR 15 AC BRAKE 78 [I] SLR 15 AC BRAKE 78 [I]	solid black/flash yellow matt black/white/flash yellow matt black/white/flash yellow matt black/white/flash yellow matt black/white/flash yellow solid black/flash yellow solid black/flash yellow solid white/black/flash yellow
314027 314147 314187 314237	WC Rebels LGS RD Team SW JRP RDX 159 WC Rebels LGS RD Team SW JRP RDX 152 WC Rebels LGS RD Team SW JRP RDX 152 WC Rebels LGS RD Team SW JRP RDX 138 WC Rebels LGS RD Team SW JRP RDX 138 WC Rebels LGS RD Team SW JRP RDX 131 WC Rebels LGS RD Team SW JRP RDX 150 WC Rebels LS RD Team SW JRP RDX 150 WC Rebels LS RD Team SW JRP RDX 150 WC Rebels LS RD Team SW JRP RDX 150 WC Rebels LS RD Team SW JRP RDX 138 WC Rebels LS RD Team SW JRP RDX 124 WC Rebels LS RD Team SW JRP RDX 126 WC Rebels LS RD Team SW JRP RDX 120 WC Rebels LS RD Team SW JRP RDX 120 WC REBELS RD TEAM SW JRP RDX 120 WC JREAC TEAM SW JRP RDX 120 WC JREAC TEAM SW JRP RDX 120 SUPERSHAPE SLR2 Supershape Team SLR 2; 67-107Cm SUPERSHAPE TEAM ST 177-15Cm	100657 100688 100688 100688 100688 100656 100657 100657 100657 100688 100688 100688 100678 100678	EVO 9 AC JIR RACE Brake 78 [J] EVO 9 AC JIR RACE Brake 78 [J] EVO 9 AC JIR RACE Brake 76 [J] EVO 9 AC JIR RACE Brake 76 [J] EVO 9 AC JIR RACE Brake 76 [J] FREEFLEX EVO 11 BRAKE 65 [D] EVO 9 AC JIR RACE BRAKE 78 [J] EVO 9 AC JIR RACE BRAKE 78 [J] SLR 7.5 AC BRAKE 78 [H] SLR 4.5 AC BRAKE 78 [H] SLR 4.5 AC BRAKE 78 [H] SLR 4.5 AC BRAKE 78 [H]	solid black/flash yellow matt black/white/flash yellow matt black/white/flash yellow matt black/white/flash yellow matt black/white/flash yellow solid black/flash yellow solid black/flash yellow solid black/flash yellow solid white/black/flash yellow
314027 314147 314187	WC Rebels i.GS RD Team SW JRP RDX IS9 WC Rebels i.GS RD Team SW JRP RDX IS2 WC Rebels i.GS RD Team SW JRP RDX IS2 WC Rebels i.GS RD Team SW JRP RDX IS8 WC Rebels i.GS RD Team SW JRP RDX IS8 WC Rebels i.GS RD Team SW JRP RDX IS1 WC Rebels i.GS RD Team SW JRP RDX IS4 WC Rebels i.SL RD Team SW JRP RDX IS4 WC Rebels i.SL RD Team SW JRP RDX IS5 WC Rebels i.SL RD Team SW JRP RDX IS5 WC Rebels i.SL RD Team SW JRP RDX IS0 WC Rebels i.SL RD Team SW JRP RDX IS0 WC Rebels i.SL RD Team SW JRP RDX IS0 WC Rebels i.SL RD Team SW JRP RDX IS0 WC Rebels i.SL RD Team SW JRP RDX IS0 WC Rebels i.SL RD Team SW JRP RDX IS0 WC Rebels i.SL RD Team SW JRP RDX IS0 WC Rebels ISL RD Team SW JRP RDX IS0 WC REBELS ISL RD TEAM SW JRP RDX IS0 WC REBELS ISL RD TEAM SW JRP RDX ISO WC REBELS ISL RD TEAM SW JRP RDX ISO WC RESERVER TEAM SW STRP RDX ISO WC RESERVER TEAM SW STRP RDX ISO SUpershape Ream SW SLR2 Supershape Ream SUR SLR2 Supershape Ream SUR SLR2	100657 100688 100688 100688 100688 100656 100657 100657 100657 100668 100688 100688 100688 100682 100682	EVO 9 AC JR RACE Brake 78 [J] FREFLEX EVO 14 BRAKE 55 [D] FREEFLEX EVO 15 BRAKE 55 [D] FREEFLEX EVO 15 BRAKE 55 [D] FREEFLEX EVO 11 BRAKE 55 [D] FREEFLEX EVO 11 BRAKE 55 [D] FREEFLEX EVO 11 BRAKE 55 [D] EVO 9 AC JR RACE Brake 78 [J] EVO 9 AC JR RACE Brake 78 [J] SLR 7.5 AC BRAKE 78 [H]	solid black/flash yellow solid black/flash yellow solid black/flash yellow solid black/flash yellow matt black/white/flash yellow solid black/flash yellow solid black/flash yellow solid black/flash yellow solid white/black/flash yellow
314027 314147 314187 314237 314067 314117	WC Rebels i.GS RD Team SW JRP RDX IS9 WC Rebels i.GS RD Team SW JRP RDX IS2 WC Rebels i.GS RD Team SW JRP RDX IS2 WC Rebels i.GS RD Team SW JRP RDX IS8 WC Rebels i.GS RD Team SW JRP RDX IS8 WC Rebels i.GS RD Team SW JRP RDX IS8 WC Rebels i.GS RD Team SW JRP RDX IS1 WC Rebels i.SL RD Team SW JRP RDX IS1 WC Rebels i.SL RD Team SW JRP RDX IS0 WC Rebels i.SL RD Team SW JRP RDX IS0 WC Rebels i.SL RD Team SW JRP RDX IS0 WC Rebels i.SL RD Team SW JRP RDX IS2 WC Rebels i.SL RD Team SW JRP RDX IS2 WC Rebels i.SL RD Team SW JRP RDX IS2 WC Rebels i.SL RD Team SW JRP RDX IS2 WC Rebels i.SL RD Team SW JRP RDX IS2 WC Rebels i.SL RD Team SW JRP RDX IS2 WC Rebels i.SL RD Team SW JRP RDX IS2 WC Rebels ISB RD Team SW JRP RDX IS2 Supershape Team SW SLR2 Supershape Team SW SLR2 Supershape Team SLR Z: RT-157Cm Caddy Jr Residue SLR2	100657 100688 100688 100688 100688 100656 100657 100657 100657 100668 100688 100688 100688 100678 100678 100678 100678 100678	EVO 9 AC JR RACE Brake 78 [J] FREFILEX EVO 14 BRAKE 55 [D] FREFILEX EVO 14 BRAKE 55 [D] FREFILEX EVO 15 BRAKE 55 [D] FREFILEX EVO 11 BRAKE 55 [D] FREFILEX EVO 11 BRAKE 55 [D] FREFILEX EVO 11 BRAKE 55 [D] EVO 9 AC JR RACE Brake 76 [J] SUR 7.5 AC BRAKE 76 [H] SUR 7.5 AC BRAKE 76 [H] SUR 7.5 AC BRAKE 76 [H] SUR 7.5 AC BRAKE 79 [H] SUR 7.5 AC BRAKE 79 [L] AAATTACK*1 IGW BRAKE 50 [L] AAATTACK*1 IGW BRAKE 50 [L] AAATTACK*1 IGW BRAKE 79 [L] SUR 7.5 AC BRAKE 79 [L] AAATTACK*1 IGW BRAKE 79 [L]	solid black/flash yellow solid black/flash yellow solid black/flash yellow solid black/flash yellow matt black/white/flash yellow solid black/flash yellow solid black/flash yellow solid black/flash yellow solid white/black/flash yellow solid white/blac
314027 314147 314187 314237 314067 314117 314247	WC Rebels i.GS RD Team SW JRP RDX IS9 WC Rebels i.GS RD Team SW JRP RDX IS2 WC Rebels i.GS RD Team SW JRP RDX IS2 WC Rebels i.GS RD Team SW JRP RDX IS4 WC Rebels i.GS RD Team SW JRP RDX IS8 WC Rebels i.GS RD Team SW JRP RDX IS8 WC Rebels i.GS RD Team SW JRP RDX IS1 WC Rebels i.GS RD Team SW JRP RDX IS4 WC Rebels i.SL RD Team SW JRP RDX IS6 WC Rebels i.SL RD Team SW JRP RDX IS6 WC Rebels i.SL RD Team SW JRP RDX IS8 WC Rebels i.SL RD Team SW JRP RDX IS2 WC Rebels i.SL RD Team SW JRP RDX IS2 WR Rebels i.SL RD Team SW JRP RDX IS2 WR Rebels i.SL RD Team SW JRP RDX IS2 WR Rebels i.SL RD Team SW JRP RDX IS2 WC Rebels i.SL RD Team SW JRP RDX IS2 WC Rebels i.SL RD Team SW JRP RDX IS2 WC Rebels i.SL RD Team SW JRP RDX IS2 WC Rebels i.SL RD Team SW JRP RDX IS2 CARREST SW TEAM SW TEAM ISS IN TEAM IS	100657 100688 100688 100688 100688 100656 100657 100657 100657 100668 100688 100688 100678 100688 100678 100688 100678 100678	EVO 9 AC JR RACE Brake 78 [J] FREFLEX EVO 14 BRAKE 85 [D] FREFLEX EVO 14 BRAKE 85 [D] FREFLEX EVO 18 BRAKE 85 [D] EVO 9 AC JR RACE Brake 78 [J] EVO 9 AC JR RACE Brake 76 [J] SLR 7.5 AC BRAKE 76 [H] SLR 7.5 AC BRAKE 76 [H] SLR 7.5 AC BRAKE 79 [L] SLR 7.5 AC BRAKE 78 [H] SLR 7.5 AC BRAKE 79 [L] SLR 7.5 AC BRAKE 79 [L] SLR 7.5 AC BRAKE 78 [H] SLR 7.5 AC BRAKE 78 [H] SLR 7.5 AC BRAKE 78 [H]	solid black/flash yellow solid black/flash yellow solid black/flash yellow solid black/flash yellow matt black/white/flash yellow solid black/flash yellow solid black/flash yellow solid black/flash yellow solid white/black/flash yellow solid white/black solid white/black solid white/black
314027 314147 314187 314237 314067 314117	WC Rebels i.GS RD Team SW JRP RDX X59 WC Rebels i.GS RD Team SW JRP RDX X52 WC Rebels i.GS RD Team SW JRP RDX X52 WC Rebels i.GS RD Team SW JRP RDX X145 WC Rebels i.GS RD Team SW JRP RDX X131 WC Rebels i.GS RD Team SW JRP RDX X134 WC Rebels i.GS RD Team SW JRP RDX X156 WC Rebels i.SI. RD Team SW JRP RDX X156 WC Rebels i.SI. RD Team SW JRP RDX X150 WC Rebels i.SI. RD Team SW JRP RDX X150 WC Rebels i.SI. RD Team SW JRP RDX X132 WC Rebels i.SI. RD Team SW JRP RDX X132 WC Rebels i.SI. RD Team SW JRP RDX X120 WC Rebels i.SI. RD Team SW JRP RDX X120 WC Rebels i.SI. RD Team SW JRP RDX X120 WC Rebels i.SI. RD Team SW JRP RDX X120 Supershape Team SW JRP RDX X120 Supershape Team SW Z17-T57Cm Caddy Jr Residue SLRZ Joy SLR 2: 67-107Cm Residue SLRZ Joy SLR 2: 67-107Cm	100657 100688 100688 100688 100688 100656 100657 100657 100657 100657 100688 100688 100678 100678 100678 100678 100678 100678	EVO 9 AC JIR RACE Brake 78 [J] FREPLEX EVO 14 BRAKE 85 [D] FREEFLEX EVO 14 BRAKE 85 [D] FREEFLEX EVO 15 BRAKE 85 [D] FREEFLEX EVO 15 BRAKE 85 [D] FREEFLEX EVO 16 BRAKE 85 [D] FREEFLEX EVO 16 BRAKE 85 [D] EVO 9 AC JIR RACE BRAKE 78 [J] SLR 75 AC BRAKE 78 [J] ALTATACK' 11 GW BRAKE 74 [J] SLR 75 AC BRAKE 76 [J]	solid black/flash yellow matt black/white/flash yellow matt black/white/flash yellow matt black/white/flash yellow matt black/white/flash yellow solid black/flash yellow solid black/flash yellow solid black/flash yellow solid black/flash yellow solid white/black/flash yellow solid white/black



THE TOURING BINDING

The TYROLIA AAAmbition Alpine Touring binding is the perfect companion for all Alpine Touring Aficionados so that no terrain remains unattainable. We included every attribute of our high-performance alpine ski bindings in this Alpine Touring binding.

ALPINE TOURING TOE

This Alpine Touring Binding features the exclusive TYROLIA Alpine Touring (AT) Toe which can be easily adjusted to alpine and touring boot norms. A 65 mm wide mechanical AFS gliding element secures constant release values also with rubber soles. In combination with two rollers this binding provides superior safety features with the rapid and exact boot re-centering that skiers expect from TYROLIA. As a result of its harmonious design, the TYROLIA AAAmbition has a wider contact area which improves stability and provides a secure foundation for every sking situation. Furthermore, its pivot is efficiently positioned right below the ski boot tip to ensure perfect force transmission and a tilt up to 90 degrees.

EASY ADJUSTABLE TELESCOPIC TUBE

Additionally the AAAmbition features a unique light—weight telescopic tube which offers an easy adjustement opportunity to different boot sole lengths. Thus, with only one binding model it is possible to cover the entire range of different sole lengths – from 260mm up to 350mm. Furthermore, with the setting of the telescopic tube and through the compact mounting, perfect binding positioning on your skis is improved and mid—point deviation is avoided.







TYROLIA FREEFLEX

The TYROLIA approved Freeflex System, which interacts with the AT Toe, the telescopic tube and the AT Heel, offers natural dynamics, excellent downhill performance and therefore a supreme ski touring experience.



ALPINE TOURING HEEL AND CLIMBING AID

The state-of-the-art designed climbing aid is positioned as close as possible to the Alpine Touring (AT) Heel. This provides better walking balance and effortless climbing in all situations. The low stand height of 38 mm improves stability and offers a confident stance. With four different climbing aid positions (climbing in a 0°, 5°, 10° or 15° position) it is possible to adapt on different terrains without stepping out of the binding. It does not matter if it is a walk through flat terrain or a steep slope up to the summit. Simply use the ski pole in order to change the climbing aid position and also to lock for the downhill ride.



Additional crampons are available as spare parts in widths of 90 mm, 105 mm and 120 mm, and provide safe climbing and a secure stand in any situation.

90 mm: A. No.: 163006 (1 pair)
105 mm: A. No.: 163007 (1 pair)
120 mm: A. No.: 163008 (1 pair)



In order to offer ambitious sportsmen an opportunity to widen their horizons, the TYROLIA AAAmbition is also demo and rental suitable: Combined with a spare demo track, the TYROLIA AAAmbition Alpine Touring binding can be tested and shown to a broad audience. Only two easy adjustments (one on the telescopic tube and one on the demo track) are required to fit to different boot lengths without extra drilling. A. No: 163001





BRAKES & INDIVIDUALITY

Considering the different ski widths, the TYROLIA AAAmbition comes without brakes. This gives you the opportunity to either choose the perfect fitting brake out of four different widths (85 mm/95 mm/105 mm/125 mm) or simply to ride and hike without brakes using appropriate powder straps – TYROLIA AAA–Series Powder Strap (1 pair): A. No.: 162981 Additionally available: TYROLIA AAA–Series Powdercord – A.No.: 163025







To sum up: The TYROLIA AAAmbition Alpine Touring binding is what every ski touring fanatic was looking for. On one hand it offers freedom and individual adjustment possibilities and on the other hand it provides the premium high—end performance that is expected from the world market leader TYROLIA. The solid, light—weight construction and its maximum functionality enhances the ultimate mountain experience for ambitioned climbers as well as for touring newbies. Overcome boundaries — Simply just: Access All Areas!



THE PERFECT ALL-AROUNDER

With the AAAdrenalin Freeride binding from TYROLIA, no terrain is out of reach. This binding provides a level of skiing performance never before seen in an alpine binding. It combines performance driven freeride features with the ultimate ergonomic walking mechanism for maximum freedom on—and off—piste. Overcome boundaries smoothly for a perfect ride.

The TYROLIA AAAdrenalin binding is a perfect option for freeriders who prefer precise downhill control combined with ideal mechanics for short walks to reach untouched paths for a memorable ski experience. Designed together with freeskiers and backcountry skiers, this member of the TYROLIA AAA–Series is designed for ski widths from 80 mm and wider. The TYROLIA AAAdrenalin brings paramount freeride performance in every terrain, on every slone



The TYROLIA AAAdrenalin comes with the Freeride (FR) Pro Toe with its ergonomic pivot position for optimal tilt up movement up to 90 degrees. This system provides effortless walking over short distances.

The FR Pro Toe is adjustable by changing the position of the Anti-Friction-Slider (AFS Metal) to cover alpine and touring boot norms. This 68 mm wide slider plus a stainless steel gliding element provide constant release values and result in a broader contact area to the ski boot sole.

The benefits: more stability, more direct power transmission and an ultimate skiing performance.







FREERIDE (FR) PRO HEEL

The ultra-wide 80 mm heel track makes all the performance difference needed to take this product over the top. Extra width and the superior kinematics of TYROLIA's high performance bindings make it absolutely stable and reliable for perfect force transmission and unmatched performance. The heel can easily be adjusted to different boot sole lengths without any additional tools.

It covers a wide range of seven ski boot sizes. The TYROLIA AAAdrenalin Freeride binding is available in two lengths:

- SHORT (S) for ski boot sole length of 270-330 mm
- LONG (L) for ski boot sole length of 300-360 mm





To Access All Areas, transition from skiing to hiking is incredibly fast, easy and convenient. Simply use the tip of the ski pole without stepping out of the binding to move the highly visible Ascender Lock to change between hiking and ski mode.

Another TYROLIA feature is the possibility to walk in the 0° position. After release, TYROLIA's climbing aid can easily be operated with a ski pole and it can be positioned in three different angles (0°, 7° and 13°) for an optimal walking position. This improves balance and a secure stand on your way to perfect skiing spots.

CRAMPONS

Additionally, TYROLIA crampons (available as spare parts in three widths: 90 mm, 105 mm and 120 mm) can be mounted to improve grip in steep and icy terrain.

90 mm: A. No.: 162977 (1 pair)
105 mm: A. No.: 162978 (1 pair)
120 mm: A. No.: 162979 (1 pair)



FREEFLEX

The platform of TYROLIA's AAAdrenalin binding provides the approved TYROLIA Freeflex function which allows the ski to flex as it is designed to do so it can retain its natural dynamics. Freeflex is enabled by the free gliding plate that runs within the titanal heel track and is supported by the center of rotation of the binding toe.









BRAKES & INDIVIDUALITY

The TYROLIA AAAdrenalin comes without brakes. This gives each freeriders the chance to choose the precisely fitting brakes with regard to the ski widths. The TYROLIA AAAdrenalin bindings can be combined with brake widths of 85/95/110/130 [F] or 95/110/130 [B]



Additionally available:

TYROLIA AAA-Series Powdercord - Art. No.:163025



Whether skiing downhill or bridging walking paths, the TYROLIA AAAdrenalin Freeride binding gives adventures an unrivaled combination of skiing performance and all terrain versatility, providing easy Access to All Areas!







STIVOT RACE CARBON

Helmet of choice for our World Cup Rebels

ARTICLE NUMBER

	711111111111111111111111111111111111111		
	320017 black/lime		
	320027 white/black		
	320037 Rebels		





FEATURES

Hardshell technology, Carbon, Metal Chinstrap Buckle, Thermal Ventilation, Beanie Liner, Neckgator, Chinguard compatible

SIZES

XS	S	M
53-54 cm	55-56 cm	57-58 cm
L	XL	XXL
59-60 cm	60-61 cm	61-62 cm

CE EN 1077:2007 Class A, ASTM F 2040, FIS RH 2013 conform







STIVOT RACE CHINGUARD

Compatible with all STIVOT RACE CARBON helmets

ARTICLE NUMBER

376103 SLALOM RACING CHINGUARD

FEATURES

Compatible with all STIVOT RACE CARBON helmets

SIZES XS/S, M/L, XL/XXL



STIVOT

Full shell helmet for recreational downhill speedsters

ARTICLE NUMBER

320206 black/white
320216 white/lime
320227 Rebels



FEATURES

Hardshell technology, Thermal Ventilation, Beanie Liner, Neckgator, Chinguard compatible

SIZES			
XS	S	M	
52-53 cm	54-55 cm	56-57 cm	
L	XL	XXL	
58-59 cm	60-61 cm	62-63 cm	

CE EN 1077:2007 Class A, ASTM F 2040



TEAM SL + CHINGUARD

Half-shell head protection with Chinguard. The helmet of choice in technical disciplines.

ARTICLE NUMBER

320407 black/lime
320417 white/black
320427 Rebels



FEATURES

Hardshell technology, Thermal Ventilation, Beanie Liner, Head 2D Fit, Neckgator, Cantilever, Chinguard included

SIZES	XS/S	M/L
	52-55 cm	56-59 cm
	XL/XXL	
	60-63 cm	

Certification: CE EN 1077:2007 Class B



TUCKER BOA

An all-mountain high-performance helmet with an urban aesthetic

ARTICLE NUMBER

324747 black	
324757 black/	lime
324767 apple	

FEATURES

Hardshell technology, Thermal Ventilation, Beanie Liner, Neckgator, Cantilever, Removable Earpads/Nackgator, BOA 360°

SIZES

XS/S	M/L	XL/XXL
52-55 cm	56-59 cm	60-63 cm

Certification: CE EN 1077:2007 Class B



TREX



Maximum protection and comfort with minimum impact on the wallet

ARTICLE NUMBER

324837 black	
324847 white	
324857 olive	
324877 blue	

FEATURES

Hardshell technology, Thermal Ventilation, Beanie Liner, Cantilever, Removable Earpads, HEAD 3D Fit

SIZES

XS/S	M/L	XL/XXL
52-55 cm	56-59 cm	60-63 cm

Certification: CE EN 1077:2007 Class B











KNIGHT PRO

Ultimate head protection with integrated visor styling

ARTICLE NUMBER

324027 nightblue 324037 white



FEATURES

In-Mold technology, Visor Construction, Lower Microshell, Thermal Ventilation, Microfleece, Beanie Liner, Neckgator,

Visors: Smoke/Silver Cat. S3 (VLT 12%), Orange/Silver Cat. S2 (VLT 20%)

17	ГC	
1/	гъ.	

XS/S M/L XL/XXL 50-54 cm 54-57 cm 58-61 cm

Certification: CE EN 1077:2007 Class B



VARIUS BOA

The perfect head protection for steaming groomers and getting fly

ARTICLE NUMBER

324207 black

FEATURES

In-Mold technology, Adjustable Ventilation, Active Bottom Edge, Venturi Effect, Microfleece, Beanie Liner, Neckgator, Removable Earpads/Nackgator, BOA 270° Fit

SIZES

XS/S XL/XXL 52-55 cm 56-59 cm 60-63 cm

Certification: CE EN 1077:2007 Class B



KNIGHT

Perfect fit helmet with stylish integrated visor

ARTICLE NUMBER

324107 black 324117 blue



FEATURES

In-Mold technology, Visor Construction, Lower Microshell, Thermal Ventilation, Microfleece, Beanie Liner, Neckgator, Head 2D Fit

Visors: Orange/Silver Cat. S2 (VLT 20%)

SIZES

XS/S M/L XL/XXL 50-54 cm 54-57 cm 58-61 cm

Certification: CE EN 1077:2007 Class B



VARIUS

Adjustable Ventilation and protection both on and off-piste

ARTICLE NUMBER

324317 black 324347 anthracite

SIZES

FEATURES

HEAD 3D Fit

XS/S M/L XL/XXL 52-55 cm 56-59 cm 60-63 cm

In-Mold technology, Adjustable Ventilation,

Active Bottom Edge, Venturi Effect,

Removable Earpads/Nackgator,

Microfleece, Beanie Liner, Neckgator,

Certification: CE EN 1077:2007 Class B



VICO

All-mountain head protection for all-out rippers

ARTICLE NUMBER 324557 black 324567 blue

FEATURES

In-Mold technology, Venturi Effect, Beanie Liner, Neckgator, Removable Earpads/Nackgator, HEAD 3D Fit

SIZES

XS/S M/L XL/XXL 52-55 cm 56-59 cm 60-63 cm

Certification: CE EN 1077:2007 Class B





TECHBOX VISOR

HEAD Visor Construction is a wind-sealed UV protective shield that allows skiers to ride wearing prescription glasses. Like on a motorcycle helmet the visor can be pulled down to protect the eyes while riding.

As for goggles, Visors are available in different categories, depending on the according weather conditions: \$3 for bright and sunny days, S2 for changing conditions and S1 for cloudy or snowy days.

PROTECTION



THEA BOA

Performance all-mountain women's helmet with an urban edge

ARTICLE NUMBER

325407 white	
325417 coral	



Hardshell technology, Thermal Ventilation, Beanie Liner, Neckgator, Cantilever, Removable Earpads/Nackgator, BOA 360°

SIZES

	XS/S	M/L
	52-55 cm	56-59 cm

Certification: CE EN 1077:2007 Class B



VANDA BOA

The perfect head protection for steaming groomers and getting fly

ARTICLE NUMBER

325107 white



In-Mold technology, Adjustable Ventilation, Active Bottom Edge, Venturi Effect, Microfur, Beanie Liner, Neckgator,

Removable Earpads/Nackgator,

BOA 270° Fit

IZES

XS/S	M/L
52-55 cm	56-59 cm

Certification: CE EN 1077:2007 Class B



TINA

Tough ABS Hardshell technology for tough girls

ARTICLE NUMBER

325707 white
325717 black
325727 grey

FEATURES

Hardshell technology, Thermal Ventilation, Beanie Liner, Cantilever, Removable Earpads, HEAD 3D Fit

SIZES

	XS/S	M/L
	52-55 cm	56-59 cm

Certification: CE EN 1077:2007 Class B



VANDA

Adjustable Ventilation and protection both on and off-piste

ARTICLE NUMBER

	71111022 1101112211			
	325207 white			
	325217 turquoise			



FEATURES

In-Mold technology, Adjustable Ventilation, Active Bottom Edge, Venturi Effect, Microfur, Beanie Liner, Neckgator,

Removable Earpads/Nackgator, HEAD 3D Fit

SIZES

XS/S	M/L
52-55 cm	56-59 cm

Certification: CE EN 1077:2007 Class B



QUEEN

Maximum protection and integrated visor for women

ARTICLE NUMBER

325007 white 325017 turquoise

FEATURES

In-Mold technology, Visor Construction, Lower Microshell, Thermal Ventilation, Microfur, Beanie Liner, Neckgator, Head 2D Fit Visor: Orange/Silver Cat. S2 (VLT 20%)

SIZES

XS/S	M/L	
50-54 cm	54-57 cm	

Certification: CE EN 1077:2007 Class B



VALERY

All-mountain head protection

ARTICLE NUMBER

AKTICEE HOMDEK		
325607 white		
325617 purple		



FEATURES

In-Mold technology, Venturi Effect, Microfur, Beanie Liner, Neckgator,

Removable Earpads/Nackgator, HEAD 3D Fit

SIZES

XS/S	M/L
52-55 cm	56-59 cm

Certification: CE EN 1077:2007 Class B





TAYLOR

The little guy's helmet that is big on safety and tech

ARTICLE NUMBER

	328207 Rebels
	328217 red
	328227 sun
	328237 blue





FEATURES

Hardshell technology, Thermal Ventilation, HEAD 3D Fit Comfort Zone Liner

SIZES	

31ZE3		
XXS	XS/S	M/L
48-51 cm	52-55 cm	56-59

Certification: CE EN 1077:2007 Class B



JOKER

Grom helmet with all the protection and comfort of the adult line

ART		AIIII	14D	
$\Delta D I I$		NH	мк	r v

328616 black		
328626 blue		
328636 lime		





FEATURES

In-Mold technology, Thermal Ventilation, Comfort Zone Liner, Head 2D Fit

SIZES

	XXS/XS	S/M
	49-52 cm	53-56 cm

CE EN 1077:2007 Class B, ASTM F 2040



STAR

Girls helmet with all the protection and comfort of the adult line

ARTICLE NUMBER

328716 white	
328726 lightblue	



FEATURES

In-Mold technology, Thermal Ventilation, Comfort Zone Liner, Head 2D Fit

SIZES

XXS/XS	S/M
49-52 cm	53-56 cm


CE EN 1077:2007 Class B, ASTM F 2040



GOGGLES HEAD

WINTER COLLECTION 2017-18

HEAD



CONFIGURATOR

1. SHAPE

Cylindrical vs. toric, bold vs. slim selecting the right shape is important for propper function and look of your goggle.

FUNCTION

Packed with features for high demand and regular use. Quick lens exchange system, triple layer form and lots of spare lens options.





GLOBE



FASHION

Contemporary goggle design for recreational skiers and riders. Lots of style meets everyday comfort.

INFINITY




GALACTIC



BUDGET

For the occasional winter sports enthusiast. Featuring everything you need for the days on snow, so why pay for more.

STREAM



SOLAR





2. VISION

Changing weather situations demand for a variety of lens tones - perfect vision for every condition.

Bright and sunny conditions require a dimming lens tone.


SMOKE





GREEN

For bright & sunny conditions when some additional contrast is needed.



Versatile lens for changeable weather conditions.

BROWN Brown lenses are


the most versatile lenses for ervery condition.






TVT green

TVT is HEAD's take on contrast enhancing lense technology









TVT red

For cloudy or snowy days on the mountain.

ORANGE

Orange lenses are perfect for overcast conditions.



3. COATING

From a basic stylish black to a flashy mirror coating. We got you covered for the right style when hitting the slopes.























HORIZON RACE

Team tested race goggle with extremely wide field of vision

ARTICLE NUMBER

373305 DH lime* + SpareLens	
373314 black +SpareLens	
373324 lime + SpareLens	
373335 white + SpareLens	

FEATURES

Wind Seal Foam, Double Lens, Speed Snap Lens Exchange, UV400 & Anti Fog, Triple Layer Foam, Extreme Wide Field of Vision, Silicone Layer, compatible with all HEAD helmets, Sparelens included LENS S2, VLT 27% SPARELENS S1, VLT 57%

INFINITY RACE

Mid size lens race goggle

ARTICLE NUMBER

372006 black +SpareLens 372016 white +SpareLens 372026 lime +SpareLens

FEATURES

Double Lens, Mirror Coated, Interchangeable Lens, UV400 & Anti Fog, Double Layer Foam, Silicone Layer, compatible with all HEAD helmets, Sparelens included S2, VLT 27%

SPARELENS S1, VLT 57%

HORIZON LENS KIT

Lens kit to beat changing light conditions

ARTICLE NUMBER	373947	
CLEAR:	S0 / 86%	
YELLOW:	S1 / 82%	
ORANGE:	S2 / 21%	
BLUE FMR:	S3 / 10%	

STRAP KIT

STRAP KIT for customizing race goggles

Compatible with al	I HEAD goggles

Red, Green, Blue, Silver, Gold











GLOBE FMR (SPARELENS)

Bold goggle for bigger faces with additional cloudy conditions lens

ARTICLE NUMBER

390207 FMR + SpareLens silver 390217 FMR + SpareLens gold

FEATURES

Double Lens, Toric Lens
Speed Snap Lens Exchange
UV400 & Anti Fog, Triple Layer Foam
Extreme Wide Field of Vision
Silicone Layer
compatible with all HEAD helmets
LENS FMR silver: S3, VLT 12%
FMR gold: S2, VLT 24%
SPARELENS orange: S1, VLT 57%

GLOBE FMR

Big goggle for unresticted field of vision and a bold look

ARTICLE NUMBER

390307 FMR blue/green 390317 FMR gold 390327 FMR yellow/red 390337 FMR silver

FEATURES

Double Lens, Toric Lens
Speed Snap Lens Exchange
UV400 & Anti Fog, Triple Layer Foam
Extreme Wide Field of Vision
Silicone Layer
compatible with all HEAD helmets
LENS FMR blue/green: S3, VLT 11%
FMR gold: S2, VLT 24%
FMR yellow/red: S2, VLT 32%
FMR silver: S3, VLT 12%

GLOBE

Unrestricted field of vision that doesn't cost the earth

ARTICLE NUMBER

390407 black 390417 orange

FEATURES

Double Lens, Toric Lens
Speed Snap Lens Exchange
UV400 & Anti Fog, Triple Layer Foam
Extreme Wide Field of Vision
Silicone Layer
compatible with all HEAD helmets
LENS black: S3, VLT 17%
orange: S1, VLT 60%

BIG, BOLD GOGGLE WITH CONTRAST ENHANCING TECHNOLOGY









HORIZON FMR (SPARELENS)

Classic all-mountain goggle with additional cloudy conditions lens

ARTICLE NUMBER

391207 FMR + SpareLens silver 391217 FMR + SpareLens yellow/red

FEATURES

Double Lens, Mirror Coated

Speed Snap Lens Exchange,

UV400 & Anti Fog, Triple Layer Foam

Extreme Wide Field of Vision

Silicone Layer

compatible with all HEAD helmets

Sparelens included

LENS FMR silver: S3, VLT 9%

FMR yellow/red: S2, VLT 28%

SPARELENS orange: S1, VLT 57%

HORIZON FMR

Team look goggles with super wide field of vision

ARTICLE NUMBER

391307 FMR blue/green 391317 FMR gold 391327 FMR pink 391337 FMR silver

FEATURES

Double Lens, Mirror Coated
Speed Snap Lens Exchange,
UV400 & Anti Fog, Triple Layer Foam
Extreme Wide Field of Vision
Silicone Layer
compatible with all HEAD helmets
LENS FMR blue/green: S3, VLT 9%
FMR gold: S3, VLT 16%
FMR pink: S3, VLT 12%
FMR silver: S3, VLT 9%

HORIZON

Perfect fit, optimum comfort and unrestricted field of vision

ARTICLE NUMBER

391407 black 391417 orange 391427 Rebels

FEATURES

Double Lens, Mirror Coated

Speed Snap Lens Exchange

UV400 & Anti Fog, Triple Layer Foam

Extreme Wide Field of Vision

Silicone Layer

compatible with all HEAD helmets

LENS black: S3, VLT 11%

orange: S1, VLT 58%

MR silver: S2, 27%

THE GOGGLE OF CHOICE FOR HEAD ATHLETES WITH CONTRAST ENHANCING TECHNOLOGY





124









GALACTIC FMR (SPARELENS)

Toric goggle for medium faces with additional lens for cloudy conditions

ARTICLE NUMBER

392207 FMR + SpareLens gold 392217 FMR + SpareLens silver

FEATURES

Double Lens, Toric Lens
UV400 & Anti Fog, Double Layer Foam
Silicone Layer
compatible with all HEAD helmets
Sparelens included
LENS FMR gold: S2, VLT 24%
FMR silver: S3, VLT 12%

SPARELENS orange: S1, VLT 57%

GALACTIC FMR

Mid size goggle with contemporary frameless lens construction

ARTICLE NUMBER

392307 FMR blue/green 392317 FMR silver 392327 FMR yellow/red 392337 FMR pink

FEATURES

Double Lens, Toric Lens
UV400 & Anti Fog, Double Layer Foam
Silicone Layer
compatible with all HEAD helmets
LENS FMR blue/green: S3, VLT 11%
FMR silver: S3, VLT 12%
FMR yellow/red: S2, VLT 28%
FMR pink: S3, VLT 14%

GALACTIC


Toric goggle for medium size faces for all weather conditions

ARTICLE NUMBER

392407 black 392417 orange

FEATURES

Double Lens, Toric Lens
UV400 & Anti Fog, Double Layer Foam
Silicone Layer
compatible with all HEAD helmets
LENS black: S3, VLT 17%
orange: S1, VLT 60%



FMR silver: S3, VLT 9% FMR yellow/red: S2, VLT 28% FMR pink: S3, VLT 12% FMR silver: S3, VLT 9%

INFINITY FMR (SPARELENS)

393207 FMR + SpareLens blue/green 393217 FMR + SpareLens pink

Double Lens, UV400 & Anti Fog Double Layer Foam, Silicone Layer compatible with all HEAD helmets

SPARELENS orange: S1, VLT 57%

FMR blue/green: S3, VLT 8%

FMR pink: S3, VLT 12%

Clean, frameless medium size goggle with additional cloudy conditions lens

ARTICLE NUMBER

Sparelens included

INFINITY FMR

ARTICLE NUMBER 393307 FMR silver 393317 FMR yellow/red 393327 FMR pink

FEATURES

393337 FMR silver/red

Double Lens, UV400 & Anti Fog Double Layer Foam, Silicone Layer compatible with all HEAD helmets

Cylindrical goggle with a frameless profile

FEATURES




















HEAD



ARTICLE NUMBER

393107 red TVT 393117 green TVT

FEATURES

Double Lens

UV400 & Anti Fog

Double Layer Foam

Silicone Layer

compatible with all HEAD helmets

LENS TVT red: S2, VLT 21%

TVT green: S2, VLT 23%

MODERN GOGGLE WITH CONTRAST ENHANCING TECHNOLOGY FOR MEDIUM SIZE FACES

126

PROTECTION









SOLAR FMR PACK

Pre packed goggle set, containing 8 goggles in two frame sizes (4 M, 4 L). Including a shop counter display.

ARTICLE NUMBER 394607

SOLAR STORM PACK

Pre packed goggle set, containing 8 goggles in two frame sizes (4 M, 4 L). Including a shop counter display.

ARTICLE NUMBER 394617

SOLAR FMR

Bargain award winning goggle featuring everything you need

ARTICLE NUMBER

394407 black
394417 FMR lime
394427 FMR blue
394437 FMR red

FEATURE	S	
Double L	ens	
Toric Ler	ns, UV400 & Anti Fog	
Comfort	Comfort Foam	
LENS	black: S3, VLT 17%	
	FMR lime: S3, VLT 13%	
	FMR blue: S3, VLT 15%	
	FMR red: S2, 26%	



Award winning goggle for cloudy weather conditions

ARTICLE NUMBER

394447 orange
394457 yellow

FEATURES

Double L	ens, Toric Lens	
UV400 & Anti Fog		
Comfort	Foam	
LENS	orange: S1, VLT 57%	
	yellow: S1, VLT 68%	

HEAD



SOLAR ISPO AWARD

Why pay for features you don't need? The SOLAR is a new seasonal goggle concept – featuring everything a goggle needs, looks awesome & is easy on the budget. Superlight, toric polycarbonate double–lens, lens ventilation, multi colored mirror, ergonomically molded comfort foam, helmet compatible and exchangeable straps. Available as single pack or pre–packed in a box of 8 including a POS counter display – a whole new market approach. This is why the SOLAR was awarded as WINNER 2016 by the ISPO jury.



ISPO AWARD WINNER 2016/2017





STREAM

Entry-level goggle with premium UV protection

ARTICLE NUMBER

394707 black
394717 orange

FEATURES

FEATURES		
Double Lens, UV400 & Anti Fog		
Comfort Foam		
compatib	le with all HEAD helmets	
LENS	black: S3, VLT 11%	
	orange: \$1 VLT 58%	







NINJA

Kids' helmet compatible goggle with premium protection

ARTICLE NUMBER

373725 black/green
373735 white/pink
373806 lime/black
394817 Rebels

FEATURES

Spherical Double Lens		
UV400 & Anti Fog		
Comfort Foam		
compatible with all HEAD Junior helmets		
LENS	orange: S1, 60%	

VINTER COLLECTION 2017-18

BODY PROTECTION TECHNOLOGY

WE GOT YOUR BACK!
FULL ACTION REQUIRES FULL PROTECTION. NOT LIMITING FREEDOM OF MOVEMENT, OUR PROTECTORS INCREASE THE SAFETY WHEN HITTING THE SLOPES.

FEATURES

REMOVABLE PROTECTION UNIT

The Protection Unit can be removed from the parent garment for ease of washing.

REMOVABLE SHOULDER STRAPS

Removable Shoulder Straps can be easily removed and reattached to comply with FIS regulations.

ADJUSTABLE CONNECTOR STRAPS

Adjustable trouser connector straps

EXTRA WIDE WAIST BELT

The height adjustable waist belt measures 120mm in width and delivers a secure, comfortable fit.

MATERIAL

SAS TEC VISCOELASTIC FOAM

Viscoelastic Foam is a soft, conformable, shock absorbent, temperature resistant material with a 10-year guaranteed lifespan; it also can take repeated beatings and still keep protecting.

POLYGIENE®

Polygiene® permanent odor control technology is based on silver salt made from recycled silver. It neutralizes odor by stopping the growth of bacteria on the fabric, so you can wear more and wash less.

THERMO FLEECE

Thermo Fleece delivers warmth, wicks moisture, doesn't restrict movement, has a soft inner and durable, anti-pile treated exterior; tough, yet cosy.

3D MESI

3D Mesh is a three-dimensional fabric that allowing optimal air circulation between fabric and skin.


FLATLOCK SEAMS

High elasticity and tensile strength make Nylon 6 a good choice for applications where toughness, impact resistance and durability are critical.

FITTING

FLEXOR J	ACKET/VEST/	UNIT UNISEX/N	ΛEN		
SIZE	HT/CM	HT/INCH	1/CM	1/INCH	
s	163	64,2	41	16	
М	170	66,9	43	16,7	
L	175	68,9	44	17,2	
XL	188	74	47	18,5	
XXL	212	83,5	53	20,9	
FLEXOR VEST/UNIT WOMEN					
SIZE	HT/CM	HT/INCH	1/CM	1/INCH	
xs	155	61	44	17,4	
s	163	64,2	47	18,3	
М	170	66,9	49	19,1	
L	175	68,9	50	19,7	
FLEXOR JACKET/VEST JUNIOR					
SIZE	HT/CM	HT/INCH	1/CM	1/INCH	
116	130	51,2	37	14,6	
128	140	55,1	40	15,7	
140	150	59,1	43	16,9	
152	160	63	46	18	

164 175 68,9 50



BACK PROTECTOR

A back protector may only provide you with full protection if you have chosen the correct size and adjusted it to

ADJUST THE PROTECTOR
Apply the protector and tighten the straps. The protector shall sit tight against the body without limiting the freedom of movement.

FLEXOR VEST

Integrated impact back protection with freedom of movement

ARTICLE NUMBER

395214

FEATURES

SAS TEC Viscoelastic Foam
Removable Protection Unit
Extra Wide Waist Belt
Flatlock Seams
3D Mesh
Polygiene®

SIZES S - XXL





FLEXOR UNIT RACE

FIS approved back protection

ARTICLE NUMBER

395314

FEATURES

SIZES

S-XXL

SAS TEC Viscoelastic Foam
Removable Protection Unit
Extra Wide Waist Belt
Removable Shoulder Straps
3D Mesh
Polygiene®



FLEXOR UNIT

FIS approved ergonomic back protection

ARTICLE NUMBER

395324

FEATURES

SAS TEC Viscoelastic Foam
Removable Protection Unit
Extra Wide Waist Belt
Removable Shoulder Straps
3D Mesh,
Polygiene®

SIZES S - XXL



FLEXOR VEST WOMAN

Comfort, warmth and back protection in one vest

ARTICLE NUMBER

395614

FEATURES

SAS TEC Viscoelastic Foam, Removable Protection Unit, Extra Wide Waist Belt, Flatlock Seams, Thermo Fleece, 3D Mesh, Polygiene®

SIZES XS - L



FLEXOR JR VEST

Comfort, warmth and back protection in a junior vest

ARTICLE NUMBER

395714

FEATURES

SAS TEC Viscoelastic Foam, Removable Protection Unit, Extra Wide Waist Belt, Flatlock Seams, 3D Mesh, Polygiene®

SIZES 116, 128, 140, 152, 164



FLEXOR JR UNIT RACE

FIS approved race back protection with improved freedom of movement

ARTICLE NUMBER

395824

FEATURES

SAS TEC Viscoelastic Foam, Removable Protection Unit, Removable Shoulder Straps, 3D Mesh, Polygiene®

SIZES 116, 128, 140, 152, 164



FLEXOR JR UNIT

FIS compatible back protection for junior racers

ARTICLE NUMBER

395814

FEATURES

SAS TEC Viscoelastic Foam, Removable Protection Unit, Removable Shoulder Straps, 3D Mesh, Polygiene®

SIZES 116, 128, 140, 152, 164



PERFECT LOOK, PERFECT SIGHT. INNOVATION IS IN OUR DNA - WE DESIGN PRODUCTS THAT MEET THE HIGH STANDARDS OF OUR ATHLETES. RICH IN FEATURES, DESIGNED RIGHT DOWN TO THE DETAIL.

FEATURES

EXTREME WIDE FIELD OF VISION

Head's goggles with an extra wide field of vision are perfect for athletes allowing a tight aerodynamic tuck position without impaired vision.

SPARELENS INCLUDED

Sparelens included

SPEED SNAP LENS EXCHANGE

Speed Snap Lens Exchange is a fast and easy lens exchange system.

INTERCHANGEABLE LENSES

Interchangeable Lenses means that they can be changed to suit light conditions or when damaged.

FRAMELENS

The Framelens is a sub-frame construction that holds the lens that can be changed using the Speed Snap System.

LENS

DOUBLE LENS

Outside break resistant hardcoated
PC-lens, inside Acetate lens with antifog
coating

TORIC LE

Toric lenses are curved in a way which avoids optical distortion.

CYLINDRICAL LENS

The Cylindrical Lens is a flat lens with a single lateral curve.

UV400 & ANTI FOG

UV400 & Anti Fog refers to the intense UV protective qualities of HEAD lenses and their ability to minimise fogging.

FILTER CATEGORY

Filter Category describes the specific light filtering of lenses.

TRANS VISION TECHNOLOGY (TVT)

TVT is a contrast enhancing technology for variable weather conditions. TVT lenses are also highly scratch resistant.

MR

FMR is HEAD's flashy multi-layer mirror finish to their lenses providing added protection against sunlight.

MR

MR is HEAD's single mirror finish to their lenses providing added protection against sunlight.

MATERIAL

WINDSEAL FOAM

Windseal Foam is a wind retardant foam.

VENTING FOAM

Venting Foam allows the transfer of air, heat and moisture.

TRIPLE LAYER FOAM

Dual-density Comfort Foam with Microfleece is a bonded foam with a soft fleece for added comfort.

DOUBLE LAYER FOAM

Comfort Foam with Microfleece is a single density foam that regulates a goggles inner climate, cushions and provides the perfect skin to goggle interface.

MFORT FOAM

Comfort Foam is a single density foam that allows for the ideal inner goggle climate.

SILICONE LAYER

The Silicone Layer provides added grip between a goggle strap and on-mountain headwear.

HELMET TECHNOLOGY



This helmet technology is matchless in longevity and impact protection.

For this reason we use it in our race and rental helmets.



The shock absorbing inner EPS layer of this technology is injected through the hard outer polycarbonate layer to create a single comprehensive unit that provides perfect protection at a reduced weight.



CONSTRUCTION

DUAL DENSITY CORE

This patented core technology is made from EPS with dual densities. This increases the helmets impact performance and suitable according to the FIS RH 2013 standard.

CARBON

The helmets shell is made from carbon fibres, which increases safety and decreases weight. This is why this technology is used for our racing helmets.

LOWER MICROSHELL

The lower edge is coated with polycarbonate in order to avoid scratches and dents in the foam.

VISOR CONSTRUCTION

HEAD Visor Construction is a wind-sealed UV protective shield that allows skiers to ride wearing prescription glasses. Like on a motorcycle helmet the visor can be pulled down to protect the eyes while riding.

TOOLFREE CHINGUARD

The angle of our all-new Toolfree Chinguard can be adjusted individually, without using any tools. The chinguard can also be taken off, when not needed for training, or racing gates.

VENTILATION

ADJUSTABLE VENTILATION

The opening of the ventilation ducts on the top of the helmet may be adjusted continuously by means of a slide control.

THERMAL VENTILATION

Thermal Ventilation is our automatic ventilation system which leads warm air away from the head to the outside without allowing any cold air to the inside.

ACTIVE BOTTOM EDGE

An Active Bottom Edge in HEAD helmets reduces goggle fogging by delivering active airflow. It does this by allowing air to be drawn from the goggles through the helmet.

VENTURI EFFECT

The Venturi Effect creates the ideal inner helmet climate. It does so when air passing over the helmet draws out heat and moisture for the inner shell.

LINING

MICROFUR

Microfur is both warming and comfortable on the skin. As a helmet lining it creates the perfect fit and feel for all-day shredding.

MICROFI FECE

The soft Microfleece material has several functions: it feels good, draws moisture from the skin and transports it away from the head.

BEANIF LINER

The soft lining material of the Beanie Liner adapts perfectly to the head and thus avoids any pressure points and the unpleasant entering of cold air. Molded-in mesh zones let heat and moisture escape to the outside and, together with the ventilation system, ensure a pleasant head climate.

COMFORT ZONE LINER

Soft liner pads provide perfect fit & comfort at a fraction of the weight.

CANTILEVER

A special liner construction that allows the fit system free movement without creating pressure points and wrinkles.

EARPADS & FITTING

NECKGATOR

The Neckgator provides comfort and warmth to the helmet wearer. It adds comfort, fit and excludes the elements.

REMOVABLE EARPADS/NECKGATOR

These ear pads and neckgators can be removed to suit the variable weather conditions and for cleaning.

360° BOA FIT

The 360° Fit system by BOA evenly adjusts the fit of the helmet to all shapes of head.

270° BOA FIT

The 270° Fit system by BOA evenly adjusts the fit of the helmet to all shapes of head.

HEAD 3D FIT

Head 3D Fit allows an exact horizontal as well as vertical adjustment of the helmet to the shape of your head.

HEAD 2D FIT

The size adjustment system may be varied horizontally in order to individually adjust the helmet to your head.

METAL CHINSTRAP BUCKLE

The Metal Chinstrap Buckle is both durable and tactile. Made from metal it also adds to the look of a HEAD helmet.

CERTIFICATION

CE EN 1077:2007 CLASS B

CE EN 1077 is the European standard for ski & snowboard helmets, taking into account the results of collision tests to ascertain dampening and puncture resistant qualities of the outer shell. Class B of this certificate certifies helmets with soft ear protectors.

CE EN 1077:2007 CLASS A

The certification procedure for Class A is used for racing helmets with hard ear protectors, requiring high standards of puncture resistance.

TM F 2040

The North American equivalent to the European CE-Test uses comparable methods.

FIS RH 2013

These helmets comply with FIS GS/SG/DH helmet regulations.

HELMET FITTING



FIND THE RIGHT SIZE

Measure your head circumference
with a tape measure which you apply
above your ears.



PUTTING ON THE HELMET
helmet and adjusting the chin straps
The helmet shall sit tightly on your head
directly above your eyebrows. Adjust the
two chin straps so that they solidly fix
and hold the helmet.



CHECK FIT WITH GOGGLES
In order to check the perfect fit of the helmet, please put on your goggles. There should be no gap between the upper edge of your goggles and the helmet.



REBELS TRAVELBAG

ARTICLE NUMBER

383007

FEATURES

Big wheelie bag for ski pros and world travelers

Additional zipper on the top to access main compartment

Inline Skating wheels

Long stowable pull handle for easy carrying; Additional compartment at the top

Straps for tightening can also be hidden

DIMENSIONS	55 x 46 x 81 cm	
VOLUME	88,7 L	
WEIGHT	∆ ka	



ARTICLE NUMBER

383017

FEATURES

Daypack with integrated laptop pocket Variable opening

Bag width adjustable

Fully adjustable padded dorsal strap system

Bottle pocket & jacket holder

DIMENSIONS	35 x 48 x 22 cm
VOLUME	25,8 L
WEIGHT	0,68 kg

REBELS RACING BACKPACK

ARTICLE NUMBER

383037 Large	
383047 Small	

FEATURES

Big backpack for racers, coaches and tech-reps One front and two side pockets Fleece lined google pocket Developed in collaboration with racing department. Auto-lock zipper

DIMENSIONS	53 x 65 x 35 cm (Large)
	33 x 50 x 33 cm (Small)
VOLUME	79,2 L (Large)
	36,0 L (Small)
WEIGHT	1,60 kg (Large)
	1,26 kg (Small)







REBELS DOUBLE SKIBAG

ARTICLE NUMBER

383027

FEATURES

Protective bag for 2 pairs of skis Two wheels for carrying comfort Easy-to-adjust compression straps Diagonal zipper for easy access Velcro handle for carrying comfort Additional pole compartment





SINGLE SKI BAG

ARTICLE NUMBER

383057

FEATURES

Protective skibag for one pair of skis

Extendable to a length of 200 cm

Equipped with to buckles and easy-to-adjust compression straps diagonal zipper

Velcro handle for carrying comfort

DIMENSIONS	200 x 12 x 22 cm
VOLUME	55,2 L
WEIGHT	0,93 kg

DOUBLE SKIBAG

ARTICLE NUMBER

383067

FEATURES

Protective skibag for two pairs of skis

Extendable to a length of 200 cm

Equipped with to buckles and easy-to-adjust compression straps diagonal zipper

Velcro handle for carrying comfort

DIMENSIONS	200 x 12 x 27 cm
VOLUME	67,2 L
WEIGHT	1,03 kg



SKI TRAVELBAG

ARTICLE NUMBER

383187

FEATURES

Big wheelie bag with large main and various small compartments

Stowable pull handle

Business card window and high quality wheels

DIMENSIONS	80 x 33,7 x 33 cm
VOLUME	73,4 L
WEIGHT	2 kg



BOOT BACKPACK

ARTICLE NUMBER

383087

FEATURES

Zippered main ski boot compartment Additional shoe and accessories compartment

DIMENSIONS	32,4 x 38 x 25,4 cm
VOLUME .	36,2 L
WFIGHT	0.47 kg



BOOT BAG

ARTICLE NUMBER

383077

FEATURES

Velcro handle for carrying comfort NEW opening system: No more dirty feet while getting into your ski boots Adjustable carrying straps

DIMENSIONS	45,7 x 40 x 25 cm
VOLUME	28,4 L
WEIGHT	0,52 kg







FREERIDE SINGLE SKIBAG

ARTICLE NUMBER

383127

FEATURES

Protective ski bag for one pair of skis Length 185 cm - extendable to 195 cm Equipped with two buckled, easy to adjust compression straps and a comfortable carrying strap

VOLUME 59,4 L



FREERIDE BOOT BAG

ARTICLE NUMBER

383147

FEATURES

Boot bag for one pair of ski boots Zippered main compartment Easy opening system Adjustable shoulder strap

DIMENSIONS	39 x 41 x 29 cm
VOLUME	25,8 L
WEIGHT	0,49 kg



FREERIDE BACKPACK

ARTICLE NUMBER

383107

FEATURES

Horizontal and vertical ski carry options Vertical snowboard carry straps Storable ski carry and ice axe straps Helmet carrying system Additional back opening Including rain shelter Lightweight material Easy tightening system

DIMENSIONS	30 x 50 x 21 cm
VOLUME	23,3 L
WEIGHT	1,04 kg





ACCESSORIES

LEARJET

ARTICLE NUMBER

374435

FEATURES

Water resistant nylon material
Dureable ripstop construction
Highquality YKK Zipper
Heavy duty webbing reinforcements
Bottom & edge protection
3 stop telescope handle

 DIMENSIONS
 55 x 35 x 28 cm

 VOLUME
 55 L

Comfy neoprene handle



TRAVELBAG SM

ARTICLE NUMBER

374425

FEATURES

Water resistant nylon material
Dureable ripstop construction
Highquality YKK Zipper
Heavy duty webbing reinforcements
Bottom & edge protection
Velcro adjustable packing compartments
Laundry bag, 2 stop telescope handle
3 Comfy neoprene handle

 DIMENSIONS
 75 x 40 x 30 cm

 VOLUME
 95 L



WOMAN SINGLE SKIBAG

ARTICLE NUMBER

383157

FEATURES

Protective skibag for one pair of skis Comfortable carrying straps and solid compression straps

HEAD embroidery

Cushioned handle for carrying comfort Velcro handle

 DIMENSIONS
 185,4 x 14,6 x 23 cm

 VOLUME
 48,0 L

 WEIGHT
 1,01 kg



WOMEN BAG

ARTICLE NUMBER

383177

FEATURES

Bag for one pair of ski boots and accessories
Zippered main compartment
and external pocket
Cushioned handle for carrying comfort
Hidden, adjustable shoulder strap

 DIMENSIONS
 38 x 62 x 25,4 cm

 VOLUME
 38,8 L

 WEIGHT
 0,75 kg









WORLDCUP SL PROTECTOR

ARTICLE NUMBER

381346

FEATURES

Universal HEAD branded Hand
Protector, Fits on both Junior
and Adult SL poles,
Includes mounting hard wear,
2 protectors / poly bag



WORLDCUP SG

ARTICLE NUMBER

381026

FEATURES

Original bent World Cup
Racing Pole, 7075 Aluminum,
Soft Downhill Grip c/w Torx
Screw Black, Race Strap,
DH/SG Cone Basket Neon Yellow,
Carbide Tip Alpine

DIAMETER 18 mm

LENGTH 110-135 cm
COLORS White/Black/Yellow

WORLDCUP SL

ARTICLE NUMBER

381056

FEATURES

SL World Cup Racing Pole,
7075 Aluminum, Soft Downhill
Grip c/w Torx Screw Black,
Race Strap, Alpine Race Basket
50mm Neon Yellow,
Carbide Tip Alpine

DIAMETER 18 mm

LENGTH 110-140 cm
COLORS White/Black/Yellow

CARBON PRESTIGE

ARTICLE NUMBER


381776

FEATURES

Positive Angle Safety Thermo Grip, Lock Security Strap, Carbide Flex Tip Alpine, Vision Race Basket 50mm

DIAMETER 16 mm Carbon Shaft

COLORS Carbon black/
Silver





HEAD AIRFOIL

ARTICLE NUMBER

381956 Black
381916 Neon Blue
381926 Neon Green
381936 Neon Red
381946 Neon Yellow

FEATURES

7075 Aluminum Airfoil,

Positive Angle Safety Bi-Injected Soft Grip cw white core, Lock Security Strap, Alpine Race Basket 50 mm, HM Steel Tip

DIAMETER 16 mm

LENGTH 105 - 135 cm

COLORS Black, Neon Blue, Neon Green, Neon Red, Neon Yellow



MULTI S

AK	IIC	LE	NU	MB	LK	

381147 Black/White/Yellow
381157 Black/Red
381167 Black/Green

FEATURES

5083 Aluminum,	
Glossy Matte finish,	
Bi-injected Grip,	
Automatic Strap,	
Race Basket 50mm,	
Star Tip	

DIAMETER	18 mm
LENGTH	105 - 135 cm
COLORS	Black/White/Yellow, Black/Red, Black/Green

MULTI

ARTICLE NUMBER

381817 White/Grey/Green	
381827 Silver/Grey/Yellow	
381847 Black/Silver/White	

FEATURES

. =/(101(=0	
5086 Aluminum,	
MOMA Grip,	
Automatic Strap,	
Race Basket 50mm,	
Star Tin	

DIAMETER 18 mm

LENGTH 105 - 135 cm

COLORS White/Grey/Green, Silver/Grey/Yellow,

Black/Silver/White



HEAD KORE 2 PIECE

ARTICLE NUMBER

381537

FEATURES

Two-part telescopic pole, 7075 Aluminum, AEGON Grip c/w 14cm Foam Extension, Lock Security Neoprene strap, LEKI Speed Lock 2, Carbide flex tip long, Bandit Basket 80 mm & Additional 95mm Powder Basket

DIAMETER 16/14 mm

LENGTH 110 – 140 cm adjustable COLORS Black/Neon Green





JOY BLACK NEON YELLOW

ARTICLE NUMBER

381657

FEATURES

High End Woman Pole, 7075 Aluminum, Positive Angle Safety Thermo Compact Grip, Lock Security Compact Strap Neoprene, Ice Steel Tip, Alpine Race Basket 50 mm

DIAMETER 16 mm

LENGTH 105-125 cm COLORS Black/Neon/Yellow

JOY WHITE BLACK

ARTICLE NUMBER

381767

FEATURES

High End Woman Pole, 7075 Aluminum, Positive Angle Safety Thermo Compact Grip, Lock Security Compact Strap Neoprene, Steel Tip, Alpine Race Basket 50 mm

DIAMETER 16 mm

LENGTH 105-125 cm COLORS White/Black

ARTICLE NUMBER

381677 Teal/White 381687 Black/White

FEATURES

Budget Woman Pole, 5086 Aluminum, Women-specific SBS Soft Handle, Automatic Strap, Race Basket, Star Tip

DIAMETER 16 mm

LENGTH 105-125cm COLORS Teal/White, Black/White



ARTICLE NUMBER

381376

FEATURES

Kids Plastic Grip, Buckle strap Kids, Alpine Race Basket 50 mm, Steel Tip

DIAMETER 14 mm

LENGTH 70 – 110 cm COLORS White/Black/Yellow Grip, Buckle strap Kids, Alpine Race Basket 50 mm, Steel Tip

DIAMETER 14 mm

LENGTH 80-105 cm COLORS Sublimated Buckle strap Kids, Alpine Race Basket 50 mm, Steel Tip

DIAMETER 14 mm

LENGTH 80 - 105 cm COLORS White/Pink









ARTICLE NUMBER

312407 AB

FEATURES

Allride Rocker, ERA 3.0, Structured Surface
Graphene™ Sandwich Cap Construction
Black Structured UHM C Base

DETAILS

LENGTHS	149/156/163/170/177
DIMENSIONS	124/82/109 @ length 170
RADIUS	16,5 @ length 170
BINDINGS	114160 PR 11 MBS Brake 85 [G]
	114164 PR 11 Brake 85 [G]



INSTINCT 78

ARTICLE NUMBER

312557 AB

FEATURES

Allride Rocker, Era 3.0, Structured Surface
Graphene™ Wood Core Cap Construction
Black UHM C Base

DETAILS

DETAILS	
LENGTHS	142/149/156/163/170/177
DIMENSIONS	131/78/113 @ length 170
RADIUS	13,2 @ length 170
BINDINGS	114160 PR 11 MBS Brake 85 [G]
	114164 PR 11 Brake 85 [G]









SHAPE SX R

ARTICLE NUMBER

312417 AB

ARTICLE NUMBER

312617 Track 312707 AB

SHAPE CX R

FEATURES

Allride Rocker, ERA 3.0, Structured Surface
Graphene™ Sandwich Cap Construction
Black UHM C Base

DETAILS

LENGTHS 149/156/163/170/177		
DIMENSIONS 125/72/109 @ length 170		
RADIUS	01US 12,9 @ length 170	
BINDINGS	114160 PR 11 MBS Brake 85 [G]	
	114164 PR 11 Brake 85 [G]	

FEATURES

Allride Rocker, ERA 3.0, Structured Surface Power Sidewall Jacket, Black UHM C Base

DETAILS

LENGTHS	149/156/163/170/177
DIMENSIONS	127/78/110 @ length 170
RADIUS	13,6 @ length 170
BINDINGS	111567 SP 10 ABS PM
	114160 PR 11 MBS Brake 85 [0
	114164 PR 11 Brake 85 [G]

SHAPE RX R

ARTICLE NUMBER

312517 Flat 312527 Track 312537 AB 312547 SLR 2

FEATURES

ERA 2.0, Early rise, Composite Radius
Construction, SnakeSkin Surface
Synthetic core construction
Black UHM C Base

DETAILS.

DETAILS	
LENGTHS	142/149/156/163/170/177
DIMENSIONS	123/70/106 @ length 170
RADIUS	12,8 @ length 170
BINDINGS	111872 SP 10 ABS Brake 85 [D]
	111567 SP 10 ABS PM
	114164 PR 11 Brake 85 [G]
	114061 SLR 9.0 AC Brake 78 [H
	114160 PR 11 MBS Brake 85 [G

159





THE LINK PRO R

ARTICLE NUMBER

312567 Track 312587 black 312597 yellow

FEATURES

ERA 2.0, Early rise, Composite Radius Construction, SnakeSkin Surface, Woodcore, Torsion Box, Cap Construction, Black UHM C Base

DETAILS

130 (XS)/140 (S)/150 (M)/ LENGTHS 160 (L) / 170 (XL) **DIMENSIONS** 125/69/106 @ length 150 RADIUS 10,0 @ length 150 BINDINGS 111567 SP 10 ABS PM 111877 BYS 10 Brake 85 [D]

COLOR CODE





THE LINK R

ARTICLE NUMBER

312437 Track 312447 black 312457 yellow

FEATURES

ERA 2.0, Early rise, Composite Radius Construction, SnakeSkin Surface, Synthetic core construction, Black UHM C Base

DETAILS

LENGTHS 140(S)/150(M)/160(L)/ 170(XL)/177(XXL) **DIMENSIONS** 123/70/106 @ length 170 RADIUS 12,8 @ length 170 BINDINGS 111567 SP 10 ABS PM 111877 BYS 10 Brake 85 [D] COLOR CODE





RESIDUE R TRACK

ARTICLE NUMBER

314107 Track

FEATURES

Heavy duty twin tip model, mesh top sheet, heavy duty woodcore, UHM C base, Pre-mounted rental track

DETAILS

LENGTHS	109/118/127/136/145/
	154/163/172/181
DIMENSIONS	112/79/106 @ length 172
RADIUS	19,1 @ length 172
BINDINGS	111567 SP 10 ABS PM

ABSOLUT JOY R SLR 2

ARTICLE NUMBER

312487

FEATURES

LIBRA Graphene-Super Light Weight Distribution, Women's Camber, ERA 3.0, Power Sidewall Jacket, Superlite Composite Core, Structured Surface, Allride Rocker, Tip Protector, Black UHM C Base

DETAILS

	LENGTHS	143/148/153/158/163/168
	DIMENSIONS	129/79/109 @ length 163
	RADIUS	13,5 @ length 163
	PLATE	SLR II Base
	BINDINGS	114168 SLR 9.0 AC Brake 85 [H

LIGHT JOY R SLR 2

ARTICLE NUMBER

312467

FEATURES

LIBRA Graphene-Super Light Weight Distribution, Women's Camber, ERA 3.0, Power Sidewall Jacket, Structured Surface, Allride Rocker, Tip Protector, Black UHM C Base

DETAILS

LENGTHS	143/148/153/158/163
DIMENSIONS	127/73/107 @ length 158
RADIUS	10,9 @ length 158
PLATE	SLR II Base
BINDINGS	114168 SLR 9.0 AC Brake 85 [H]







SUPERSHAPE TEAM R

ARTICLE NUMBER

312607 Track 4.5, Length 87/97/107/117 312627 Track 7.5, Length 117/127/137 312637 R SLR 2, 312647 R Length 67/77/87/97/107/117/127/ 137/147/157

FEATURES

Jr. Power Frame, ERA 2.0, Structured Surface, Black UHM C Base

DETAILS

DIMENSIONS

103/65/89 @ length 87 (Track 4.5) 111/67/96 @ length 127 (Track 7.5) 103/65/89 @ length 87 (SLR II)

RADIUS	4,0 @ length 87 (Track 4.5)
	8,0 @ length 127 (Track 7.5)
	4,0 @ length 87 (SLR II)

BINDINGS 111577 B ² YS 4.5 AC Brake 74 [
	111670 SP 7.5 AC PM	
	111572 SP 4.5 AC PM	
	114071 SLR 7.5 AC Brake78 [H]	
	114073 SLR 4.5 AC Brake 74 [I]	

RAZZLEDAZZLE

ARTICLE NUMBER

312997

FEATURES

SnakeSkin Top Sheet, Full FiberJacket, E base black, Pre-mounted SP 10 Binding

DETAILS

LENGTHS 94 **DIMENSIONS** 129/90/118 @ length 94 RADIUS 4,2 @ length 94

BINDINGS 111873 SP 10 ABS Brake 110 [D]



SP 13 ABS

ARTICLE NUMBER

114097 SP 13 ABS Brake 85 [D] Solid Black/White

FEATURES

RX Toe with TRP System, Full Diagonal, ABS – Anti Blocking System, Sympro, Rent Heel

STAND HEIGHT 31,0 mm DIN 4 - 13

WEIGHT 2600 g

WEIGHT RANGE

From 42 kg/from 92 lbs

COLORS Solid Black/White

LENGTH ADJUSTMENT RANGE Toe 64mm, Heel 60mm

Boot Sole Length: 263-391mm



SP 10 ABS

ARTICLE NUMBER

111872 SP 10 ABS Brake 85 [D] 111566 SP 10 ABS * w/o Brake [D] 111567 SP 10 ABS ** PM 111873 SP 10 ABS * Brake 110 [D]

LENGTH ADJUSTMENT RANGE

Toe 64mm, Heel 60mm Boot Sole Length: 263-391mm

ARTICLE NUMBER

SP 4.5 AC

111571 SP 4.5 AC Brake 74 [K] Solid Black 111572 SP 4.5 AC PM Solid Black

FEATURES

SX Kid Toe with TRP System, Full Diagonal, AFS Junior, SX Kid Heel STAND HEIGHT 25,0 mm DIN 0.75 - 4.5 WEIGHT 1630g WEIGHT RANGE 10 - 48 kg/22 - 105 lbs **COLOR** Solid Black

LENGTH ADJUSTMENT RANGE:

Toe 48mm, Heel 52mm

Boot Sole Length:191-294mm

AC – Fits Alpine Adult and Children Ski Boots



(6mm screws) All Solid Black/Anthracite

FEATURES SX Toe with TRP System, Full Diagonal, ABS - Anti Blocking System, Sympro, Rent Heel STAND HEIGHT 31,0 mm DIN 2.5 - 10 WEIGHT 2560g (*2260g, **1580g) WEIGHT RANGE From 26 kg/from 57 lbs COLORS Solid Black/Anthracite



SP 7.5 AC

ARTICLE NUMBER

111670 SP 7.5 AC PM * Solid Black/Anthracite 111874 SP 7.5 AC Brake 85 [D] Solid Black/Anthracite

FEATURES

SX Junior Toe with TRP System, Full Diagonal, AFS Junior, Sympro, Rent Heel STAND HEIGHT 31,0 mm DIN 1.5-7.5 WEIGHT 2420g (*1440g) WEIGHT RANGE $18 - 84 \, \text{kg} / 39 - 187 \, \text{lbs}$ COLORS Solid Black/Anthracite LENGTH ADJUSTMENT RANGE Toe 64mm, Heel 60mm Boot Sole Length: 263-391mm



SR 10

ARTICLE NUMBER

111876 SR 10 Brake 85 [D] Solid Black/Anthracite

FEATURES

SX Toe with TRP System, Full Diagonal, Symrent, Rent Heel STAND HEIGHT 22,0 mm DIN 2.5 - 10 WEIGHT 2140g WEIGHT RANGE From 26kg/from 57lbs COLORS Solid Black/Anthracite LENGTH ADJUSTMENT RANGE Heel: 84mm Boot Sole Length: 263-351mm



SR 4.5 AC

ARTICLE NUMBER

111574 SR 4.5 AC Brake 74 [K] Solid Black

FEATURES

SX Kid Toe with TRP System, Full Diagonal, AFS Junior, Symrent, SX Kid Heel STAND HEIGHT 15,0 mm DIN 0.75 - 4.5 WEIGHT 1280g WEIGHT RANGE $10 - 48 \, \text{kg} / 22 - 105 \, \text{lbs}$ **COLOR** Solid Black LENGTH ADJUSTMENT RANGE Heel: 52mm Boot Sole Length: 199–255 (*231–287mm)

AC – Fits Alpine Adult and Children Ski Boots

BYS 10



ARTICLE NUMBER

13 AT DEMO

111877 BYS 10 Brake 85 [D] Solid Black/Anthracite

FEATURES

SX Toe with TRP System, Full Diagonal, ABS - Anti Blocking System, Rent Heel STAND HEIGHT 21,0 mm DIN 2.5 - 10 WEIGHT 1890g WEIGHT RANGE From 26 kg/from 57 lbs COLORS Solid Black/Anthracite

TYROLIA AAATTACK² 13 AT DEMO




FEATURES

114150 TYROLIA AAATTACK² FR Pro² AT Toe with TRP System, AFS Metal, AAATTACK DEMO, w/o Brake [F] Solid Black NX FR Heel 114151 TYROLIA AAATTACK² **DETAILS** STAND HEIGHT 32,0 mm 114152 TYROLIA AAATTACK² 4-13 WEIGHT 2250g Brake 110 [F] Solid Black (with brake: 2550g) Boot Sole Length: 259-382mm WEIGHT RANGE From 42 kg / from 92 lbs

Solid Black



TYROLIA AAATTACK² 11 AT DEMO



FEATURES

COLOR

AFS Metal, AAATTACK DEMO, SX FR Heel, Solid Colored **DETAILS** STAND HEIGHT 29,5 mm 3-11 WEIGHT 2130g (with brake: 2430g) Boot Sole Length: 259-382mm WEIGHT RANGE From 31 kg / from 67 lbs

Solid Black

FR Pro² AT Toe with TRP System,



ADULT RENTAL

ARTICLE NUMBER	DIAMETER	18 x 1 mm
381425	LENGTH	110 - 135 cm
	COLORS	Color Coded Basket

FEATURES

7075 Aluminum, Cosmetics Screen Printed, Length Indication in both cm and Inch, Large Surface Color Coding, Soft Touch Grip

ADULT RENTAL SUBLIMATED

Cosmetics Sublimated and

Large Surface Color Coding,

in both cm and Inch,

Soft Touch Grip

Customizable, Length Indication

RTICLE NUMBER	DIAMETER	18 x 1 mm
81447	LENGTH	110 - 135 cm
	COLORS	Color Coded Basket
EATURES		
075 Aluminum,		

JUNIOR RENTAL

ARTICLE NUMBER	DIAMETER	16x0,8mm
381435	LENGTH	70 - 105 cm
	COLORS	Color Coded Basket

FEATURES

7075 Aluminum, Cosmetics Screen Printed, Length Indication in both cm and Inch, Large Surface Color Coding, Soft Touch Grip

JUNIOR RENTAL SUBLIMATED

ARTICLE NUMBER	DIAMETER	16x0,8mm
881457	LENGTH	70 - 105 cm
	COLORS	Color Coded Basket
EATURES		



7075 Aluminum, Cosmetics Sublimated and Customizable, Length Indication in both cm and Inch, Large Surface Color Coding, Soft Touch Grip

- + BAR CODE HOLDER ON ALL MODELS FEATURING VELCRO STRAP
- + NEW TAMPO PRINTED SINGLE CODE WITH MM INDICATION AVAILABLE ON ALL MODELS
- + HIGH RESISTANCE PU HEEL AND TOE
- + PU SHELL ON ALL MODELS (INCLUDING "71 72 73" JUNIOR BOOTS)
- "Z1, Z2, Z3" JUNIOR BOOTS)
 + SANITIZED® CHARCOAL FOOTBED
- + REINFORCED BUCKLES FOR ADDED DURABILITY

- + EZON 2 BYS: 1 SOLE LENGTH, 2 SHELLS, 2 SIZES PER SHELL BOOT SOLE: 365MM
- + NEXT EDGE BYS: 2 SOLE LENGTHS, 4 SHELLS, 2 SIZES PER SHELL BOOT SOLES: 289MM AND 329MM
- + BYS: 3 SOLE LENGTHS, 6 SHELLS, 2 SIZES PER SHELL BOOT SOLES: 289MM, 329MM, AND 365MM



ADVANT EDGE 95 HT

ARTICLE NUMBER	BUCKLES				
506603	4 micro-adjustable alloy buckles				
	2 Double Power levers				
FEATURES	1 Supermacro ratchet				
Bi-Inj. control frame, Hi-Top Tech					
Duo Flex, Easy entry shell design	DETAILS				
Stiffer/softer flex adjust., Single	LEVEL	Adv	anced		
canting, Adjustable rear spoiler	FLEX INDE	X 95/	′85		
All Ride Balance	SIZES	250	-255-		
		260	-265	-305	
INER	SHELL	PU			
Comfort liner	LAST	C 21	100cc		
Sanitized® charcoal footbed	Last 10	00	102	104	
40mm velcro strap	Size 2	5.5	26.5	27.5	
	COLOR	Trsp	. Red/Bl	ack	



VECTOR EVO 100 HT

ARTICLE NUMBER	BUCKL	ES.			
606600	4 micro-adjustable alloy buckle				loy buckles
	1 Sup	erma	acro	ratchet	
FEATURES					
Bi-Inj dynamic frame, Easy entry	DETAIL	LS			
shell design, Stiffer/softer flex	LEVEL		Ехр	ert	
adjust., Single canting	FLEX IN	DEX	100	/90	
Rear support tuning, Evo Balance	SIZES		250	-265-	
			-30	5-310	-320
LINER	SHELL		PU		
EVO Perfect Fit S liner	LAST		S 18	350cc	
Sanitized® charcoal footbed	Last	98		100	102
HP frame footbed	Size	25.5		26.5	27.5
40 mm velcro strap	COLOR		Trsp	. Anth.	/
			Blac	k-Gree	en



ADVANT EDGE 85 HT

ARTICLE NUMBER	BUCKLES			
607311	4 micro	-adju	ustable al	loy buckles
	1 Super	rmacı	o ratche	t
FEATURES				
Bi-Inj. control frame, Hi-Top tech,	DETAILS	S		
Duo flex, Easy entry shell design,	LEVEL	In	termedia	ite
Stiffer/softer flex adjust., Single	FLEX IND	EX 8	5	
canting, Adjustable rear spoiler,	SIZES 250-255305-310-			05-310-
All ride Balance	320-33	30-3	40	
	SHELL	PΙ	U/SL	
LINER	LAST	С	2100cc	
Comfort liner	Last	100	102	104
Sanitized® charcoal footbed	Size	25.5	26.5	27.5
40 mm velcro strap	COLOR	Ye	ellow/Bla	ck



VECTOR EVO 90 HT W

BUCKLES				
4 mic	ro-a	djust	table a	lloy buckles
1 Sup	erm	acro	ratche	t
DETA	LS			
LEVEL		Ехр	ert	
FLEX II	NDEX	90/	′80	
SIZES		230	-235-	275
SHELL		PU		
LAST		S 18	350cc	
Last	96		98	100
Size	24.5		25.5	26.5
COLOF	?	Trsp	. Gray	-Yellow
	4 mic 1 Sup DETAI LEVEL FLEX II SIZES SHELL LAST Last Size	4 micro-a 1 Superm. DETAILS LEVEL FLEX INDEX SIZES SHELL LAST Last 96	4 micro-adjust 1 Supermacro DETAILS LEVEL Exp FLEX INDEX 90/ SIZES 230 SHELL PU LAST S 18 Last 96 Size 24.5	4 micro-adjustable a 1 Supermacro ratche DETAILS LEVEL Expert FLEX INDEX 90/80 SIZES 230-235- SHELL PU LAST S 1850cc Last 96 98 Size 24.5 25.5



ADVANT EDGE 85 HT W

BUCKL	.ES		
4 micr	o-a	djustable a	lloy buckles
2 Dou	ble F	ower lever	^S
1 Sup	erma	cro ratche	t
DETAI	LS		
LEVEL		Advanced	
FLEX IN	DEX	85/75	
SIZES		220-225	_
		230-235	275
SHELL		PU	
LAST		C 2100cc	
Last	98	100	102
Size	24.5	25.5	26.5
COLOR		Anthracite	/Black
	4 micri 2 Dour 1 Support 1	4 micro-ac 2 Double F 1 Superma DETAILS LEVEL FLEX INDEX SIZES SHELL LAST Last 98 Size 24.5	LEVEL Advanced FLEX INDEX 85 / 75 SIZES 220 - 225 230 - 235 235 SHELL PU LAST C 2100cc Last 98 100 Size 24.5 25.5

ENTAL



FNIAL



ADVANT EDGE 75 HT W

ARTICLE NUMBER	BUCKLES			
607316	4 micr	o-adj	justable all	loy buckles
	1 Supe	ermac	ro ratchet	
FEATURES				
Bi-Inj. control frame, Hi-Top Tech,	DETAIL	_S		
Duo Flex, Easy entry shell design	LEVEL	lı	ntermedia	te
Single canting, Double adjustable	FLEX INDEX 75			
cuff, All Ride Balance	SIZES	2	220-225-	
		2	230-235-	275
LINER	SHELL	F	PU/SL	
Women's comfort liner	LAST	(2100cc	
Women auto adaptive tech.	Last	98	100	102
Sanitized® charcoal footbed	Size	24.5	25.5	26.5
40mm velcro strap	COLOR	(Gray- yello	W



NEXT EDGE 75 HT W

ARTICLE NUMBER	BUCKLES			
607318	4 micro-adjustable alloy buckles			
	1 Sup	erma	cro ratche	et
FEATURES				
Tri-Inj. energy frame, Easy entry	DETAI	LS		
shell design, Double adjustable	LEVEL		Intermedi	ate
profile, Double canting	FLEX IN	DEX	75	
All Ride Balance	SIZES		220-225	_
			230-235	275
LINER	SHELL		PU/SL	
Women's comfort liner	LAST		C 2100cc	
Fleece lining	Last	98	100	102
Sanitized® charcoal footbed	Size	24.5	25.5	26.5
30 mm velcro strap	COLOR		Anthracite	e/Black



NEXT EDGE 85 HT

ARTICLE NUMBER	BUCKI	LES				
607312	4 mic	ro-a	djust	able al	loy buckl	es
	1 Sup	erm	acro	ratchet	t	
FEATURES						
Tri-Inj. energy frame, Easy entry	DETAI	LS				
shell design, Double adjustable	LEVEL		Inte	rmedia	te	
profile, Stiffer/softer flex adjust	FLEX IN	IDEX	85			
Double canting	SIZES		250	-255-		
All Ride Balance			260	-265-	305	
	SHELL		PU/	′SL		
LINER	LAST		C 21	L00cc		
Comfort liner	Last	100		102	104	
Fleece lining, Sanitized® charcoal	Size	25.5		26.5	27.5	
footbed, 40 mm velcro strap	COLOR		Anth	nracite/	/Black-ye	ellow



NEXT EDGE 65 HT W

ARTICLE NUMBER	BUCKL	ES			
606622	4 plas	tic b	uckle	es	
	1 Supe	erma	acro	ratche	t
FEATURES					
Tri-Inj. energy frame, Easy entry	DETAIL	LS			
shell design, Double canting	LEVEL		Inte	rmedia	ite
	FLEX IN	DEX	65		
LINER	SIZES		230	-235-	275
Women's comfort liner	SHELL		PU/	′SL	
Fleece lining, Sanitized® charcoal	LAST		C 21	L00cc	
footbed, 30 mm velcro strap	Last	98		100	102
	Size	24.5		25.5	26.5
	COLOR		Blac	k	



NEXT EDGE 75 HT

ARTICLE NUMBER	BUCKL	ES.			
606621	4 plas	tic b	uckle	es	
	1 Supe	erma	acro	ratchet	
FEATURES					
Tri-Inj. energy frame, Easy entry	DETAIL	LS			
shell design, Double canting	LEVEL		Inte	rmediat	е
	FLEX IN	DEX	75		
LINER	SIZES		250	-255-	
Comfort liner			260	-265	305
Sanitized® charcoal footbed	SHELL		PU/	′SL	
40 mm velcro strap	LAST		C 2:	100cc	
	Last	100		102	104
	Size	25.5		26.5	27.5
	COLOR		Antl	hracite	



FX 65 HT

ARTICLE NUMBER	BUCKLES	
606625	2 plastic	buckles,
	1 micro-	adjustable wide-body
FEATURES	alloy buc	kles, 1 Supermacro ratchet
Power control frame		
	DETAILS	
LINER	LEVEL	Intermediate
Comfort liner	FLEX INDEX	X 65
Sanitized® charcoal footbed	SIZES	260-265305
	SHELL	PU/SL
	LAST	EC 2200cc
	Last 10	2 104 106
	Size 25	5.5 26.5 27.5
	COLOR	Black





FX 55 HT W

ARTICLE NUMBER	BUCKLES		
606626	2 plastic buckles,		
	1 micro-adjustable wide-body		
FEATURES	alloy buckles, 1 Supermacro rat		
Power control frame			
	DETAILS		
LINER	LEVEL Intermediate		
Women Comfort liner	FLEX INDEX 55		

SIZES

SHELL

COLOR

LAST

230-235-...-275

104 27.5

PU/SL

White

Size 26.5 26.5

EC 2200cc



CUBE 3 80 HT

Sanitized® charcoal footbed

ARTICLE NUMBER	BUCKLE	S
606627	2 micro	-adjustable plastic
	buckles	, 1 micro-adjustable
FEATURES	wide-b	ody alloy buckles,
Power control frame	1 Super	macro ratchet
Integrated AutoSkiWalk		
	DETAILS	;
LINER	LEVEL	Intermediate
Comfort quick entry liner	FLEX IND	EX 80
Sanitized® charcoal footbed	SIZES	260-265305
35 mm velcro strap	SHFLL	PU/SL
John Velero Strup	OHELL	. 0, 02

LAST

BUCKLES

EC 2200cc

 Last
 102
 104
 106

 Size
 25.5
 26.5
 27.5

COLOR Black / Anth.



CUBE 3 70 HT W

ARTICLE NUMBER

606628	2 mic	ro-adji	ustable p	lastic
	buckl	es, 1 m	icro-adjı	ustable
FEATURES	wide-body alloy buckles,			
Power control frame	1 Supermacro ratchet			
Integrated AutoSkiWalk				
	DETAI	LS		
LINER	LEVEL	In	itermedia	ate
Comfort quick entry liner	FLEX IN	NDEX 7	0	
Sanitized® charcoal footbed	SIZES	2	30-235-	265
35 mm velcro strap	SHELL	Р	U/SL	
	LAST	E	C 2200cc	C
	Last	100	102	104
	Size	25.5	26.5	27.5
	COLOR	G	ray	



NEXT EDGE B.Y.S. 80 HT

ARTICLE NUMBER	DETAII	LS		
605719	LEVEL		Intermediate	5
	FLEX IN	DEX	80	
FEATURES	SIZES 2	235-	-245	
Tri-Inj. energy frame, Easy entry	(Black Woman constr.)			
shell design, Double canting	250-255265			
2 sole length	(Black Man Constr.)			
	270-2	275-	305	
LINER	(Yellov	v Ма	n Constr.)	
Comfort liner, Sanitized® charcoal	SHELL		PU/SL	
footbed, 40 mm velcro strap	LAST		C 2100cc	
	Last	100	102	104
BUCKLES	Size	25.5	26.5	27.5
4 micro-adjustable plastic	COLOR		Black/Whit	e
buckles				
1 Supermacro ratchet				



EZON 2 BYS HP

ARTICLE NUMBER	BUCKLES	S
605740 (women)	4 plastic	buckles
	1 Super	macro ratchet
FEATURES		
1 sole lenghts, DIN interface for all	DETAILS	
rental bindings	LEVEL	Intermediate
	SIZES	310-320-330-340
LINER		Man Constr.
Comfort liner, Sanitized® charcoal	SHELL	PU/SL
footbed, Prepared for heating	COLOR	Black / White
System, 35 mm velcro strap		



ARTICLE	NUMBER
605745	

	-
	1 Superma
FEATURES	
3 sole Lenghts, DIN interface for	DETAILS
all rental bindings	LEVEL
	FLEX INDEX
LINER	SIZES
Comfort liner, Sanitized® charcoal	235-245-
footbed, Prepared for heating	275-285-
Cuctom	215 210

3 plastic b	uckles
1 Superm	acro ratchet
DETAILS	
DETAILS	
LEVEL	Beginner
FLEX INDEX	70
SIZES	
235-245-	265 (Black)
275-285-	305 (Yellow)
315-310-	340 (Silver)
SHELL	PU/SL
COLOR	Anthracite

BUCKLES





RAPTOR 50 HT

ARTICLE NUMBER	BUCKLES	S	
607335	4 plastic buckles		
FEATURES	DETAILS		
Jr racing flex tuning	LEVEL	Advanced	
Adult norm (size 220 up)	FLEX INDE	EX 50	
	SIZES	200-210-220	
LINER		-265	
Junior Team liner	SHELL	PU/SL	
Self-shaping footbed	COLOR	Yellow/White	



Z3 HT

ARTICLE NUMBER	BUCKLES	
607340	3 plastic buckles	
FEATURES	DETAILS	
Jr high top tech, Duo flex,	LEVEL	Intermediate
Vario Last, Easy entry shell	SIZES	235-245
construction, Junior norm,		255-265
Design your boot stickers	SHELL	PU/SL
	COLOR	Anthracite/White
LINER		
Junior rental liner		



RAPTOR 40 HT

ARTICLE NUMBER	BUCKLES	S
607337	3 plastic buckles	
FEATURES	DETAILS	
Jr racing flex tuning	LEVEL	Advanced
Adult norm	SIZES	185-190245
	SHELL	PU/SL
LINER	COLOR	Yellow/White
Junior Team liner		
Self-shaping footbed		



Z2 HT

Comfort footbed

ARTICLE NUMBER	BUCKLES	5
607342	2 plastic	buckles
FEATURES	DETAILS	
Jr high top tech, Duo flex,	LEVEL	Beginner
Vario Last, Easy entry shell	SIZES	195-205
construction, Junior norm,		215-225
Design your boot stickers	SHELL	PU/SL
	COLOR	Anthracite/White
LINER		
Junior rental liner		





Z1 HT

Comfort footbed

Comfort footbed

ARTICLE NUMBER	BUCKLE	BUCKLES	
607344 1 plastic buck		c buckle	
FEATURES	DETAILS	;	
Jr high top tech, Duo flex,	LEVEL	Beginner	
Vario Last, Easy entry shell	SIZES	155-165	
construction, Junior norm,		175-185	
Design your boot stickers	SHELL	PU/SL	
	COLOR	Anthracite/White	
LINER			
Junior rental liner			



RENTAL

•

HELMET STORAGE RACK

HEAD has the solution for efficient storage of helmets: the HELMET STORAGE RACK can be adjusted to the space and quantity requirements of the client and provides both space and easy access for up to 324 helmets on a floor space of 3 m².

HELMET STORAGE RACK 150	HELMET STORAGE RACK 200	HELMET STORAGE RACK 240
375502	375512	375522
for 180 helmets	for 252 helmets	for 324 helmets

HELMET DRYING RACK

In addition to the advantages of the HELMET STORAGE RACK, the HELMET DRYING RACK guarantees rapid and effective drying of the helmets via an integrated drying module. Warm air is directed inside the helmet via the AIRDOCKs and dries the helmets from the inside out, thus reducing drying time to a minimum. The optional ionization tube integrated directly into the air intake also prevents development of odor in the helmets. Both the HELMET STORAGE RACK and the HELMET DRYING RACK are available in widths of 150 cm, 200 cm and 240 cm as free-standing racks on legs. Existing track Systems of the brand MONTANA can be integrated if required.

HELMET DRYING RACK 150	HELMET DRYING RACK 200	HELMET DRYING RACK 240
375532	375542	375552
for 180 helmets	for 252 helmets	for 324 helmets

HELMET WALLDRYER 100

375572

The helmet WALLDRYER 100 completes the portfolio of the SD + D System; it can hold 60 helmets on only one meter or three feet of wall space. Helmets attached to the System can be automatically dried during storage. Standard household power supply can be used to operate the unit on 220 V or 110 V. This not only makes the smallest version of a full–feature SD + D System an easy step into the System, but it also fulfills the needs of smaller operations. The SD + D HELMET WALLDRYER 100 racks can be used free standing or standing against a wall.



FLIP CLIP RAIL

375442 1 meter

375452 2 meter

Tracks for the simple and individual assembly of the RENTAL INTERFACE. In the 1- or 2-meter version, the FLIP CLIP RAIL offers space for 3 or 6 rental interfaces.



HEAD SANITIZER

With this easy-to-operate stainless-steel appliance you can disinfect rental shoes and helmets quickly and efficiently. Three spray jets ensure even distribution of the disinfectant over the whole shoe or helmet for controlled sterilization thereby preventing development of odors. The included table ensures an ideal working height and practical storage space.







RENTAL INTERFACE

375412

The starting point for the modular HEAD SD+D System. An interface offers space for space-saving and efficient storage of 3 helmets and can be used together with the $\ensuremath{\mathsf{FLIP}}$ CLIP RAIL, HELMET STORAGE & DRYING RACK, and HELMET WALLDRYER.



TRACER

ARTICLE NUMBER

329107 black (SR)	
329117 apple (SR)	
329207 white (JR)	
329217 blue (JR)	

FEATURES

SD+D Compatible, Hardshell Technology Thermal Ventilation, Rental Goggle Retainer Speedlock Buckle, Rental Colour Coding Rental Size Adjustment

SIZES SR		
XS/S	M/L	XL/XXL
52-55 cm	56-58 cm	59-63 cm

SIZES JR		
XXS	XS/S	M/L
18-51 cm	52-55 cm	56-58 cm

TEN

ARTICLE NUMBER

329607 bl	ack (SR)	
329617 ap	ple (SR)	
329907 wl	nite (JR)	
329917 bl	ue (JR)	

FEATURES

Hardshell Technology, Thermal Ventilation, Rental Goggle Retainer, Speedlock Buckle, Rental Colour Coding, Rental Size Adjustment

VI /VVI

l	4	Ŀ	٥	Sh	ζ.	

SIZES JR	52-55 cm 56-58 cm 59-63 cm SIZES JR
	52-55 cm 56-58 cm 59-63 cm

XXS	XS/S	M/L
48-51 cm	52-55 cm	56-58 cm



RENTAL SR

ARTICLE NUMBER

329513 black (SR) 329813 white (JR)

FEATURES

Hardshell Technology, Thermal Ventilation, Rental Goggle Retainer, Speedlock Buckle, Rental Colour Coding, Rental Size Adjustment

SIZES SR		
XS/S	M/L	XL/XXL
52-55 cm	56-58 cm	59-63 cm

SIZES JR		
XXS	XS/S	M/L
48-51 cm	52-55 cm	56-58 cm

FLEXOR UNIT R / JR UNIT R

ARTICLE NUMBER

395453 Senior 395463 Junior

FEATURES

SAS TEC viscoelastic foam REMOVABLE protection unit 3D mesh

NYLON fabric POLYGIENE

SIZES

XXS - XL/XXL











SENIOR / BACK JUNIOR / BACK













LIQUID FRAMEWALL




WE JUST MADE OUR AWARD-WINNING FRAMEWALL EVEN BETTER

Liquid Framewall increases the durability of our boards and makes for a smoother ride at the same time. A unique moulded PU Framewall creates a seamless shock barrier for super resilience. The three-dimensional build of the Liquid Framewall covers the boards top sheet and prevents it from chipping or other external hazards. It's soft material is even able to recover after an impact:

The three-dimensional build of the sidewall covers the boards top sheet and prevents it from chipping and other external hazards, which is resulting in delamination.

The FRAMEWALL is the first 360° protector on a snowboard - that stretches the boards durability considerably!





WOMAN SNOWBOARD RENTAL SYSTEM:

LIBRA

HEAD BUILDS WOMEN'S EQUIPMENT FROM SCRATCH,
FOCUSING ON FEATURES PARAMOUNT TO GIRLS;
THESEARE WEIGHT, BALANCE AND CONTROL ALL OF WHICH
AID PROGRESS AND DELIVER A MORE SUPPORTIVE RIDE.

OUR WOMEN'S SNOWBOARD RENTAL PROGRAM IS NEXT LEVEL RIDING FOR GIRLS.



HEAD BRINGS YOU 4D - PERFECT SETUP, MOST EFFICIENT



We face each of our customers individually, cater to for their perfect setup when renting equipment. Having a positive

experience when riding is the key driver to returning customers, no matter what age, gender, ability level or family situation they are - everyone has very own specific needs, which the HEAD 4D System and its wide product portfolio addresses.

And all of that in even less time. If you had to explain the all new 4D System with one word, it would be: Efficiency. But 4D also stands for functionality, reliability and innovation: It is the first snowboard rental System with integrated color coding for boots, boards AND bindings.


The all new 4D System manages it to cater for the perfect setup for every single customer of yours, and at the same time, being the easiest, quickest & most efficient snowboard rental System on the market. Although the benefits of 4D can only be fully exploited by using 4D compatible products, each product can also be used by itself or combined with non-4D products - thanks to its modular structure.



4D EFFICIENCY

With its fully integrated color coding,
HEAD 4D snowboard rental Systems
manages it to guarantee a perfect setup
pased on your customers boot size. **This makes the rental process quick and easy.**





- 650 4D BOA FOCUS WMN
High performing rental boot for everyday use.
Built for women who know thier roastbeefs from





LIBRA LFW 4D

The most versatile and durable rental board out there, featuring the all new Liquid Framewall - developed to ride, for women who cost



AI|R YOUTH _____ Full action requires Full protection.







ARTICLE NUMBER

337006 FLOCKA LFW 4D + SpeedDisc 337066 FLOCKA LFW 4D

Sizes	Contact	Med. stance (cm)
146	109,0	51
151	111,0	53
149	110,5	52
154	114,5	56
159	114,9	58
158	114,9	58
163	119,9	60
168	124.9	60



FLOCKA LFW 4D JR

ARTICLE NUMBER

337106 FLOCKA FW 4D JR + SpeedDisc 337166 FLOCKA FW 4D JR

Sizes	Contact	Med. stance (cm)
90	60	30
100	67	32
110	75,3	36
120	82,6	42
130	92,0	44
140	101,0	46

FEATURES FLOCKA FW 4D

4D compatible	
Flocka shape	
Liquid FRAMEWALL	
UVR topsheet	
Poplar wood core	
Easy maintanance base	
Retail inspired design	



ARTICLE NUMBER

337206 LIBRA LFW 4D + SpeedDisc 337266 LIBRA LFW 4D

00.2002.5.0.2.1.		
Sizes	Contact	Med. stance (cm)
138	-	50
142	-	52
146	109	56
151	111	58
149	110,5	60
154	114,5	60

FEATURES

4D compatible LIBRA - Women snowboard rental system Flocka shape Liquid FRAMEWALL UVR topsheet Poplar wood core Easy maintanance base Women inspired design





ARTICLE NUMBER

337304 ROCKA FW 4D + SpeedDisc 337354 ROCKA FW 4D

Sizes	Contact	Med. stance (cm)
146	58	50
151	60	52
149	60	52
154	64	56
159	66	58
158	66	58
163	68	60
100		(0



ROCKA FW 4D JR

ARTICLE NUMBER

337404 ROCKA FW 4D JR + SpeedDisc 337454 ROCKA FW 4D JR

Sizes	Contact	Med. stance (cm)
120	50	42
130	52	44
140	54	46

ROCKA FW 4D KID

ARTICLE NUMBER

337504 ROCKA FW 4D KID + SpeedDisc 337554 ROCKA FW 4D KID

Sizes	Contact	Med. stance (cm)
90	38	30
100	40	32
110	4.4	36

NO FRAMEWALL ON ROCKA FW 4D KID.

FFATURES ROCKA FW 4D

I LATURES RUCKA I W 4D	
4D compatible	
Rocka shape	
Framewall	
UVR topsheet	
Poplar wood core	
Easy maintanance die-cut base	



ARTICLE NUMBER

337606 ROCKA 4D + SpeedDisc 337666 ROCKA 4D

Sizes	Contact	Med. stance (cm)
146	58	50
151	60	52
149	60	52
154	64	56
159	66	58
158	66	58
163	68	60
168	68	60



ROCKA 4D JR

ARTICLE NUMBER

337706 ROCKA 4D JR + SpeedDisc 337766 ROCKA 4D JR

Sizes	Contact	Med. stance (cm)
90	60	30
100	67	32
110	75,3	36
120	82,6	42
130	92,0	44
140	101,0	46

FEATURES ROCKA 4D

4D compatible Rocka shape Exchangeable Tip & Tail Protectors Easy Rent topsheet Poplar wood core Easy maintanance die-cut base





RX 4D SPEEDDISC

ARTICLE NUMBER

347103

FEATURES

4D compatible, Reclining highback, Rubber dampened base, Padded highback, Power transmission strap, Dura tech toe strap SIZES S/M/L



NX 4D SPEEDDISC

ARTICLE NUMBER

347403

FEATURES

4D compatible, AutoOpen Total, Toe & Heel base pads, Padded highback, Toolfree forward lean adjuster, Power transmission strap, Dura tech toe strap, Alu buckles SIZES S/M/L



P THREE 4D SPEEDDISC

ARTICLE NUMBER

347503

FEATURES

Alu Heelcup, Toe & Heel base pads Padded highback, 3D comfort strap Dura tech toe strap, Alu buckles 4D compatible SIZES S/M/L



P 4D JR SPEEDDISC

ARTICLE NUMBER

347603

FEATURES

4D compatible

JR specific construction Padded junior highback

Fit ankle strap



650 4D BOA FOCUS

ARTICLE NUMBER

357045

FEATURES

4D compatible, Heavy Profile Rubber outsole, Frequency technology, Full toe and Heel protection, Fully covered BOA cable protection, Pro Fit liner, Bamboo Lining Mesh, Double BOA Lacing **SIZES** 225, 235, 245, 250, 255, 260, 265,

270, 275, 280, 285, 290, 295, 300, 305, 315, 325



600 4D

ARTICLE NUMBER

357206 - 600 4D

357246 - 600 4D BOA (+Coiler)

357306 - 600 4D WMN

357346 - 600 4D BOA WMN (+Coiler)



FEATURES

4D compatible, Moonwalker R Pro outsole Cuff cut construction, Heel frame, Rubber Heelcup, Rubber toecap, Exchangeable rubber tongue guard, Bamboo Lining Mesh BOA H2 coiler lacing

SIZES (MEN)

225, 230, 235, 240, 245, 250, 255, 260, 265, 270, 275, 280, 285, 290, 295, 300, 305, 315, 325 SIZES (WOMEN)

225, 230, 235, 240, 245, 250, 255, 260, 265, 270, 275, 280



500 4D

ARTICLE NUMBER

357403 - 500 4D

357443 - 500 4D BOA (+Coiler)



FEATURES

4D compatible, Explorer outsole, Injected Heel section, Rubber covered laceguides Rubber toecap

BOA H2 coiler lacing

SIZES

225, 235, 245, 250, 255, 260, 265, 270, 275, 280, 285, 290, 295, 300, 305, 315, 325



400 4D JR


ARTICLE NUMBER

357506 - 400 4D JR 357566 - 400 4D JR BOA

FEATURES

4D compatible, Explorer outsole, Rubber covered laceguides, Rubber toecap, Linerless, Bamboo Lining Mesh

185, 195, 205, 225, 235, 245, 250



ALLRIDE

MINSTER OF THE ALL

MINETER SEE HEAD

NETWORK (ICE DEC) (HEAD)

HEAD?

- PEGB

OLD HEAD


MONSTER 108

MONSTER 98

MONSTER 88

MONSTER 83

POWER INSTINCT TI PRO



PAGE 28

PAGE 28

PAGE 29

PAGE 29

PAGE 30


PAGE 30

ALLRIDE

NSTING (S DEC) O HEAD)

FREESKI

SUPREME INSTINCT TI



WOMEN












RAPTOR 80 RS

PAGE 74



PAGE 150

HORIZON RACE PAGE 119

PAGE 129

THE THEN THEN

TECHNOLOGY FEATURES SKI

This profile uses early rise in the tip with regular camber throughout the rest of the world cup sandwich and place a cap that just wraps over the top ski 20% rocker - 80% camber.

DIECUT UHM C BASE: This durable workhorse base material is dedicated to all country incredible allcountry ski. skiing. Diecuts are added for flare.

ERA 2.0: ERA 2.0 is the little brother of ERA 3.0 and is everything 3.0 has to offer STRUCTURED SURFACE: An extra-durable topsheet with a structured exterior. Designed as far as design, performance and geometry integration, but without the addition of to hold up against the most extreme abuse. "Rebound" with its piezoelectric Intellifibers.

ERA 3.0: A masterful blend of three independently important technologies to make race skis is used here. Different structured running base for all conditions. the ultimate allcountry skis.

ROCKER + RADIUS + REBOUND = ROCKER DONE RIGHT.

ERA 3.0 S: "Sports version" of ERA 3.0 with a multifaceted ski designed with race innovation and inspiration, yet now with the addition of Rocker, Radius and Rebound. Totally new skiing experience with 10% rocker and TUFFWALLS: Impact resistant ABS sidewalls. While maintaining responsiveness, Tuff-90% camber.

HIGHLY TRANSPARENT UHM BASE: A high-density, determinedly durable base that allows TWINTIP CONSTRUCTION: A vertically laminated wood core, surrounded by a sock of gorgeous graphic details to shine through. The perfect combination of fashion and

INTELLIGENCE™ TECHNOLOGY: Piezoelectric fibers that absorb vibrations at the speed of light. As you ski faster, the IntelligenceTM stiffens the ski to increase stability. It **UHM C BASE:** Our highly durable base material for getting the job done well. Not flashy, adapts to where and how you ski.

INTELLIGENCE™ CHIP TECHNOLOGY: With Intelligence™ Chip Technology the electrical bit by bit through a pre-programmed chip.

ISS - INDEPENDENT SUSPENSION SYSTEM: Elastomeric vibration killers located in the tip, WORLDCUP SANDWICH CONSTRUCTION: The basic construction invented by Howard Head tail and underfoot. The elastomers quiet the vibrations that are commonly associated in the 1940's, perfected and hand built by the finest ski technicians in the modern with rockered skis. Underfoot, the vibrations are dampened to provide the skier with a smooth ride.

JUNIOR POWER FRAME: A geometric ski shape that provides structural strength to the outer edges of the ski through geometric design, as opposed to altering the core material or density of the ski. Also, for kids it looks cool and feels different than a standard flat ski.

KERS: A computerized piezoelectronic device that stores ski energy and releases it at the end of each turn. In reality, it's a turbo charger for your skis.

NANO TECH SURFACE: A permeable nonstick surface with similar molecular compounds and structure to that of a skis base material. This allows you to wax and alter the surface with standard ski wax to assure a lightweight nonstick and snow free surface

PNP ROCKER: Very subtle tip and tail rise with regular camber construction underfoot. PNP Rocker provides a rider a smother turn initiation as well as reduced edge contact to seamlessly butter into tricks and initiate spins. 30% rocker and 70% camber.

POWER SIDEWALL JACKET: An innovation in ski construction that combines the well known fiber jacket construction with ABS sidewalls. A lightweight ski with easy skiing performance including sidewalls for better dampening, shock absorption and edge grip. Performance at its best for its great

RACE STRUCTURED UHM C BASE: The highest quality, fastest base and finish known to man. The technicians who build the skis for our World Cup Rebels use the same material and machines to put this scary fast base and structure into your skis.

RD RACING TOP SHEET: A thinner topsheet material designed to maximize responsiveness. Exclusive to our RD skis.

REBEL CAMBER: Some years ago it was years ago, it was rebellious to have rocker. Now, it's rebellious to have camber. With Rebel Camber, we feature explosive acceleration and excellent edge grip for the World Cup Rebel inside you.

ALLRIDE ROCKER: Rocker that is equally at home on bulletproof snow as it is in powder. SANDWICH CAP CONSTRUCTION: We take the basic framework from the edge of the sidewall to make the ski more suitable for all mountain skiing. Bomber construction with a rounded top edge makes for one

SANDWICH TWINTIP CONSTRUCTION: We blend a full vertical laminate wood core for dura-EBASE BLACK: Basic black never goes out of style, and it's always durable. Easy gliding bility and add our bomber Independent Suspension System for killing chatter. Pipe, park, big mountains, whatever, bring 'em on and let this construction rip.

STRUCTURED UHM C BASE: The same high quality material used in HEAD's world-leading

TNT ROCKER: Tip and tail rocker combined with regular camber underfoot. This combination creates a surfy feel in powder while maintaining hard snow versatilty. 40%

walls are designed to take a beating

fiberglass and covered by a durable topsheet. This forgiving twin tip construction is slightly softer than our sandwich twin tip layup, making it better for learning pipe

but steady and stable. The kind of base that will last for years.

WOOD CORE CAP CONSTRUCTION: A vertically laminated wood core, surrounded by a sock energy produced by the Intellifibers is not just recycled but accumulated and released of fiberglass and covered by a durable topsheet. This forgiving construction is slightly softer than our sandwich cap making it ideal for ramping up the learning curve.

> world. The vertical laminate wood core is embraced by speedfreak phenolic sidewalls and the finest Titanal. This is the fastest contruction on the planet. Period.

TECHNOLOGY FEATURES BINDINGS

ABS - ANTI BLOCKING SYSTEM: The exclusive TYROLIA technology of the ABS continuous band allows the boot to move out of the binding almost without any friction, hence delivering maximum safety in case of icing up, dirt and boot wear.

RACE TOE: The new construction of the roller pincer system and its wings guarantee utmost stability. The newly designed wings overlap better with the ski boot interface - the innovative concept includes longer wings and is closer to the ski boot. Therefore, the ski boot is stable and attached to the binding with less forward pressure. The synchro adjustment of the wings provides precise adjustment to ski boot sole heights, preventing wobbling between binding and boot.

AFS - ANTI FRICTION SLIDER: New weight optimized adapter for gliding insert at Power Bindings for reduced friction, constant release values and maximum safety.

AFS JUNIOR: The innovative mechanical Anti Friction Slider (AFS) automatically adjusts to the boot sole height, compensating A/C standards as well as height differences due to icing up, dirt or boot wear.

AFS METAL: The 68 mm wide slider plus a stainless steel gliding element provides constant release values and results in a broader contact area to the ski boot sole.

AT TOE: The Alpine Touring (AT) Toe can be easily adjusted to alpine and touring boot norms and it secures constant release values also with rubber soles.

BRAKES: HEAD offers brakes with different width for optimal fit on wider skis and fat skis up to 150 mm ski width in the brake area. Some binding models are delivered without brake - "w/o brake"- to avoid brake exchange later on.

CLIMBING AID: The climbing aid with its different climbing positions, which can be operated without stepping out of the binding, provides excellent balance and effortless

DURA-COATING: Scratch resistant electrostatic powder coating provides environmentally friendly design, optimal durability and a variety of possible colors and color combinations

FREEFLEX PRO: Best performance enabled by the innovative Freeflex Pro System. The free-gliding heel allows the ski to bend through unimpeded and to retain its natural dynamics. Due to the reduced stand height, the Freeflex band is now much closer to the ski boot. Constant release values reduce the risk of injury and ensure safe ski steering.

FR PRO TOE: The Freeride (FR) Pro Toe can be easily adjusted to different boot sole heights. Its horizontal spring reflects the modern architecture of the AAA-Series.

FULL DIAGONAL: Intelligent 180° release both horizontally and vertically of the Diagonal Toe and therefore ensures maximum safety in backward twisting-fall situations.

RX-DIAGONAL HEEL: The RX-Diagonal Heel provides maximum safety with a 150° release. Thus, pressure on the knee and ligaments upon twisting forward falls and the risk of injury are reduced.

SUPERLITERAIL SYSTEM: In combination with the integrated Freeflex-Function the SLR Base provides better energy transmission without affecting the natural ski flex. During the turn, this SuperLiteRail Base guarantees constant force distribution which leads to flawless control, thus enhancing the on hill experience. The remarkable benefits include highly efficient and agile ski performance.

RX TOE: The performance oriented RX toe defines stability and power, much as a strong and tough bull would extremely durable and absolutely reliable.

POWERRAIL: The unrivalled technology for retail, demo & rental by the well-received rail system on a modular basis provides easiest handling, maximum flexibility, optimized performance, perfect match, more stability and durability

RACE DIAGONAL: Diagonal Toe tuned for racing purposes. Due to its higher release force vertically than horizontally, it holds up to the high backward lean forces in racing.

RACE LITE HEEL: The lighter variant of the Race Pro Heel for young up-and-comers and speed stars of tomorrow.

RACE PRO HEEL: The stand height was reduced according to the actual FIS rules. An increased contact area reduces friction and provides constant forward pressure in all skiing situations.

SX LITE HEEL: Weight optimized toe for junior and light-weight skiers with proven safety features of the HEAD/TYROLIA binding technology.

SOLID COLORED: Solid colored plastic parts are not coated with a separate color layer. Instead, the color has been added to the plastic granulate already. Thus, those parts are absolutely scratch resistant and durable but less color options are available.

SLR II BASE: With the 2-piece SLR II base, weight was reduced significantly. The benefits: easier turns, less fatigue and more fun on the slopes! The base offers 3 different mounting positions to cover boot sole lengths between 199 and 347 mm.

SX HEEL: Based on new kinematics the ski boot is precisely secure in the binding. This ensures exact and more direct power transmission from boot to edge.

SX JR. HEEL: The new junior heel with improved kinematics to increase safety and performance for junior skiers.

SX JUNIOR TOE: The innovative kinematics of HEAD's LX and SX adult line provide advantages in performance and stability for the SX Junior line for young speedsters as well.

SX KID HEEL: The SX Kid heel provides the little ones with the best in the latest technologies and safety standards for binding innovation and integrates the new kinematics for the younger set, too. Because safety is paramount, always,

SX KID TOE: With the SX kid toe for up-and-comers and integrated innovative LX/SX kinematics ski steering now requires even less effort.

SX TOE: The kinematic improvements are reflected in the product design of the SX toe as well. With its high cheek bones it reminds of a fox – smart, spry, agile and very clever.

TEFLON WIDE: The wide Teflon® insert ensures better force transmission, more stability and therefore optimal performance.

TELESCOPIC TUBE: With only one binding model it is possible to cover the entire range of different sole lengths (from 260 mm up to 350 mm).

TRP - TYROLIA ROLLER PINCER SYSTEM: The TYROLIA Roller Pincer Toe System (TRP System) of the HEAD bindings with its four rollers and gliding inserts ensure a 180° release and exact centering of the ski boot. The TRP system reduces the load on knees and ligaments and improves performance considerably.

TECHNOLOGY FEATURES BOOTS

LINERS

DOUBLE POWER BOOSTER VELCRO: The strap of the Double Power Booster Velcro works **ADAPTIVE FIT TECHNOLOGY:** as a double pulley for better closure and a tighter wrapping on the cuff. The elastic HEAD patented mechanism in the sole which allows the user to change the width of Booster strap allows more dynamic response on the boot. The result is more precise the boot from 103 to 101 mm with one turn of a screw. transmission and faster ski reaction.

DOUBLE POWER VELCRO STRAP: Developed and patented by HEAD, this velcro strap uses a double-pulley system, which gives 100% more closing power, by reducing the effort needed by 50%. The length of the Double Power Velcro can be customized to "wide" or "narrow" by choosing between the internal or external ring. The result is exceptional support through the shaft of the boot.

HEATFIT (HF) LINERS: Multi-component liners with moldable inserts in liner and tongue. 5 minutes of heating, is all that is required, to make the lining adapting and get the DOUBLE ADJUSTABLE PROFILE: A double mechanism in the upper rear part of the boot perfect precision and comfort.

QUICK ENTRY LINERS: These liners come with a unique easy entry construction in the fore foot. Developed both for skiing and walking, Quick Entry liners always feel extremely comfortable.

provides the best level of precision, comfort and durability. The Perfect Fit material allows the liner to adapt to your feet, ensuring maximum power transmission. 5 minutes of heating at 80 degrees, is all that is required, to make the lining adapting and get the perfect precision and comfort.

PRO LINERS: Pro Series are thin and very supportive liners developed to assure maximum wrapping and extreme high performance. They come with a stretchy upper material, thermo-moldable ankle inserts and a rear sliding insert.

BUCKLES

DOUBLE POWER LEVER:

The Double Power lever reduces the effort needed to close the buckle by 50%. Developed and patented by HEAD.

DOUBLE POWER SPINEFLEX BUCKLE:

Spineflex buckle featuring Double Power lever.

DOUBLE POWER SPINE-TECH BUCKLE:

Spine-tech buckle featuring Double Power lever.

SPINEFLEX BUCKLE: A revolutionary buckle concept with a flexible element and a constant closure point. The flexible element allows the buckle to adapt to the shell profile. The constant closure point increases the overlap between the shell flaps and reduces pressure points. The increased comfort and precision results in better performance.

SPINE-TECH BUCKLE: The Spine-Tech buckle features a constant traction closure point. This translates into a reduction in pressure points, an increased overlap between shell flaps, more comfort, and more precision.

An adjustable, ratcheted toothplate that provides 28 mm of calfadjustment.

WIDE-BODY BUCKLE:

Oversize buckle designed for an extreme ease of use. The fastest way to close the boot's cuff.

FEATURES

ADJUSTABLE REAR SPOILER:

Height adjustable spoiler increases rearward support as it's raised.

ADJUSTABLE WEDGE ARCH SUPPORT:

Internal wedge with ON-OFF mechanism customizing the arch of the foot depending

which adapts the circumference of the cuff up to 1cm to fit individual anatomical needs. Located on the either side of the cuff's spine, this mechanism allows the cuff to adjust up to 1 cm to better fit the anatomical needs of skier.

EASY ENTRY SHELL CONSTRUCTION:

Front plate easy opening construction to let the youngest get in smoothly.

PERFECT FIT (PF): Perfect Fit is the revolutionary customization system that EASY ENTRY SHELL DESIGN: Located in the throat of the boot. 4 channels are cut into the plastic to reduce the thickness of the material and thus provide smoother entry and better wrapping to the foot.

> ENERGY FRAME: Specifically designed to reinforce the EDGE line shell structure, the Energy Frame lands more stability and performance to the boot

TRI(BI)-INJ. FRAME:

A high performance, multi-density shell that optimizes easy entry, foot wrapping, comfort and energy transmission.

FLEX STANCE TUNING: Screw mechanism with a plate support on the spine of the cuff. By adding the screw(s) the link between shell and cuff becomes stronger and the flex of the boot stiffer. It also works as a forward lean adjuster.

FLEX TUNING: A screw mechanism on the spine of the cuff that links shell and cuff. To get a softer flex, the screw(s) can be replaced by the plastic caps included in the box.

INTEGRATED AUTOSKIWALK (ASW): HEAD patented integrated device which automatically switches between skiing and walking position when stepping in or out of the bindings.

POWER CONTROL FRAME:

Designed to reinforce the Cube 3 line shell structure in order to give more stability and performance to the boot

SKI-HIKE SYSTEM:

Is a device which allow the easiest selection of ski and hike mode available. Provides a powerful connection between the cuff and shell for maximum precision and impulse transmission while skiing.

SOFTWALK HEEL + GRIP SYSTEM: HEAD patented cushion positioned in the heel for shock absorption and smoother heel striker, without compromising the performance. The grip system is a rubber insert which provides grip for walking on slippery surfaces.

STIFFER/SOFTER FLEX ADJUSTMENT: It's an adjustment placed on the spine of the cuff to select between a stiffer or softer flex depending on snow condition and level of skiing.

A rubberized boot board that allows for smoother riding over varied terrain and shockfree landings

WOMEN SPECIFIC SUPPORTIVE HEEL OPTION:

A heel lift developed exclusively for women to be placed into the boot for optimized heel retention and maximum comfort.



AUSTRIA

HEAD Austria GmbH Tyroliaplatz 1 2320 Schwechat Austria T. +43 1 701 79 0 E. info@at.head.com

CANADA

HEAD Canada Inc P.O. Box 3620 Station Main Guelph, Ontario N1H 7H1 Canada T. +1 519 822 15 76 E. info@ca.head.com

CZECH REPUBLIC & SLOVAKIA

HEAD International GmbH T. +420 267 281111 E. infoczechia@head.com

FRANCE

HEAD France ZA les Condamines Bresson BP 29 38320 Eybens France T. +33 476 62 69 00 E. standard@fr.head.com

GERMANY

HEAD Germany GmbH Velaskostr. 8 85622 Feldkirchen Germany T. +49 89 90 99 95 0 E. info@de.head.com

HEAD International c/o MARES SPA Salita Bonsen, 4 San Pietro di Novella 16035 Rapallo (GE) Italy T. +39 0185 201 1 E. info-head@it.head.com

JAPAN

HEAD JAPAN 3–27 Kanda–Jimbocho Chiyoda-ku Tokyo 101-0051 Japan T. +81 3 3221 7921 E. sales@jp.head.com

BENELUX

HEAD International GmbH Plesmanstraat 1 3833 LA Leusden The Netherlands T. +31 630 22 81 40 E. info.benelux@head.com

POLAND

HEAD International GmbH UI. Rydlówka 20 30-363 Kraków T. +48 12 255 44 12 E. info@pl.head.com

HEAD SPAIN S.L. Roger 65–67 5a 08028 Barcelona T. +34 93 409 20 80 E. info@es.head.com

SWITZERLAND

HEAD Switzerland AG Ruessenstrasse 16 6342 Baar T. +41 41 767 07 07 E. info@ch.head.com

UNITED KINGDOM

HEAD UK Ltd 2 Beezon Road Kendal, Cumbria LA9 6BW T. +44 15 39 72 47 40 E. info@uk.head.com

USA

HEAD USA, Inc. 3125 Sterling Circle Suite 101 Boulder, CO <u>803</u>01 USA T. +1 800 874 3235 E. info@us.head.com

HEAD INTERNATIONAL

HEAD International GmbH Wuhrkopfweg 1 6921 Kennelbach Austria T. +43 55 74 608 0 E. trade@head.com

ARGENTINA

Sports & Adventure S.A. T. +54 11 6320 3400 E. administracionventas@ grupovieytes.com

AUSTRALIA

Rosbert International T. +61 3 909 577 11 E. rosbert@rosbert.com.au

BULGARIA

Miras-Krastevi LTD T. +359 2 962 72 01 E. office@miras-sport.com

CHILE

Inver Tech Ltda T. +56 2 681 23 08 E. pablo.zuninoerlaver@ gmail.com

CHINAB.C. SPORTS T. +86 (25) 86 999 779 E. wuyj@bc-sports.com.cn

CROATIA

Zurcom d.o.o. T. + 385 (0)1 455 69 79 E. info@zurcom.hr

DENMARK

Cool Sport AIS T. +45 8853 7777 E. ck@coolsport.dk

ESTONIA

Sportland International Group T. +372 (654) 8400

FINLAND

Oy Anglo-Nordic AB T. +358 9 4153 5300 E. myynti@anglo.fi

GREECE

Parnass Ski T. +30 2670 22646

HUNGARY WINTERSPORT Co. Ltd. T. +36 70 376 0640 E. wintersport@wintersport.hu

ICELAND

Utivera EHF T/A Everest T. +354 533 44 50 E. everest@everest.is

IRAN

Speed Jam Parseh Co. Ltd T.: +982166965702 E. info@headiran.ir

KAZAKHSTAN

Intelli Sport T. +7 333 21 777 08 E. intelli.sports@gmail.com

LATVIA

CB Profils, Ltd. T. +371 67317780 info@burusports.lv

LEBANON

Mike Sport T. +961 1 8888 55 E. mispo@mikesport.com

MACEDONIA

Vekon Int Dooel T. +389 23 298 259 E. borce@elteh.com.mk

NEW ZEALAND

Allsports Distribution Ltd T. +64 7 377 1033 E. info@allsports.co.nz

NORWAY

Gresvig AS T. +47 23 35 85 00 E. christopher.rogge@gresvig.no

ROMANIA RIDESPORT S.R.L. T. +40 729 622 060 E. office@ridesport.ro

RUSSIA

Girvas Sport T. +7 499 171 44 65 E. m.teplov@girvas.ru

SERBIA Markoni Sport .d.o.o. +381(0) 328 58 97 E. veleprodaja@markonisport.rs

SOUTH KOREA

Alchemist T. +82 02 430 8060 E. alchemist.kr@gmail.com

SWEDEN

Interski AB Г. +46 647 5 06 10 E. info@interski.se

TURKEY

Sportive Sport T. +90 850 221 23 00 E. onurbilici@sportive.com.tr

UKRAINE

Extreme Style T. +380 97 511 6510 E. denis@eltrade.com.ua

