

HEAD<sup>®</sup>



# **OUT THERE, YOU LEARN THINGS.**

# SET A TARGET AND SEE HOW FAR YOU CAN GO. START WITH A GREEN RUN, PROGRESS TO A RACE RUN AND TRY EVERYTHING IN BETWEEN.

Can you be first at the top – and last to leave?
Can you master that movement?
Can you achieve new goals?

There are infinite frontiers to discover, new problems to solve.

Embrace the solitude and connect with nature.

Or connect with friends and experience it together.

Rise to the challenges, push yourself, feel alive.

Out there, it takes soul, drive and dependable equipment to thrive.

THIS IS HEAD WINTERSPORTS 24/25.

# **CONTENTS**

INTRO	
Crux Story	2
SKIS	4
Line Overview	6
Touring Skis	8
Race Skis	12
Performance Skis	16
Freeski Skis	22
All Mountain Skis	32
Women's Skis	34
Junior Skis	38
outilot onlo	
Ski Constructions	46
	46
	46
Ski Constructions	
Ski Constructions  BINDINGS	48
Ski Constructions  BINDINGS  Line Overview	48
Ski Constructions  BINDINGS  Line Overview  Touring Bindings	48 50 52
Ski Constructions  BINDINGS  Line Overview  Touring Bindings  Race Bindings	48 50 52 56
Ski Constructions  BINDINGS  Line Overview Touring Bindings Race Bindings Performance Bindings	48 50 52 56 58
Ski Constructions  BINDINGS  Line Overview Touring Bindings Race Bindings Performance Bindings  All Mountain Bindings	48 50 52 56 58 61
Ski Constructions  BINDINGS  Line Overview Touring Bindings Race Bindings Performance Bindings All Mountain Bindings Freeski Bindings	48 50 52 56 58 61 62
Ski Constructions  BINDINGS  Line Overview Touring Bindings Race Bindings Performance Bindings All Mountain Bindings Freeski Bindings Women's Bindings	50 52 56 58 61 62 70
Ski Constructions  BINDINGS  Line Overview  Touring Bindings  Race Bindings  Performance Bindings  All Mountain Bindings  Freeski Bindings  Women's Bindings  Junior Bindings	48 50 52 56 58 61 62 70 72

78	
80	
82	
84	
88	
94	
96	
100	
104	
106	
112	
114	
116	
118	
123	
124	
128	
130	
132	
133	
134	
136	
138	
140	
141	
142	
144	
146	

Solar Goggles

**Junior Goggles** 

Spare Lenses
Perfect Match

Goggle Technology

147

148

150

151

ACCESSORIES	154
Touring Crux	156
Race Bags	158
Performance Bags	162
Freeski Bags	164
Women's Bags	166
Junior Bags	167
Touring Poles	168
Race Poles	169
Performance Poles	171
Freeski Poles	173
Women's Poles	174
Junior Poles	175
Touring Skins	177
RENTAL	178
Rental Skis	180
Rental Bindings	188
Rental Poles	191
Rental Boots	192
Rental Helmets	198
Rental Snowboards	200
Technology Skis	206
Technology Bindings	207
Technology Boots	208
Your Access	209



# CREATING A CAPSULE

HEAD's new touring collection has two central pillars; superlight construction for a speedy ascent, and ultimate skiability to enjoy the way down. Cycles of meticulous engineering, extreme testing and rigorous feedback have yielded a collection of hardgoods that does not compromise on weight or performance, together they make up the touring solution.

# **CRUX SKI**

Nothing was held back when designing the CRUX skiline. The ski is the culmination of decades of experience combined with bold new engineering. The wood core is profiled to remove unnecessary weight, while the Topless Tech exposes the intricate all new Triaxial Carbon Jacket construction.



# **ALMONTE BINDING**

Named after Tyrolia's original touring binding in 1928, the modern Almonte tech binding is lightweight, easy to use, dependable and eco-conscious (all plastic parts are made from renewable raw material).





# **CRUX BOOT**

In Altivole, Italy, HEAD's ski boot design team worked with an international network of mountain guides to develop a no-compromise boot, with equal performance on the ascent and descent. High-performance recycled plastics and bio-plastics are integrated into the construction.



# **ACCESSORIES**

Attention has been paid to every specialist piece in the collection, including the CRUX carbon touring pole and CX backpack, loaded with touring specific features.







SKI PRODUCT OVERVIEW

# **SKI**LINE OVERVIEW

# **TOURING** Art. Nr. 315804 Model CRUX 105 PRO CRUX 93 PRO CRUX 81 PRO CRUX 93 CRUX 99 PRO CRUX 87 PRO CRUX 99 **RACE** WORLDCUP REBELS E-SPEED WORLDCUP REBELS E-RACE PRO WORLDCUP REBELS E-RACE WORLDCUP REBELS E-SL PRO Art. Nr. 315924 Model CRUX 87 WORLDCUP REBELS **PERFORMANCE** Art. Nr. 313204 313364 313384 313414 Model WORLDCUP REBELS E-SL WORLDCUP REBELS E-SLR WORLDCUP REBELS E-SLR WORLDCUP REBELS E-SLR SUPERSHAPE E-ORIGINAL SUPERSHAPE E-SPEED SUPERSHAPE E-MAGNUM Art. Nr. 313344 Model SUPERSHAPE E-RALLY SUPERSHAPE E-TITAN SHAPE E-V10 SHAPE E-V8 SHAPE E.V5 SHAPE V4 SHAPE V2

# **FREESKI** Art. Nr. 315404 Model KORE 117 KORE 111 KORE 99 KORE 93 KORE 87 KORE 103 W Art. Nr. 315474 Model KORE 97 W KORE 91 W OBLIVION 102 OBLIVION 94 OBLIVION 84 KORE 85 W OBLIVION 116 **ALL MOUNTAIN WOMEN'S** Art. Nr. 315544 Model OBLIVION 79 KORE X 90 LYT-PR SUPER JOY TOTAL JOY KORE X 85 LYT-PR KORE X 80 LYT-PR **JUNIOR** ABSOLUT JOY 314444 314414 SUPERSHAPE JRS JOY EASY JRS Art. Nr. Model PURE JOY SUPERSHAPE TEAM EASY JRS MONSTER EASY JRS PAW PATROL JRS KORE TEAM OBLIVION JR PRO OBLIVION JR OBLIVION TEAM JRS



# **CRUX**

The all new CRUX is the touring solution, uphill or downhill, the new collection does it all. CRUX has the answer to every challenge your backcountry mission throws at you.



The topsheet has been removed to save weight, while a Snow Free Coating repels snow.

# LYT TECH CONSTRUCTION

Less weight equals more efficiency in the skin track and more energy in the tank for the descent.

# **GRAPHENE AND KARUBA WOOD CORE**

Incredible power to weight ratio with strong dampening qualities.

# **FULL TRIAXIAL CARBON JACKET**

Fibers woven in three angles provide exceptional torsional rigidity.









# CRUX 105 PRO

# ARTICLE NUMBER NEW 315804

# PRODUCT FEATURES

Full Triaxial Carbon Jacket, Sandwich Cap Construction, KARUBA Light Weight Wood Core, Graphene, Topless Tech, Structured UHM C Base, Tail Notch, Tip-Tail Rocker, Snow Free Coating

# PRODUCT DETAILS

LENGTH	170/177/184
SIDECUT	133/105/122 @ Length 184
RADIUS	25,6 @ Length 184
WEIGHT	1440g/pc @ Length: 184*
BINDING	114584 ALMONTE 12 PT Brak
	[M] 105 mm
SKIN	388384 - CRUX 105 Touring
	Skins L
	388394 - CRUX 105 Touring
	Skins M

# CRUX 99 PRO

ARTICLE NUMBER	NEW
315814	

# PRODUCT FEATURES

Full Triaxial Carbon Jacket, Sandwich Cap Construction, KARUBA Light Weight Wood Core, Graphene, Topless Tech, Structured UHM C Base, Tail Notch, Tip-Tail Rocker, Snow Free Coating

# PRODUCT DETAILS

163/170/177/184
132/99/117 @ Length 184
22,7 @ Length 184
1385g/pc @ Length: 184*
114584 ALMONTE 12 PT Brake
[M] 105 mm
388404 - CRUX 99 Touring
Skins L
388414 - CRUX 99 Touring
Skins M

# CRUX 93 PRO

ARTICLE NUMBER	NI
315824	

# PRODUCT FEATURES

Full Triaxial Carbon Jacket, Sandwich Cap Construction, KARUBA Light Weight Wood Core, Graphene, Topless Tech, Structured UHM C Base, Tail Notch, Tip-Tail Rocker, Snow Free Coating

# PRODUCT DETAILS

	LENGTH	163/170/177/184
	SIDECUT	130/93/113 @ Length 177
	RADIUS	18,6 @ Length 177
	WEIGHT	1280g/pc @ Length: 177*
5	BINDING	114584 ALMONTE 12 PT Brake
		[M] 105 mm
	SKIN	388434 - CRUX 93 Touring
		Skins L
		388444 - CRUX 93 Touring
		Skins M

GRAPHENE

<sup>\*</sup>production-related deviations must be taken into account





**TOURING** 









# CRUX 87 PRO

#### ARTICLE NUMBER NEW 315834

# PRODUCT FEATURES

Full Triaxial Carbon Jacket, Sandwich Cap Construction, KARUBA Light Weight Wood Core, Graphene, Topless Tech, Structured UHM C Base, Tail Notch, Tip-Tail Rocker, Snow Free Coating

PRODUCT	DETAILS	PRODU
LENGTH	149/156/163/170/177/184	LENGTH
SIDECUT	126/87/108 @ Length 177	SIDECUT
RADIUS	17,7 @ Length 177	RADIUS
WEIGHT	1220g/pc @ Length: 177*	WEIGHT
BINDING	114583 ALMONTE 12 PT Brake	BINDING
	[M] 90 mm	
SKIN	388464 - CRUX 87 Touring	SKIN
	Skins L	
	388474 - CRUX 87 Touring	
	Skins M	
	388454 - CRUX 87 Touring	
	Skins S	
*nroductio	on-related deviations must be take	n into acc

# \*production-related deviations must be taken into account

# CRUX 81 PRO

I	ARTICLE NUMBER	NE
_	315.9.4.4	

# PRODUCT FEATURES

Full Triaxial Carbon Jacket, Sandwich Cap Construction, KARUBA Light Weight Wood Core, Graphene, Topless Tech, Structured UHM C Base, Tail Notch, Tip-Tail Rocker, Snow Free Coating

LENGTH	149/156/163/170/177/184
	.,
SIDECUT	124/81/105 @ Length 177
RADIUS	16,8 @ Length 177
WEIGHT	1165g/pc @ Length: 177*
BINDING	114583 ALMONTE 12 PT Brake
	[M] 90 mm
SKIN	388424 - CRUX 81 Touring
	Skins L
	388484 - CRUX 81 Touring
	Skins M
	388494 - CRUX 81 Touring
	Skins S

# CRUX 99

EW	ARTICLE NUMBER	NE
	315904	

# PRODUCT FEATURES

Multilayer Carbon Jacket, Sandwich Cap Construction, POPLAR Light Weight Wood Core, Graphene, Structured UHM C Base, Tail Notch, Tip-Tail Rocker

# PRODUCT DETAILS

LENGTH 163/170/177/184	
SIDECUT 132/99/117 @ Length 184	
RADIUS 22,7 @ Length 184	
<b>WEIGHT</b> 1725g/pc @ Length: 184*	
BINDING 114590 ALMONTE 10 PT E	Brake
[M] 105 mm	
SKIN 388404 - CRUX 99 Touri	ng
Skins L	
388414 - CRUX 99 Tourir	ıg
Skins M	

ARTICLE NUMBER	NEW	Α
315914		31

# PRODUCT FEATURES

Multilayer Carbon Jacket, Sandwich Cap Construction, POPLAR Light Weight Wood Core, Graphene, Structured UHM C Base, Tail Notch, Tip-Tail Rocker

# PRODUCT DETAILS

PRODUCT DETAILS	
LENGTH	163/170/177/184
SIDECUT	130/93/113 @ Length 177
RADIUS	18,6 @ Length 177
WEIGHT	1595g/pc @ Length: 177*
BINDING	114590 ALMONTE 10 PT Brak
	[M] 105 mm
SKIN	388434 - CRUX 93 Touring
	Skins L
	388444 - CRUX 93 Touring
	Skins M

# CRUX 87

W	ARTICLE NUMBER
	315924

# PRODUCT FEATURES

Multilayer Carbon Jacket, Sandwich Cap Construction, POPLAR Light Weight Wood Core, Graphene, Structured UHM C Base, Tail Notch, Tip-Tail Rocker

**TOURING** 

# PRODUCT DETAILS

LENGTH	149/156/163/170/177/184
SIDECUT	126/87/108 @ Length 177
RADIUS	17,7 @ Length 177
WEIGHT	1520g/pc @ Length: 177*
BINDING	114589 ALMONTE 10 PT Brak
	[M] 90 mm
SKIN	388464 - CRUX 87 Touring
	Skins L
	388474 - CRUX 87 Touring
	Skins M
	388454 - CRUX 87 Touring
	Skins S

# CRUX 81

ARTICLE	NUMBER	N
315934		

# PRODUCT FEATURES

Multilayer Carbon Jacket, Sandwich Cap Construction, POPLAR Light Weight Wood Core, Graphene, Structured UHM C Base, Tail Notch, Tip-Tail Rocker

# PRODUCT DETAILS

	LENGTH	149/156/163/170/177/184
	SIDECUT	124/81/105 @ Length 177
	RADIUS	16,8 @ Length 177
	WEIGHT	1450g/pc @ Length: 177*
5	BINDING	114589 ALMONTE 10 PT Brake
		[M] 90 mm
	SKIN	388424 - CRUX 81 Touring
		Skins L
		388484 - CRUX 81 Touring
		Skins M
		388494 - CRUX 81 Touring
		Skins S

<sup>\*</sup>production-related deviations must be taken into account



# **WORLDCUP REBELS**

The Race Performance collection features tried and tested geometry merged with cutting-edge technology. Perfect for expert racers, who demand new



# **TIP DESIGN**

Narrower tip area for easier and less aggressive turn initiation, with an integrated tip protector.

technologies used by our elite athletes, like EMC, GRAPHENE and TITANAL®.

# SIDECUT

Longer radius geometries give a stable, predictable feel when you are racing, particularly on the e-Speed Pro.









# **WORLDCUP REBELS E-SPEED PRO**

# ARTICLE NUMBER

313224

#### PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

# PRODUCT DETAILS

LENGTH	170/175/180/185
SIDECUT	108/65/93 @ Length 180
RADIUS	20,5 @ Length 180
PLATE	RACEPLATE WCR 14 SHORT
BINDING	100904 FREEFLEX ST 16
	Brake [A] 85 mm

# **WORLDCUP REBELS E-SPEED**

# ARTICLE NUMBER

313244

# PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

# PRODUCT DETAILS

LENGTH	165/170/175/180/185
SIDECUT	114/68/99 @ Length 180
RADIUS	18,2 @ Length 180
PLATE	RACEPLATE EVO 14
BINDING	100905 FREEFLEX ST 14 Bra
	[A] 85 mm

# **WORLDCUP REBELS E-RACE PRO**

ARTICLE NUMBER 313254

# PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

#### PRODUCT DETAILS

	LENGTH	160/165/170/175/180
	SIDECUT	117/68/102 @ Length 170
	RADIUS	14,8 @ Length 170
	PLATE	RACEPLATE WCR 14 SHORT
(e	BINDING	100904 FREEFLEX ST 16
		Brake [A] 85 mm





















# WORLDCUP REBELS E-RACE

# ARTICLE NUMBER

313264

# PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

# PRODUCT DETAILS

LENGTH	160/165/170/175/180
SIDECUT	117/68/102 @ Length 170
RADIUS	14,8 @ Length 170
PLATE	RACEPLATE EVO 14
BINDING	100905 FREEFLEX ST 14 Brake
	[A] 85 mm

# **WORLDCUP REBELS E-SL PRO**

# ARTICLE NUMBER

313234

# PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

#### PRODUCT DETAILS

LKODOCI	DETAILS
LENGTH	150/155/160/165/170
SIDECUT	122/68/107 @ Length 160
RADIUS	12,0 @ Length 160
PLATE	RACEPLATE WCR 14 SHORT
BINDING	100904 FREEFLEX ST 16
	Brake [A] 85 mm

# **WORLDCUP REBELS E-SL**

# ARTICLE NUMBER

313204

# PRODUCT FEATURES

EMC, Graphene Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Rebel Camber

# PRODUCT DETAILS

I KODOOT DETAILS		
LENGTH	150/155/160/165/170	
SIDECUT	122/68/107 @ Length 160	
RADIUS	12,0 @ Length 160	
PLATE	RACEPLATE EVO 14	
BINDING	100907 FREEFLEX 14 GW	
	Brake [D] 85 mm	

# **WORLDCUP REBELS E.SLR**

# ARTICLE NUMBER

313364

# PRODUCT FEATURES

EMC F, Worldcup Sandwich Cap Construction, Race structured UHM C base, Rebel Camber

# PRODUCT DETAILS

PRODUCI	DETAILS
LENGTH	149/156/163/170
SIDECUT	123/66/107 @ Length 163
RADIUS	11,2 @ Length 163
PLATE	LYT PR Base
BINDING	100911 PR 11 GW Brake [G] 78
	ma ma

# **WORLDCUP REBELS E.GSR**

# ARTICLE NUMBER

313384

# PRODUCT FEATURES

EMC F, Worldcup Sandwich Cap Construction, Race structured UHM C base, Rebel Camber

# PRODUCT DETAILS

LENGTH	156/163/170/177
SIDECUT	120/68/101 @ Length 170
RADIUS	14,4 @ Length 170
PLATE	LYT PR Base
BINDING	100911 PR 11 GW Brake [G] 78
	mm

# **WORLDCUP REBELS E.XSR**

# ARTICLE NUMBER

313414

# PRODUCT FEATURES

EMC F, Sandwich Cap Construction, Race structured UHM C base, Rebel Camber

LENGTH	149/156/163/170/177
SIDECUT	125/72/109 @ Length 170
RADIUS	12,9 @ Length 170
PLATE	LYT PR Base
BINDING	100911 PR 11 GW Brake [G] 78
	mm
	LENGTH SIDECUT RADIUS PLATE





# **CROSSFORCE CARBON CONSTRUCTION**

Direct contact from the binding to the ski's carbon construction for ultimate responsiveness.

# WORLDCUP SANDWICH CAP CONSTRUCTION

A balanced mix of wood, Graphene and titanal provides extreme responsiveness.

turn initation and high speed stability.

# **ENERGY MANAGEMENT CIRCUIT**

EMC is HEAD's proprietary technology that filters out negative vibrations.











NEW

# PRODUCT FEATURES

Crossforce Carbon, Worldcup Sandwich Cap Construction, EMC, Graphene, RD Race Structured UHM C Base, Speed Rocker

# PRODUCT DETAILS

LENGTH	149/156/163/170
SIDECUT	125/66/108 @ Length 170
RADIUS	12,1 @ Length 170
PLATE	Better Balance PR Base high
BINDING	100925 PROTECTOR PR 13 G
	Brake [P] 85 mm

# **SUPERSHAPE E-SPEED**

ARTICLE NUMBER

PRODUCT FEATURES	DUDILLE	EFATIIDEC
------------------	---------	-----------

Cap Construction, EMC, Graphene, RD Race

Structured UHM C Base, Speed Rocker

# PRODUCT DETAILS

I KODOOI	PEIMILO
LENGTH	156/163/170/177/184
SIDECUT	119/68/102 @ Length 170
RADIUS	14,0 @ Length 170
PLATE	Better Balance PR Base
BINDING	100925 PROTECTOR PR 13 GV
	Brake [P] 85 mm

# **SUPERSHAPE E-MAGNUM**

NEW	ARTICLE	NUMBER	NE

# PRODUCT FEATURES

313304

Crossforce Carbon, Worldcup Sandwich Cap Construction, EMC, Graphene, RD Race Structured UHM C Base, Speed Rocker

# PRODUCT DETAILS

	LENGTH	149/156/163/170/177
	SIDECUT	126/72/110 @ Length 170
	RADIUS	13,1 @ Length 170
	PLATE	Better Balance PR wide Base
W	BINDING	100925 PROTECTOR PR 13 GV
		Brake [P] 85 mm

















# **SUPERSHAPE E-RALLY**

# SUPERSHAPE E-TITAN

ARTICLE	NUMBER NEW	ARTICLE	NUMBER	NEV
313344		313284		
PRODUC	T FEATURES	PRODUCT	FEATURES	
Crossford	ce Carbon, Worldcup Sandwich Cap Construction, EMC,	Crossforce	e Carbon, Worldcup Sandwich Cap Construction, El	MC,
Graphene	e, RD Race Structured UHM C Base, Speed Rocker	Graphene	, RD Race Structured UHM C Base, Speed Rocker	
PRODUC	T DETAILS	PRODUCT	DETAILS	
LENGTH	156/163/170/177/184	LENGTH	156/163/170/177/184	
SIDECUT	128/78/112 @ Length 170	SIDECUT	129/84/113 @ Length 170	
RADIUS	128/78/112 @ Length 170 14,0 @ Length 170	SIDECUT	129/84/113 @ Length 170 15,7 @ Length 170	



turn themselves. PR BASE -It is a two piece lightweight design, lower and perfectly integrated in the ski frame.

# **ENERGY MANAGEMENT CIRCUIT** -

EMC in Shape e-V8 and Shape e-V10 skis. EMC front in the Shape e.V5.

# PERFORMANCE BACKBONE -

Adapted 3D-Design on whole range for improved weight and ski thickness. LYT TECH continues - Light done right.





















# SHAPE E-V10

# ARTICLE NUMBER

315204

# PRODUCT FEATURES

LYT Tech Construction, EMC, ERA 3.0, Graphene, Carbon Sandwich Cap Construction, KARUBA Light Weight Wood Core, Structured UHM C Base, Allride Rocker

# PRODUCT DETAILS

LENGTH 149/156/163/170/177		
SIDECUT	139/85/121 @ Length 170	
RADIUS	13,6 @ Length 170	
PLATE	All Mountain PR Base	
BINDING	114509 PROTECTOR PR 11 GW	
	Brake [P] 95 mm	

# SHAPE E-V8

# ARTICLE NUMBER

315224

# PRODUCT FEATURES

LYT Tech Construction, EMC, ERA 3.0, tion, KARUBA Light Weight Wood Core, Structured UHM C Base, Allride Rocker

# PRODUCT DETAILS

LENGTH	149/156/163/170/177
SIDECUT	130/75/112 @ Length 170
RADIUS	13,2 @ Length 170
PLATE	All Mountain PR Base
BINDING	114508 PROTECTOR PR 11 GW
	Brake [P] 85 mm

# SHAPE E.V5

# ARTICLE NUMBER

315254

# PRODUCT FEATURES

LYT Tech Construction, EMC F, ERA 3.0, Graphene, Carbon Sandwich Cap Construc- Graphene, Power Sidewall Jacket Construction, Wood Composite Core, Structured UHM C Base, Allride Rocker

# PRODUCT DETAILS

LENGTH	149/156/163/170/177
SIDECUT	128/74/109 @ Length 170
RADIUS	13,0 @ Length 170
PLATE	All Mountain PR Base
BINDING	100942 PR 11 GW Brake [G] 8
	mm

# SHAPE V4

ARTICLE NUMBER

315274

# PRODUCT FEATURES

LYT Tech Construction, ERA 3.0, Graphene, Power Sidewall Jacket Construction, Wood Composite Core, Structured UHM C Base, Allride Rocker

# PRODUCT DETAILS

PRUDUCI	DETAILS	
LENGTH	149/156/163/170/177	
SIDECUT	128/74/109 @ Length 170	
RADIUS	13,0 @ Length 170	
PLATE	All Mountain PR Base	
BINDING	100942 PR 11 GW Brake [G] 85 mm	

# SHAPE V2

# ARTICLE NUMBER

315284

# PRODUCT FEATURES

LYT Tech Construction, ERA 3.0, Power Fiber Jacket Construction, Synthetic Core, UHM C Base, Allride Rocker

PRODUCI	DETAILS
LENGTH	142/149/156/163/170/177
SIDECUT	128/70/108 @ Length 170
RADIUS	12,5 @ Length 170
PLATE	All Mountain PR Base
BINDING	100942 PR 11 GW Brake [G] 85 mm



# **KORE**



22

# PROGRESSIVE CHAMFER -

A crud-cutting chamfered top edge improves durability and gives a more playful feel.

# TIP AND TAIL ROCKER

Tuned for each model, dual rocker floats over all snow with ease.







# **KORE 117**

# ARTICLE NUMBER

315404

# PRODUCT FEATURES

Multilayer-Carbon Sandwich Cap Construction, KARUBA-POPLAR Light Weight Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

# PRODUCT DETAILS

I KODOCI DEIAI	PRODUCT DETAILS		
LENGTH 177/	184/191		
SIDECUT 145	/117/129 @ Length 184		
RADIUS 24,6	5 @ Length 184		
BINDING 1144	27 ATTACK 14 GW W/O Brake [A]		

# **KORE 111**

# ARTICLE NUMBER

315414

# PRODUCT FEATURES

Multilayer-Carbon Sandwich Cap Construction, KARUBA-POPLAR Light Weight Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

# PRODUCT DETAILS

	LENGTH	177/184/191
	SIDECUT	140/111/127 @ Length 184
	RADIUS	21,1 @ Length 184
	BINDING	114440 ATTACK 14 GW W/O Brake [A]











# ARTICLE NUMBER

315424

# PRODUCT FEATURES

Multilayer-Carbon Sandwich Cap Construction, KARUBA-POPLAR Light Weight Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

# PRODUCT DETAILS

LENGTH	163/170/177/184/191	
SIDECUT	135/105/125 @ Length 184	
RADIUS	17,8 @ Length 184	
BINDING	114436 ATTACK 14 GW Brake [A] 110 mm	

# KORE 99

# ARTICLE NUMBER

315434

# PRODUCT FEATURES

Multilayer-Carbon Sandwich Cap Construction, KARUBA-POPLAR Light Weight Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

# PRODUCT DETAILS

LENGTH	156/163/170/177/184/191
SIDECUT	134/99/120 @ Length 177
RADIUS	17,0 @ Length 177
BINDING	114439 ATTACK 14 GW Brake [A] 110 mm







# KORE 87

# ARTICLE NUMBER

315454

# PRODUCT FEATURES

Multilayer-Carbon Sandwich Cap Construction, KARUBA-POPLAR Light Weight Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

# PRODUCT DETAILS

LENGTH	156/163/170/177/184/191		
SIDECUT	130/87/110 @ Length 177		
RADIUS	16,0 @ Length 177		
BINDING	114432 ATTACK 14 GW Brake [A] 95 mm		



# ARTICLE NUMBER

315444

# PRODUCT FEATURES

Multilayer-Carbon Sandwich Cap Construction, KARUBA-POPLAR Light Weight Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

	PRODUCT DETAILS	
	LENGTH	156/163/170/177/184/191
	SIDECUT	133/93/115 @ Length 177
	RADIUS	16,4 @ Length 177
	RINDING	114425 ATTACK 14 GW Brake [A] 95 mm







# **KORE 103 W**

# ARTICLE NUMBER

315464

# PRODUCT FEATURES

Multilayer-Carbon Sandwich Cap Construction, KARUBA-POPLAR Light Weight Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

# PRODUCT DETAILS

LENGTH	163/170/177
SIDECUT	132/103/123 @ Length 177
RADIUS	16,5 @ Length 177
BINDING	114597 ATTACK LYT 12 GW Brake [A] 110 mm

# KORE 97 W

# ARTICLE NUMBER

315474

FREESKI

# PRODUCT FEATURES

Multilayer-Carbon Sandwich Cap Construction, KARUBA-POPLAR Light Weight Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

# PRODUCT DETAILS

	LENGTH	156/163/170/177
	SIDECUT	131/97/118 @ Length 170
	RADIUS	15,3 @ Length 170
	BINDING	114597 ATTACK LYT 12 GW Brake [A] 110 mm







# KORE 85 W

# ARTICLE NUMBER

315494

FREESKI

# PRODUCT FEATURES

Multilayer-Carbon Sandwich Cap Construction, KARUBA-POPLAR Light Weight Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

# PRODUCT DETAILS

LENGTH	149/156/163/170		
SIDECUT	127/85/108 @ Length 170		
RADIUS	14,8 @ Length 170		
BINDING	114596 ATTACK LYT 12 GW Brake [A] 95 mm		

KORE 91 W

# ARTICLE NUMBER

315484

# PRODUCT FEATURES

Multilayer-Carbon Sandwich Cap Construction, KARUBA-POPLAR Light Weight Wood Core, Graphene, Structured UHM C Base, Tip-Tail Rocker

# PRODUCT DETAILS

LENGTH	149/156/163/170
SIDECUT	130/91/113 @ Length 170
RADIUS	14,7 @ Length 170
BINDING	114596 ATTACK LYT 12 GW Brake [A] 95 mm



**OBLIVION** 

When HEAD's most creative freeskiers
collaborated with our top designers and
technologists, OBLIVION was re-born.
The ultimate expression of
progression across
the mountain.

RECYCLED PET-WOOD CORE
This innovative core uses poplar wood with

# PROFESSIONAL PERFORMANCE AND GRAPHICS

All elements of the ski, inside and out, have been developed in collaboration with Cole Richardson.

recycled PET bottle stringers. A lightweight and low environmental impact construction.

# TWIN-TIP CONSTRUCTION

Sandwich Carbon Construction with TNT Rocker for more durability but plenty of playfulness in the tip and tail.

# CARBON CONSTRUCTION

Carbon layers throughout the ski improve stability and performance while simultaneously saving weight.





# **OBLIVION 116**

# ARTICLE NUMBER

315564

# PRODUCT FEATURES

Carbon Sandwich Twintip Construction, PET-Wood Core, Tuff-Wall/ Edge, ISS - Independent Suspension System, TNT Rocker

# PRODUCT DETAILS

	LENGTH	181/189
	SIDECUT	142/117/132 @ Length 189
	RADIUS	30,8 @ Length 189
	BINDING	114427 ATTACK 14 GW W/O Brake [A]

# OBLIVION 102

# ARTICLE NUMBER

315584

# PRODUCT FEATURES

Carbon Sandwich Twintip Construction, PET-Wood Core, UHM C Base, Tuff-Wall/Edge, ISS - Independent Suspension System, TNT Rocker

LENGTH	173/181/189
SIDECUT	135/102/125 @ Length 181
RADIUS	22,8 @ Length 181
BINDING	114430 ATTACK 14 GW Brake [A] 110 mm







# **OBLIVION 94**

# ARTICLE NUMBER 315514

# PRODUCT FEATURES

Sandwich Twintip Construction, UHM C Base, Tuff-Wall/Base/Edge, ISS - Independent Suspension System, PNP Rocker

# PRODUCT DETAILS

LENGTH	163/170/177/184
SIDECUT	128/94/118 @ Length 184
RADIUS	22,8 @ Length 184
BINDING	114429 ATTACK 14 GW Brake
	[A] 95 mm

# **OBLIVION 84**

# ARTICLE NUMBER

315524

# PRODUCT FEATURES

Sandwich Twintip Construction, UHM C Base, Tuff-Wall/Base/Edge, ISS - Independent Suspension System, PNP Rocker

# PRODUCT DETAILS

PRODUCI	DETAILS
LENGTH	171/176/181
SIDECUT	120/84/109 @ Length 176
RADIUS	19,0 @ Length 176
BINDING	114428 ATTACK 14 GW Brake
	[A] 85 mm


# **OBLIVION 79**

# ARTICLE NUMBER 315544

# PRODUCT FEATURES

Woodcore Twintip Construction, Highly Transparent UHM Base, PNP Rocker

LENGTH	154/163/172/181
SIDECUT	112/79/106 @ Length 172
RADIUS	19,1 @ Length 172
BINDING	114425 ATTACK 14 GW Brake
	[A] 95 mm





# KORE X

The younger, all mountain sibling to our cutting-edge freeride skis, KORE X inspires smooth, lively turns on and off the slopes. All mountain,



SANDWICH CAP CONSTRUCTION

Easy skiability due to the superlite Sandwich Cap Construction.

# LYT POWER RAIL BASE

For set option with the Protector binding.

# **DURABLE TOPSHEET**

Topsheet with awesome matt wood like structure for high durability.











# KORE X 90 LYT-PR

# ARTICLE NUMBER

315194

# PRODUCT FEATURES

Sandwich Cap Construction, Graphene, Structured UHM C Base, Allride Rocker also available without LYT PR Base (ART.Nr: 315144)

# PRODUCT DETAILS

LENGTH	156/163/170/177/184
SIDECUT	130/91/113 @ Length 170
RADIUS	14,7 @ Length 170
PLATE	LYT PR Base
BINDING	114469 PRW 11 GW Brake [G]
	90 mm

# KORE X 85 LYT-PR

# ARTICLE NUMBER

315174

# PRODUCT FEATURES

Sandwich Cap Construction, Graphene, Structured UHM C Base, Allride Rocker also available without LYT PR Base (ART.Nr: 315154)

# PRODUCT DETAILS

LENGTH	156/163/170/177/184
SIDECUT	127/85/108 @ Length 170
RADIUS	14,8 @ Length 170
PLATE	LYT PR Base
BINDING	114469 PRW 11 GW Brake [G]
	90 mm

33

# KORE X 80 LYT-PR

# ARTICLE NUMBER

315164

# PRODUCT FEATURES

Wood Composite Core, Graphene, Power Sidewall Jacket Construction, Structured UHM C Base, Allride Rocker

# PRODUCT DETAILS

LENGTH	149/156/163/170/177
SIDECUT	126/80/106 @ Length 170
RADIUS	13,2 @ Length 170
PLATE	LYT PR Base
BINDING	114352 PRW 11 GW Brake [G]
	85 mm





# **JOY**

For 15 years, the JOY range has set the standard for bespoke female equipment. Featuring geometry that is biomechanically tuned for women, JOY is built from the bases up for women who crave to carve.



# BETTER BALANCE PR BASE

Providing a constant ramp angle for easy turn initation and high speed stability.

# FEMALE SPECIFIC FLEX PROFILE -

Softer flex in the middle to give a homogeneous pressure distribution.

# SHOVEL DESIGN

Slimmed down shovel design for a smoother turn initiation and more control.

# SIDECUT -

Longer radius sidecut gives a more stable ski, for confident edge to edge transitions.







# **POWER JOY**

# ARTICLE NUMBER

315674

# PRODUCT FEATURES

LYT Tech Construction, EMC, Graphene, Light Weight Woodcore, Superlightweight Distribution, Worldcup Sandwich Cap Construction, RD Race Structured UHM C Base, Speed Rocker

# PRODUCT DETAILS

LKODOCI	TODOCT DETAILS		
LENGTH	153/158/163/168/173		
SIDECUT	113/70/98 @ Length 163		
RADIUS	15,1 @ Length 163		
PLATE	Better Balance PR Base		
BINDING	100927 PROTECTOR PR 13 GW Brake [P] 85 mm		

# **SUPER JOY**

# ARTICLE NUMBER

315604

# PRODUCT FEATURES

LYT Tech Construction, EMC, Graphene, Womens's Camber, Superlightweight Distribution, Carbon Sandwich Cap Construction, Light Weight Wood Core, Structured UHM C Base, Allride Rocker

	LENGTH	143/148/153/158/163/168
	SIDECUT	120/75/106 @ Length 163
	RADIUS	14,0 @ Length 163
	PLATE	JOY "BB" SLR PRO Base
	BINDING	100913 PROTECTOR SLR 11 GW Brake [N] 80 mm













# ARTICLE NUMBER

315624

**TOTAL JOY** 

# PRODUCT FEATURES

LYT Tech Construction, EMC, Graphene, Womens's Camber, Superlightweight Distribution, Carbon Sandwich Cap Construction, Light Weight Wood Core, Structured UHM C Base, Allride Rocker

# PRODUCT DETAILS

LENGTH	148/153/158/163/168
SIDECUT	128/85/114 @ Length 163
RADIUS	14,7 @ Length 163
PLATE	JOY "BB" SLR PRO Base
BINDING	100914 PROTECTOR SLR 11 GW Brake [N] 90 mm

ARTICLE NUMBER

315684

# PRODUCT FEATURES

LYT Tech Construction, EMC F, Graphene, Women's Camber, Super Light Weight Distribution, Power Sidewall Jacket Construction, Wood Composite Core, UHM C Base, Allride Rocker

# PRODUCT DETAILS

I KODOOI	DETRIES
LENGTH	143/148/153/158/163/168
SIDECUT	122/80/108 @ Length 163
RADIUS	14,8 @ Length 163
PLATE	JOY "BB" SLR PRO Base
RINDING	100918 IOV 9 GW SI P Brake [H] 85 mm







# ARTICLE NUMBER

**REAL JOY** 

315734

# PRODUCT FEATURES

LYT Tech Construction, EMC F, Graphene, Women's Camber, Super Light Weight Distribution, Power Sidewall Jacket Construction, Wood Composite Core, UHM C Base, Allride Rocker

# PRODUCT DETAILS

PRUDUCI	DE IAILS
LENGTH	143/148/153/158/163
SIDECUT	121/75/107 @ Length 163
RADIUS	13,1 @ Length 163
PLATE	JOY "BB" SLR PRO Base
BINDING	100919 JOY 9 GW SLR Brake [H] 85 mm

# **PURE JOY**

# ARTICLE NUMBER

315704

# PRODUCT FEATURES

LYT Tech Construction, EMC F, Graphene, Women's Camber, Super Light Weight Distribution, Power Sidewall Jacket Construction, Synthetic Core, UHM C Base, Allride Rocker

LENGTH	143/148/153/158/163
SIDECUT	121/75/107 @ Length 163
RADIUS	13,1 @ Length 163
PLATE	JOY "BB" SLR PRO Base
BINDING	100918 JOY 9 GW SLR Brake [H] 85 mm



# PAW PATROL

The fun collaboration that kids will love. Our favourite adventure crew couldn't wait to get their paws on the E4SY Kids System helping children everywhere to ski with confidence.

E4SY SYSTEM

38

**ERA 2.0** 

Rocker gives instant confidence.

Designed to be simple for every child to use. Featuring E4SY FLEX, E4SY HANDLING, E4SY WEIGHT and E4SY STEP IN.









# **WORLDCUP E.RACE TEAM JRS**

# ARTICLE NUMBER

314444

# PRODUCT FEATURES

EMC F, Graphene, Sandwich Construction, UHM C Base, Structured Surface also available without JRS (ART.Nr: 314434)

# PRODUCT DETAILS

LENGTH	120/130/140/150/160
SIDECUT	111/67/95 @ Length 140
RADIUS	10,8 @ Length 140
PLATE	JRS Base
BINDING	100922 JRS 7.5 GW CA Brake
	[H] 78 mm

# SUPERSHAPE JRS

# ARTICLE NUMBER

314414

# PRODUCT FEATURES

Power Sidewall Jacket, ERA 2.0, Structured Surface, UHM C Base

# PRODUCT DETAILS

LENGTH	110/120/130/140/150/160
SIDECUT	123/70/101 @ Length 140
RADIUS	9,7 @ Length 140
PLATE	JRS Base
BINDING	100922 JRS 7.5 GW CA Brake
	[H] 78 mm

# SUPERSHAPE TEAM EASY JRS

# ARTICLE NUMBER

314504

# PRODUCT FEATURES

Jr. Power Frame, ERA 2.0, E Base black, Structured Surface, Junior Rocker also available without JRS (ART.Nr: 314534)

LENGTH	107/117/127/137/147/157
SIDECUT	111/67/96 @ Length 127
RADIUS	8,7 @ Length 127
PLATE	JRS Base
BINDING	100923 JRS 4.5 GW CA Brake
	[I] 80 mm









# **JOY EASY JRS**

# ARTICLE NUMBER

314454

# PRODUCT FEATURES

Jr. Power Frame, ERA 2.0, E Base Black, Junior Rocker

# PRODUCT DETAILS

LENGTH	107/117/127/137/147
SIDECUT	111/67/96 @ Length 127
RADIUS	8,7 @ Length 127
PLATE	JRS Base
BINDING	114478 JRS 4.5 GW CA Brake
	[I] 80 mm

# **MONSTER EASY JRS**

# ARTICLE NUMBER

314484

# PRODUCT FEATURES

Jr. Power Frame, ERA 2.0, E Base black, Structured Surface, Junior Rocker

# PRODUCT DETAILS

LENGTH	107/117/127/137/147/157
SIDECUT	111/67/96 @ Length 127
RADIUS	8,7 @ Length 127
PLATE	JRS Base
BINDING	114475 JRS 4.5 GW CA Brake
	[I] 80 mm

# PAW PATROL JRS

# ARTICLE NUMBER

314464

# PRODUCT FEATURES

Jr. Power Frame, ERA 2.0, E Base black, Structured Surface, Junior Rocker

NEW

# PRODUCT DETAILS

LENGTH	67/77/87/97
SIDECUT	104/65/89 @ Length 97
RADIUS	5,3 @ Length 97
PLATE	JRS Base
BINDING	114478 JRS 4.5 GW CA Brake
	[I] 80 mm





# KORE TEAM

# ARTICLE NUMBER

314024

# PRODUCT FEATURES

Graphene, Sandwich Cap Construction, Highly transparent UHM Base, Tip-Tail Rocker

# PRODUCT DETAILS

LENGTH	142/149/156/163
SIDECUT	122/85/105 @ Length 149
RADIUS	10,9 @ Length 149
BINDING	114602 ATTACK LYT 11 GW Brake [A] 95 mm



# **OBLIVION JR PRO**

# ARTICLE NUMBER

314074

# PRODUCT FEATURES

Sandwich Cap Twintip Construction, UHM C Base, Tuff-Wall/Edge, ISS - Independent Suspension System, TNT Rocker

PRODUCT DETAILS		
LENGTH	149/157/165	
SIDECUT	132/100/122 @ Length 157	
RADIUS	17,3 @ Length 157	
BINDING	114603 ATTACK LYT 11 GW Brake [A] 110 mm	





# OBLIVION JR

# ARTICLE NUMBER 314054

# PRODUCT FEATURES

Sandwich Twintip Construction, Highly transparent UHM Base, Tuffwalls, PNP Rocker

Twintip construction, E Base Black, Structured Surface

# PRODUCT DETAILS

LENGTH	131/141/151/161
SIDECUT	116/81/106 @ Length 141
RADIUS	11,8 @ Length 141
BINDING	114607 ATTACK LYT 9 GW Brake [D] 95 mm

# **OBLIVION TEAM JRS**

# ARTICLE NUMBER 314494

# PRODUCT FEATURES

LENGTH	87/97/107/117/127/137
SIDECUT	104/68/92 @ Length 127
RADIUS	9,4 @ Length 127
PLATE	JRS Base
BINDING	114475 JRS 4.5 GW CA Brake [I] 80 mm




# 

Relevant HEAD skis: all Supershape skis, Worldcup Rebels e-Speed (Pro), Worldcup Rebels e-Race (Pro), Worldcup Rebels e-SL (Pro), Worldcup Rebels e.SLR. Worldcup Rebels e.GSR. Power Joy



Relevant HEAD skis: Shape e-V10, Shape e-V8, Super Joy, Total Joy



Relevant HEAD skis: all KORE & KORE W skis

# TRIAXIAL CARBON SANDWICH CAP CONSTRUCTION Full Triaxial Carbon Jacket is a reinforcement fabric that is optimized to obtain a high strength-to-weight ratio. Carbon fibers weaved in three different directions offer a unique construction method where the top sheet is removed on the full ski, exposing a carbon wrap. Better power transmission of forces onto the slopes, ultralightweight, optimum bell curve for perfect flex behaviour. 1 Triaxial Carbon Jacket\* 6 Sidewall 2 Carbon 7 Dampening Layer 3 Glass Fiber 8 Edge 9 Base

GRAPHENE

Glass Fiber (only Crux Skis)

\*Crux: 1 Topsheet 5 Poplar Wood Core

Relevant HEAD skis: Crux Pro, Crux

Karuba Wood Core\*



SUPERLITE SANDWICH CAP CONSTRUCTION Thanks to the unique properties of Graphene, the Superlite Sandwich Cap Construction uses fewer materials but increases its responsiveness, allowing faster and more precise changes form edge-to-edge. The ultimate ski for flotation and responsiveness. 1 Top Sheet 7 Sidewall Diagonal Glass Fiber Glass Fiber Fleece Glass Fiber Reinforced Glass Fiber 10 Edae Graphene 0 Dampening Layer GRAPHENE Wood Core


Relevant HEAD skis: KORE X 90, KORE X 85, Worldcup Rebels e.XSR, Worldcup e.Race Team JRS, Oblivion JR, Oblivion JR Pro Oblivion 94, Oblivion 84, KORE Team




Relevant HEAD skis: KORE X 80, Shape e.V5, Shape V4, Absolut Joy, Real Joy, Shape AM R

# **SKI CONSTRUCTIONS**







# **BINDINGS SET-ALTERNATIVES / OVERVIEW**

3224	SKI NAME	BINDING ARTNR.		BINDING COLOR
	Worldcup Rebels e-Speed Pro	100904 100903 100905	FREEFLEX ST 16 BRAKE 85 [A] FREEFLEX ST 14 X BRAKE 85 [A] FREEFLEX ST 14 BRAKE 85 [A]	matt black/speed blue matt black/speed blue matt black/speed blue
		100905 100906 100907	FREEFLEX 11 RACE BRAKE 85 [A] FREEFLEX 14 GW BRAKE 85 [D]	matt black/speed blue matt black/speed blue matt black/speed blue
		100908 100909	FREEFLEX 11 GW BRAKE 85 [D] FREEFLEX DEMO 14 GW BRAKE 85 [D]	matt black/speed blue matt black/speed blue
244	Worldcup Rebels e-Speed	114300 100905 100903	FREEFLEX DEMO 14 GW BRAKE 85 [D] FREEFLEX ST 14 BRAKE 85 [A] FREFFLEX ST 14 X BRAKE 85 [A]	solid black/white matt black/speed blue matt black/speed blue
		100904	FREEFLEX ST 14 X BRAKE 85 [A] FREEFLEX ST 16 BRAKE 85 [A] FREEFLEX II RACE BRAKE 85 [A]	matt black/speed blue matt black/speed blue
		100907 100908	FREEFLEX 14 GW BRAKE 85 [D] FREEFLEX 11 GW BRAKE 85 [D] FREEFLEX DEMO 14 GW BRAKE 85 [D]	matt black/speed blue matt black/speed blue
254	Worldcup Rebels e-Race Pro	100909 114300 100904	FREEFLEX DEMO 14 GW BRAKE 85 [D] FREEFLEX DEMO 14 GW BRAKE 85 [D] FREEFLEX ST 16 BRAKE 85 [A]	matt black/speed blue solid black/white matt black/speed blue
		100903	FREEFLEX SEMO 14 GW BRAKE 85 [D] FREEFLEX ST 16 BRAKE 85 [A] FREEFLEX ST 14 X BRAKE 85 [A] FREEFLEX ST 14 X BRAKE 85 [A] FREEFLEX ST 14 BRAKE 85 [A] FREEFLEX ST 14 BRAKE 85 [A]	matt black/speed blue matt black/speed blue matt black/speed blue
		100906 100907 100908	FREEFLEX 11 RACE BRAKE 85 [A] FREEFLEX 14 GW BRAKE 85 [D] FREEFLEX 11 GW BRAKE 85 [D]	matt black/speed blue matt black/speed blue
		100908 100909 114300		matt black/speed blue matt black/speed blue solid black/white
264	Worldcup Rebels e-Race	100905 100903	FREEFLEX DEMO 14 GW BRAKE 85 [D] FREEFLEX ST 14 BRAKE 85 [A] FREEFLEX ST 14 X BRAKE 85 [A] FREEFLEX ST 16 SRAKE 85 [A] FREEFLEX TI 6 BRAKE 85 [A] FREEFLEX TI 6 BRAKE 85 [A] FREEFLEX TI 6 BRAKE 85 [A]	matt black/speed blue matt black/speed blue
		100904 100906	FREEFLEX ST 16 BRAKE 85 [A] FREEFLEX 11 RACE BRAKE 85 [A] FREEFLEX 14 CW BRAKE 85 [A]	matt black/speed blue matt black/speed blue
		100907 100908 100909	FREEFLEX 14 GW BRAKE 85 [D] FREEFLEX 11 GW BRAKE 85 [D] FREEFLEX DEMO 14 GW BRAKE 85 [D]	matt black/speed blue matt black/speed blue matt black/speed blue
		114300 100903	FREEFLEX DEMO 14 GW BRAKE 85 (D)	solid black/white matt black/speed blue
		100905 100906	FREEFLEX ST 14 X BRAKE 85 [A] FREEFLEX ST 14 BRAKE 85 [A] FREEFLEX 11 RACE BRAKE 85 [A]	matt black/speed blue matt black/speed blue
		100907 100908 100909	FREEFLEX 14 GW BRAKE 85 [D] FREEFLEX 11 GW BRAKE 85 [D] FREEFLEX DEMO 14 GW BRAKE 85 [D]	matt black/speed blue matt black/speed blue matt black/speed blue
04	Worldcup Rebels e-SL	114300 100907	FREEFLEX DEMO 14 GW BRAKE 85 (D)	solid black/white matt black/speed blue
		100904 100905	FREEFLEX 14 GW BRAKE 85 [D] FREEFLEX ST 16 BRAKE 85 [A] FREEFLEX ST 14 BRAKE 85 [A]	matt black/speed blue matt black/speed blue
		100906 100908 100909	FREEFLEX II RACE BRAKE 85 [A] FREEFLEX II GW BRAKE 85 [D] FREEFLEY DEMO 14 GW BRAKE 85 IDI	matt black/speed blue matt black/speed blue matt black/speed blue
64	Worldcup Rebels e.SLR	114300 100911	FREEFLEX DEMO 14 GW BRAKE 85 [D] FREEFLEX DEMO 14 GW BRAKE 85 [D] PR 11 GW BRAKE 78 [G]	solid black/white matt black/speed blue
		114508 114561	PR 11 GW BRAKE 78 [G] PROTECTOR PR 11 GW BRAKE 85 [P] PR 10 GW PROMO BRAKE 85 [G]	matt black solid black/speed blue
84	Worldcup Rebels e.GSR	100911 114508	PR 11 GW BRAKE 78 [G] PROTECTOR PR 11 GW BRAKE 85 [P] PR 10 GW PROMO BRAKE 85 [G]	matt black/speed blue matt black
14	Worldcup Rebels e.XSR	114561 100911 114508	PR 10 GW PROMO BRAKE 85 [G] PR 11 GW BRAKE 78 [G] PROTECTOR PR 11 GW BRAKE 85 [P] PR 10 GW PROMO BRAKE 85 [G]	solid black/speed blue matt black/speed blue matt black
FORMANCE		114561		solid black/speed blue
94	Supershape e-Original	100925 100941	PROTECTOR PR 13 GW BRAKE 85 [P] PRD 12 GW BRAKE 85 [F] PROTECTOR PR 13 GW BRAKE 85 [P]	matt black matt black
124	Supershape e-Speed Supershape e-Mannum	100925 100941 100925	PROTECTOR PR 13 GW BRAKE 85 [P] PRD 12 GW BRAKE 85 [F] PROTECTOR PR 13 GW BRAKE 85 [P]	matt black matt black matt black
44	Supershape e-Magnum Supershape e-Rally	100941 100925	PRD 12 GW BRAKE 85 [F] PROTECTOR PR 13 GW BRAKE 85 [P]	matt black matt black matt black
84	Supershape e-Titan	100941 100925	PRD 12 GW BRAKE 85 [F] PROTECTOR PR 13 GW BRAKE 85 [P]	matt black matt black
204	Shape e-V10	100946 114509 100943	PRD 12 GW BRAKE 95 [F] PROTECTOR PR 11 GW BRAKE 95 [P] PR 11 GW BRAKE 90 [G]	matt black matt black
24	Shape e-V8	100943 114508 100942	PROTECTOR PR 11 GW BRAKE 85 [P] PR 11 GW BRAKE 85 IG1	matt black matt black matt black
54 74	Shape e.V5 Shape V4	100942 100942	PR 11 GW BRAKE 85 [G] PR 11 GW BRAKE 85 [G]	matt black matt black
84 Mountain	Shape V2	100942	PR 11 GW BRAKE 85 [G]	matt black
44	Kore X 90	114598 114602	ATTACK LYT 11 GW BRAKE 95 [A] ATTACK LYT 11 GW BRAKE 95 [A]	sand solid black
		114612 114304 114587	ATTACK LYT 11 GW DEMO BRAKE 95 [F] ANTION 10 MN W/O BRAKE [C] AN IMONTE 12 PT BRAKE 105 IM1	solid black solid black black/metallic grey
94	Kore X 90 LYT-PR	114469 114465	ALMONTE 12 PT BRAKE 105 [M] PRW 11 GW BRAKE 90 [G] PRD 12 GW BRAKE 95 [F]	solid black matt black
54	Kore X 85	114509 114602	ATTACK LYT 11 GW BRAKE 95 [P]	matt black solid black
		114612 114304 114587	ATTACK LYT 11 GW DEMO BRAKE 95 [F] AMBITION 10 MN W/O BRAKE (C1	solid black solid black black/metallic grey
174	Kore X 85 LYT-PR	114469	ALMONTE 12 PT BRAKE 105 [M] PRW 11 GW BRAKE 90 [G] PRD 12 GW BRAKE 85 [F]	black/metallic grey solid black matt black
164	Kore X 80 LYT-PR	114508 114352	PROTECTOR PR 11 GW BRAKE 85 [P] PRW 11 GW BRAKE 85 [G] PRD 12 GW BRAKE 85 [F]	matt black solid black
1822		114464 114508	PRD 12 GW BRAKE 85 [F] PROTECTOR PR 11 GW BRAKE 85 [P]	matt black matt black
<b>465XI</b> 404	Kore 117	114427 114421	ATTACK 14 GW W/O BRAKE [A] ATTACK 17 GW W/O BRAKE [A]	solid black solid black
		114423 114593	ATTACK 14 MN W/O BRAKE [A]	solid black matt black
	_	114454 114608 114585	ATTACK 14 MN DEMO W/O BRAKE [F] ATTACK LYT 13 GW DEMO W/O BRAKE [F]	solid black solid black
		114585 114588 114592	PROTECTION AT HACK THIS DIW MOS PRANKE [F] ATTACK HIM M DEMO W/O BRAKE [F] ATTACK LYT 13 GW DEMO W/O BRAKE [F] ALMONTE 12 FT W/O BRAKE [M] ALMONTE 10 PT W/O BRAKE [M] ALMONTE 10 PT DEMO BRAKE [M]	black/metallic grey black/metallic grey black/metallic grey
		114301 114302		solid black solid black
			AMBITION 12 MN W/O BRAKE [C]	solid black
		114303 114304	AMBITION 10 MN W/O BRAKE [C]	
14	Kore III	114304 114440 114422	ADBENALIN 14 MN long W/O BRAKE [7]  AMBITION 12 MN W/O BRAKE [C]  AMBITION 10 MN W/O BRAKE [C]  ATTACK I GW W/O BRAKE [A]  ATTACK I GW W/O BRAKE [A]	solid black blue blue
14	Kore 111	114304 114440 114422 114427 114421		solid black blue blue solid black solid black
14	Kore III	114304 114440 114422 114427 114421 114423	ATTACK 14 GW W/O BRAKE [A] ATTACK 14 GW W/O BRAKE [A] ATTACK 17 GW W/O BRAKE [A] ATTACK 14 MN W/O BRAKE [A] ATTACK 14 MN W/O BRAKE [A] PROTECTOR ATTACK LYT 13 GW W/O BRAKE [P] ATTACK LAM DEMO W/O BRAKE [F]	solid black blue blue solid black solid black solid black solid black matt black solid black
14	Kore III	114304 114440 114422 114427 114421 114423 114593 114594 114608 114585	ATTACK 14 GW W/O BRAKE [A] ATTACK 14 GW W/O BRAKE [A] ATTACK 17 GW W/O BRAKE [A] ATTACK 14 MN W/O BRAKE [A] ATTACK 14 MN W/O BRAKE [A] PROTECTOR ATTACK LYT 13 GW W/O BRAKE [P] ATTACK LAM DEMO W/O BRAKE [F]	solid black blue blue solid black solid black solid black solid black matt black matt black solid black solid black solid black solid black
14	Kore III	114304 114440 114422 114427 114421 114423 114453 114454 114588 114588 114588	ATTAKK TO WID BRAKE (A) PROTECTOR ATTAKK WIT SO WID BRAKE (F) ATMAK WIT SO PT WID BRAKE (F) ALMONITE OF PT WID BRAKE (M) ALMONITE OF THO BRAKE (M) ALMONITE OF THOM BRAKE (M)	solid black blue blue solid black solid black solid black solid black matt black solid black matt black solid soli
14	Kore III	114304 114440 114422 114427 114421 114423 114423 114454 114593 114593 114595 114592 114301 114301	ATTACK IT ON HUD BRAKE (A) ATTACK HOW HUD BRAKE (A) ATTACK TO HIN UD BRAKE (A) ATTACK TO HIN UD BRAKE (A) PROTECTION ATTACK HIT ON HUD BRAKE (A) PROTECTION ATTACK HIT SO HIN HUD BRAKE (F) ATTACK HIT ON HUD BRAKE (A) ATTACK HIT OF HOW BRAKE (B) ALMONTE OF PIN HUD BRAKE (H) ALMONTE OF PIN HUD BRAKE (H) ALMONTE OF HUD BRAKE (H)	solid black blue blue solid black black/imtallic grey black/imtallic grey black/ortallic grey black/ortallic grey
		114304 114440 114422 114427 114427 114421 114423 114593 114593 114593 114585 114588 114592 114301 114302 114303 114303 114304	ATTACK IT ON WO BRAKE (A) ATTACK IT ON WO BRAKE (B) ATTACK AND EMPO WO BRAKE (F) ATTACK AND EMPO WO BRAKE (F) ALMONITE (F) PIO BRAKE (M) ALMONITE (M) BRAKE (M	solid black blue blue solid black solid black solid black solid black matt black solid black solid black solid black solid black black/metallic grey black/metallic grey black/metallic grey black/metallic grey solid black solid black solid black solid black solid black
	Kore III	H4304 H4427 H4427 H4427 H4427 H4423 H4423 H4593 H4592 H4490 H4490 H4490 H4490	ATTACK TO BY WO BRAKE (A)  ATTACK TO BY WO BRAKE (A)  ATTACK HO WO WO BRAKE (A)  ATTACK K HO WO BRAKE (A)  ATTACK K HO WO BRAKE (A)  ATTACK K HO WO BRAKE (B)  ATTACK K HO WO BRAKE (B)  ATTACK WH MO BOM WO BRAKE (F)  ATTACK WH DEWN WO BRAKE (F)  ATTACK WH DEWN WO BRAKE (F)  ALMONITE (F) PHOOD BRAKE (F)  ARMONITE (F) PHOOD BRAKE (F)  ARBOTAL HO WO BRAKE (F)  ARBOTAL HO WO BRAKE (F)  ARBOTAL HO B	solid black blue blue blue blue blue blue blue blue
		114204 114440 114442 114422 114421 114423 114423 114425 114425 114425 114425 114425 114423 114323 114324 114323 114323 114323 114323 114323 114323 114323 114323 114323 114423 114423 114423 114423	ATTACK TO BE WID BRAKE (A)  ATTACK TO BE WID BRAKE (A)  ATTACK AN HIM WID BRAKE (A)  ATTACK AN HIM WID BRAKE (A)  ATTACK AN HIM WID BRAKE (B)  ATTACK AN HIM WID BRAKE (F)  ATTACK AN HIM WID BRAKE (F)  ATTACK AND WID BRAKE (F)  ATTACK AND WID BRAKE (F)  ATTACK AND WID BRAKE (F)  ARMONITE OF FORD BRAKE (B)  ARMONITE OF FORD BRAKE (B)  ARMONITE OF FORD BRAKE (B)  ARBERBANH AN HIM DRO BRAKE (F)  ARBERBANH AND WID BRAKE (B)  ARBERBANH AND WID BRAKE (F)  ARBERBANH AND WID BRAKE (B)  ARTICK AND WID BRAKE (B)  ATTACK AND WID	solid black bloe  Solid black
		114;04 114440 114440 114440 114440 114440 114440 114440 114440 114440 114450 114450 114580	ATTACK TO B WO BRAKE (A)  ATTACK TO B WO BRAKE (A)  ATTACK K WHI WO BRAKE (A)  ATTACK K WHI WO BRAKE (A)  ATTACK K WHI WO BRAKE (B)  ATTACK K WHI WO BRAKE (B)  ATTACK K WHI WO BRAKE (B)  ATTACK WHI WO BRAKE (B)  ARMONITE OF PEREND WO BRAKE (B)  ARMONITE OF PEREND WO BRAKE (B)  ARBERALH M MI WHO BRAKE (B)  ARBERALH M MI WHO BRAKE (B)  ARBERALH M MI WHO BRAKE (C)  ARBERITACK WHI WO BRAKE (C)  ARBERITACK WHI WO BRAKE (C)  ATTACK K OF BRAKE (D) (A)  ATTACK K OF BRAKE (D) (B)  ATTACK K	soild black blue blue blue blue blue blue blue blue
		114;004 116467 116467 116467 116467 116467 116468 116588 116688 116688 116688 116688 116688 116688 116688 116688 116688 116688 116688 116688	ATTACK TO GO WO BRAKE (A)  ATTACK TO GO WO BRAKE (A)  ATTACK TO GO WO BRAKE (A)  ATTACK AT GO WO BRAKE (A)  ALMONITE (A) PT WO BRAKE (B)  ALMONITE (A) PT WO BRAKE (B)  ALMONITE (A) PT WO BRAKE (B)  ALMONITE (B) PT WO BRAKE (B)  ALMONITE (B) PT WO BRAKE (B)  AMERICAN (B) WO BRAKE (B)  ARETHAN (A) WO BRAKE (C)  AMERICAN (B) WO BRAKE (C)  ATTACK AT GO WO BRAKE (D)  ATTACK	solid black blue
		114;904 1144407 1144407 1144407 1144407 1144407 1144407 1144407 1144407 1144407 1144407 1144408 114440	ATTACK TO GO WO BRAKE (A)  ATTACK TO GO WO BRAKE (A)  ATTACK TO GO WO BRAKE (A)  ATTACK AT GO WO BRAKE (A)  ALMONITE (A) PT WO BRAKE (B)  ALMONITE (A) PT WO BRAKE (B)  ALMONITE (A) PT WO BRAKE (B)  ALMONITE (B) PT WO BRAKE (B)  ALMONITE (B) PT WO BRAKE (B)  AMERICAN (B) WO BRAKE (B)  ARETHAN (A) WO BRAKE (C)  AMERICAN (B) WO BRAKE (C)  ATTACK AT GO WO BRAKE (D)  ATTACK	soile black blue blue blue blue blue blue blue blue
		114;04 114;04 114;04 114;04 114;05 114;07 11	ATTACK TO BE WID BRAKE (A).  ATTACK TO BE WID BRAKE (A).  ATTACK AT ON WIS BRAKE (B).  ATTACK ATT IS ON DEATH (B).  ATTACK ATT IS ON DEATH (B).  ATTACK ATT IS ON DEATH (B).  ALMONITE (F) PE WID BRAKE (M).  ALMONITE (D) PE WID BRAKE (M).  AREMAN IN ATTACK (B).  AREMAN IN AM DIO BRAKE (F).  AREMAN IN AM MIO BRAKE (B).  ATTACK A ON BRAKE (B).	solid black blue blue blue blue blue blue blue blue
24		114;904 1144407 1144407 1144407 1144407 1144407 1144407 1144407 1144408	ATTACK TO GIN WO BRAKE (A)  ATTACK TO GIN WO BRAKE (A)  ATTACK MAN WO BRAKE (A)  ATTACK MAN WO BRAKE (B)  AMONITE (D) FEWD WO BRAKE (B)  AMONITE (D) FEWD BRAKE (M)  ATTACK MAN WO BRAKE (D) (A)  ATTACK MAN WO BRAKE (D) (B)  ATTACK MAN WO BRAKE (B) (B)  AMONIT (D) P GEND BRAKE (D) (B)  AMONIT (D) P GEND BRAKE (D) (B)  ARROWS (D) P GROWN BR	soile black blue blue blue blue blue blue blue blue
24	Nore 105	114;04 114;04 114;04 114;04 114;05 114;07 11	ATTACK TO SE WID SEAKE (A)  ATTACK TO SE WID SEAKE (A)  ATTACK MAN WID SEAKE (B)  ATTACK MAN SEAKE (B)  AMONITE (B) FEW SEAKE (B)  AMONITE (B) FEW SEAKE (B)  ASSESSMENT MAN MAN SEAKE (B)  ASSESSMENT M	soile black blue blue blue blue blue blue blue blue
24	Nore 105	114204 11444	ATTACK TO BE WED BRAKE (A)  ATTACK TO BE WED BRAKE (A)  ATTACK AND WED BRAKE (A)  ATTACK AND WED BRAKE (B)  AMONITE (D) FF BUS BRAKE (B)  AMONITE (D) FF BUS BRAKE (M)  AMONITE (D) FF BUS BRAKE (B)  ARBEITAGH AND WED BRAKE (B)  ARBEITAGH AND WED BRAKE (B)  ARBEITAGH AND WED BRAKE (B)  ATTACK A GWE BRAKE (D) (A)  ATTACK A GWE BRAKE (D) (A)  ATTACK A GWE BRAKE (B)  ANDRIT (D) FF BRAKE (B)  AMONIT (D) FR BRAKE (B	soriel black bloe  Soliel black
24	Nore 105	114204 11444	ATTACK TO GO WO BRAKE (A)  ATTACK TO GO WO BRAKE (A)  ATTACK TO GO WO BRAKE (A)  ATTACK AT GO WO WO BRAKE (B)  ATTACK AT TO GO WO WO BRAKE (B)  ATTACK AT TO GO WO WO WO BRAKE (B)  ATTACK AT TO GO WO WO WO BRAKE (B)  ALMONITE (B) FO WO WO BRAKE (B)  AMBORITO (B) FO WO WO BRAKE (B)  ARBERTON (B) WO WO BRAKE (B)  ATTACK AT TO GO WO BRAKE (B)  ATTACK AT TO BE BRAKE (B)  ATTACK AT TO GO WO BRAKE (B)  ATTACK AT TO BE BRAKE (B)  ATTACK AND WO BRAKE (B)  ATTACK AND WO BROKE (B)  ATTACK AND WO BRAKE (B)  ATTACK AND WO BROKE (B)  ATTACK AND	solid black bloe  Self-black bloe  Self-black solid black
24	Nore 105	114-04-0 114	ATTACK TO GO WO BRAKE (A)  ATTACK TO GO WO BRAKE (A)  ATTACK MAN WO BRAKE (A)  ATTACK MAN WO BRAKE (B)  AMONITE OF PIOUS BRAKE (M)  AMONITE OF PIOUS BRAKE (B)  ARETON (B) MAN WO BRAKE (C)  ATTACK MAN WO BRAKE (C)  ATTACK MAN WO BRAKE (C)  ATTACK MAN WO BRAKE (B)  ATTACK MAN	soile black blue  Soile Black
24	Nore 105	114204 114447 11447 11447 11447 114447 11447 114447	ATTACK TO GIN WO BRAKE (A)  ATTACK TO GIN WO BRAKE (A)  ATTACK THAN WO BRAKE (B)  ATTACK THAN WO BRAKE (B)  ATTACK THAN SHO BRAKE (B)  ATTACK THAN SHO BRAKE (B)  AMONITE OF PROBABATE (B)  AMONITE OF PROBABATE (B)  AMONITE OF PROBABATE (B)  AMONITE OF PROBABATE (B)  ARETHAN ATTACK THAN SHO BRAKE (B)  ARETHAN ATTACK THAN SHO BRAKE (B)  ATTACK THAN WO BRAKE (B)  ATTACK THE OR BRAKE (B)  ATTACK TH	soile black bloe  Self-black bloe  Self-black soile black
24	Nore 105	114204 114440 11440 11440 114440 114440 114440 114440 114440 114440 114440 114440 11440 11440 1140 11440 1140 11440 11440 11440 11440 11440 11440 11440 11440 11440 11440 11	ATTACK TO BE WE BEAKE (A)  ATTACK THE WE BEAKE (A)  ATTACK AT ON WE BEAKE (B)  ATTACK AT ON WE BEAKE (B)  ATTACK AT IS ON DEATH (A)  ATTACK AT IS ON BEAKE (B)  ATTACK AT ON BEAKE (B)  AMENITED (C)  AMENITED (C)  ATTACK AT ON BEAKE (B)  AMENITED (C)  ATTACK AT ON BEAKE (B)  AMENITED (C)  AMENITED (C)  ATTACK AT ON BEAKE (B)  AMENITED (C)  ATTACK AT ON	soile black bloe bloe bloe bloe bloe bloe bloe bloe
34	Nore 105	11424 11442	ATTACK TO SHI WO BRAKE (I)  ATTACK TO SHI WO BRAKE (I)  ATTACK MAN WO BRAKE (I)  AMONITED OF PROBLEM MAN (I)  AMONITED OF MAN (I)  AMONITED OF MAN (I)  ATTACK MAN (I)  AMONITED (I)  AMONITED (I)  AMONITED (I)  ATTACK MAN (I)  AMONITED (I)  ATTACK MAN (I)  BARKEL (I)  ATTACK MAN (I)  ATTACK MAN (I)  BARKEL (I)  ATTACK MAN (I)  ATTACK MAN (I)  ATTACK MAN (I)  BARKEL (I)  ATTACK MAN (I)  ATTACK MAN (I)  BARKEL (I)  B	soriel black bloe  Soliel black
34	Note 105	114204 114407 114407 114407 114407 114407 114407 114407 114408 114408 114508	ATTACK TO BE WE BRAKE (1).  ATTACK TO BE WE BRAKE (1).  ATTACK ATTOR WE BRAKE (2).  ATTACK ATTOR WE BRAKE (2).  ATTACK ATTOR WE BRAKE (2).  ATTACK ATTOR WE BRAKE (3).  ARBOTROUGH WE WE BRAKE (3).  ARBOTROUGH WE WE BRAKE (3).  ARBOTROUGH WE WE BRAKE (3).  ATTACK ATTOR WE BRAKE (3).  ARBOTROUGH WE WE BRAKE (3).  ATTACK ATTOR WE BRAKE (3).  ATTACK ATTOR WE BRAKE (3).  ARBOTROUGH WE WE BRAKE (3).  ATTACK ATTOR WE BRAKE (3).  ARBOTROUGH WE SHAKE (3).  ARBOTROUGH	soile black blue  Sere
34	Note 105	11424 11444	ATTACK TO BE WE BEAKE (A)  ATTACK TO BE WE BEAKE (A)  ATTACK AT ON WE BEAKE (B)  ATTACK AT ON WE BEAKE (B)  ATTACK AT IS ON DEATH (A)  ATTACK AT IS ON DEATH (A)  AMOUNT (C) PT BO BEAKE (M)  ABERSHAIN IN MIN BEAKE (B)  ADERSHAIN IN MIN BEAKE (C)  ATTACK AT ON BEAKE (M)  AMOUNT (C) PERSON (M)  ATTACK AT ON BEAKE (M)  AMOUNT (C) PERSON (M)  ATTACK AT ON BEAKE (M)  AMOUNT (C) PERSON (M)  ATTACK AT ON BEAKE (M)  AMERICAN (C) ATTACK (M)  ATTACK AT ON BEAKE (M)  ATTACK AT ON BEAKE (M)  AMERICAN (C) ATTACK (M)  ATTACK AT ON BEAKE (M)  AMERICAN (M)  ATTACK AT ON BEAKE (M)  AMERICAN (M	soriel black bloe  Step 1  Step 2  Step 2  Step 2  Step 3  Step 3  Step 4  Ste
34	Note 105	114-04-0 114	ATTACK TO GIN DO BRAKE (I).  ATTACK TO GIN DO BRAKE (I).  ATTACK THAN WHO BRAKE (I).  ALMONITE OF FIND BRAKE (II).  ARBEITHOUR IS MIN DO BRAKE (II).  ARBEITHOUR IS MIN BRAKE (II).  ARBEITHOUR IS MIN BRAKE (II).  ARBEITHOUR IS MIN BRAKE (II).  ATTACK THAN WHO BRAKE (II).  ATTACK THAN BRAKE (II).  ATTACK THAN WHO BRAKE (II).  ATTACK THAN BRAKE (II).  ATTACK THAN BRAKE (II).  ATTACK THAN BRAKE (II).  ATTACK THAN BRAKE (II).  ARBEITHOUR IS WHO BRAKE (II).  ATTACK THAN BROKE BRAKE (II).  ATTACK THAN BROKE BRAKE (II).  ARBEITHOUR IS WHO BRAKE (II).  ATTACK THAN BROKE BRAKE (II).  ARBEITHOUR IS WHO BRAKE (II).  ARBEITHOUR IS WHO BRAKE (II).  ATTACK THE OF BRAKE (II).  ATTACK THE OF BRAKE (III).  ARBEITHOUR IS WHO BRAKE (III).  ATTACK THE OF BRAKE (III).  ATTACK THE OF BRAKE (III).  ARBEITHOUR IS WHO BRAKE (III).  ATTACK THE OF BRAKE (III).  ARBEITHOUR IS WHO BRAKE (III).  ARBEITHOUR IS WHO BRAKE (III).  ARBEITHOUR IS WHO BRAKE (III).  ATTACK THE OF BRAKE (III).  ARBEITHOUR IS WHO BRAKE (I	solid black bloe
34	Note 105	11420-1 11440-1 11440-1 11440-1 11440-1 11440-1 11440-1 11440-1 11440-1 11440-1 11440-1 11440-1 11440-1 11450-	ATTACK TO GI WO BRAKE (A)  ATTACK TO GI WO BRAKE (A)  ATTACK TO GI WO BRAKE (A)  ATTACK THAN WA WO BRAKE (B)  ALMONITE DO FI WO BRAKE (B)  ALTICK THAN WA WO BRAKE (B)  ALTICK THAN WO BRAKE (B)  ALTICK THE OR BRAKE	soile black blue blue blue blue blue blue blue blue
24	Note 105	11420-0 114440 11440 11440 11440 114440 114440 114440 114440 114440 114440 114440 114440 1144	ATTACK TO GI WO BRAKE (A)  ATTACK TO GI WO BRAKE (A)  ATTACK TO GI WO BRAKE (A)  ATTACK THAN WA WO BRAKE (B)  ALMONITE DO FI WO BRAKE (B)  ALTICK THAN WA WO BRAKE (B)  ALTICK THAN WO BRAKE (B)  ALTICK THE OR BRAKE	soile black blue  Die   Step   Step
34	Note 105	11424 11444	ATTACK TO BE WE BEAKE (A)  ATTACK THE WE BEAKE (A)  ATTACK AND WE BEAKE (B)  AMONITE OF BUO BEAKE (M)  AMONITE OF BUO BEAKE (M)  AMONITE OF BUO BEAKE (M)  ARESTALAIN AND WE BEAKE (B)  ARESTALAIN AND WE BEAKE (B)  ATTACK AND WE BEAKE (B)  ANDRELED (C)  ANDRELED (C)  ATTACK AND WE BEAKE (B)  ANDRELED (C)  ANDRELED (C)  ATTACK AND WE BEAKE (B)  ANDRELED (C)	soile black bloe
26 26 26 26 26 26 26 26 26 26 26 26 26 2	Kore 105	11424 11442	ATTACK TO GIN DO BRAKE (I)  ATTACK TO GIN DO BRAKE (I)  ATTACK MAN WHO BRAKE (I)  AMMORTE D' FI DO BRAKE (II)  ATTACK MAN WHO BRAKE (III)  ATTACK MAN WHO BRAKE (III)  AMMORTE O' FE DOWN BRAKE (III)  AMMORTE O' FE DOWN BRAKE (III)  ATTACK MAN WHO BRAKE (III)  ATTACK MAN WHO BRAKE (III)  ATTACK MAN WHO BRAKE (III)  AMMORTE O' FE DOWN BRAKE (III)  AMMORTE O' FE DOWN BRAKE (III)  ATTACK O'  ATTACK MAN BRAKE (III)  ATTACK MAN WHO BRAKE (III)  ATTACK MAN WHO BRAKE (III)  ATTACK O' O' O' O' O' O' O' O' O'  AMMORTE O' FE DOWN BRAKE (III)  AMMORTE O' FE DOWN BRAKE (III)  AMMORTE O' FE DOWN BRAKE (III)  AMMORTE O'	soile black bloe bloe bloe bloe bloe bloe bloe bloe
34	Note 105	114-04-01 114-04	ATTACK TO GIN DO BRAKE (I)  ATTACK THE WIS DORAGE (I)  ATTACK MAN WIN DEARE (I)  AMONITE DE PT BO BRAKE (II)  ATTACK MAN WIN DEARE (III)  ATTACK WIN DEARE (II	soile black bloe  Soile black
26 Zd	Kore 105	114-04-01 114-04	ATTACK TO GIN DO BRAKE (I)  ATTACK THE WIS DORAGE (I)  ATTACK MAN WIN DEARE (I)  AMONITE DE PT BO BRAKE (II)  ATTACK MAN WIN DEARE (III)  ATTACK WIN DEARE (II	soile black bloe bloe bloe bloe bloe bloe bloe bloe
26 Zd	Kore 105	114-00-0 114-02-1 114	ATTACK OF BIND BRAKE (IA)  ATTACK TO BIND BRAKE (IA)  ATTACK TO BIND BRAKE (IA)  ATTACK AT BIN BIND BRAKE (IA)  ATTACK AT BIND BR	soile black blue blue blue blue blue blue blue blue
26 Zd	Kore 105	11420-1 11440-	ATTACK OF BIND BRAKE (IA)  ATTACK TO BIND BRAKE (IA)  ATTACK TO BIND BRAKE (IA)  ATTACK AT BIN BIND BRAKE (IA)  ATTACK AT BIND BR	soile black bloe
26 Zd	Kore 105	114440 114447 11447 11447 114447 114447 114447 114447 114447 114447 114447 114447 11447 11447 114447 114447 114447 114447 114447 114447 114447 114447 114447	ATTICK OF BIND BRAKE (IA)  ATTICK OF BIND BRAKE (IA)  ATTICK OF BIND BRAKE (IA)  ATTICK AT GIR BIND BRAKE (IA)  AND BRAKE (IA)	soile black bloe
24. 334.	Kore 105	114040 114447 114447 114447 114447 114447 114447 114447 114447 114447 114447 114447 114447 114447 114447 114447 114447 114447 114447 114448 114488 11	ATTACK OF GIN WO BRAKE (I)  ATTACK TO GIN WO BRAKE (I)  ATTACK HAW WO BRAKE (II)  ATTACK HAW WO BRAKE (II)  AMONITE OF FIND BRAKE (III)  AREMONITE OF WO BRAKE (III)  AREMONITE OF BRAKE (III)  ATTACK HAW WO BRAKE (III)  ATTACK HAW	soriel black blue blue blue soliel black sol
34 34	Kore 105	114-04-0 114	ATTICK OF BIND BRAKE (IA)  ATTICK OF BIND BRAKE (IA)  ATTICK OF BIND BRAKE (IA)  ATTICK AT GIR BIND BRAKE (IA)  AND BRAKE (IA)	soile black blue blue blue blue blue blue blue blue

	SKI NAME	BINDING ARTNR.	BINDING NAME	BINDING COLOR
		114456 114610	ATTACK 14 MN DEMO BRAKE 110 [F] ATTACK LYT 13 GW DEMO BRAKE 110 [F]	solid black solid black
		114613	ATTACK LYT 13 GW DEMO BRAKE 110 [F] ATTACK LYT 11 GW DEMO BRAKE 110 [F] AT MONTE 12 PT BRAKE 105 [M]	solid black black/sand
		114584 114590 114592	ALMONTE 12 PT BRAKE 105 [M] ALMONTE 10 PT BRAKE 105 [M] ALMONTE 10 PT DEMO PRAKE 105 [M]	black/metallic grey black/metallic grey
		114301	ALMONTE 10 PT DEMO BRAKE 105 [M] ADRENALIN 14 MN short W/O BRAKE [F]	solid black
		114302 114303 114304	ADRENALIN 14 MN long W/O BRAKE [F] AMBITION 12 MN W/O BRAKE [C] AMBITION 10 MN W/O BRAKE [C]	solid black solid black
315474	Kore 97 W	114597 114423	ATTACK LYT 12 GW BRAKE (L) ATTACK LYT 12 GW BRAKE (A) ATTACK 14 MN W/O BRAKE [A]	solid black matt white
		114433	ATTACK 14 MN W/U BRAKE [A] ATTACK 14 GW BRAKE 110 [A]	solid black matt white
		114605 114595	ATTACK IN 9 MAN WIO SHARE (N) ATTACK KET OF SHARE (N) CAI ATTACK KET OF SHARE (N) CFT ATTACK (N) CFT	solid white matt black
		114456 114610	ATTACK 14 MN DEMO BRAKE 110 [F] ATTACK LYT 13 GW DEMO BRAKE 110 [F]	solid black solid black
		114613 114584	ATTACK LYT 11 GW DEMO BRAKE 110 [F] ALMONTE 12 PT BRAKE 105 [M]	solid black black/sand
		114590 114592	ALMONTE 12 PT BRAKE 105 [M] ALMONTE 10 PT BRAKE 105 [M] ALMONTE 10 PT DEMO BRAKE 105 [M]	black/metallic grey black/metallic grey
		114301	ADRENALIN 14 MN short W/O BRAKE [F] ADRENALIN 14 MN long W/O BRAKE [F]	solid black solid black
		114303 114304	AMBITION 12 MN W/O BRAKE [C]	solid black solid black
315484	Kore 91 W	114596 114423	ANIBITION TO MEN YOU BRAKE (E) ATTACK 19T TIZ OW BRAKE 95 [A] ATTACK 14 MN W/O BRAKE 74 ATTACK 14 MN W/O BRAKE 75 [A] ATTACK 14 MN BRAKE 95 [A] ATTACK LYT II GW BRAKE 95 [A]	matt white solid black
		114432 114604	ATTACK 14 GW BRAKE 95 [A]	matt white solid white
		114594 114455	PROTECTOR ATTACK LYT 13 GW BRAKE 95 [P] ATTACK 14 MN DEMO BRAKE 95 [F]	matt black
		114609	ATTACK 14 MN DEMO BRAKE 95 [F] ATTACK LYT 13 GW DEMO BRAKE 95 [F] ATTACK LYT 11 GW DEMO BRAKE 95 [F]	solid black solid black
		114612 114584	ALMONTE 12 PT BRAKE 105 [M]	solid black black/sand
		114584 114590 114592	ALMONTE 12 PT BRAKE 105 [M] ALMONTE 10 PT BRAKE 105 [M] ALMONTE 10 PT DEMO BRAKE 105 [M]	black/metallic grey black/metallic grey
		114301 114302	ADRENALIN 14 MN Short W/O BRAKE [F]	solid black solid black
		114303 114304	AURENALITY WIN HOUSE BRAKE [C] AMBITION 12 MM W/O BRAKE [C] AMBITION 10 MM W/O BRAKE [C] ATHACK LYT I (5 W BRAKE 95 [A] ATHACK LYT I (5 W BRAKE 95 [A] ATHACK LYT II (5 W BRAKE 95 [A] ATHACK LYT II (5 W BRAKE 95 [A] ATHACK LYT II (5 W BRAKE 95 [A] DEPOTLETION ATTACK LYT II (5 W BRAKE 95 [A]	solid black solid black
315494	Kore 85 W	114596 114423	ATTACK LYT 12 GW BRAKE 95 [A] ATTACK 14 MN W/O BRAKE 141	matt white solid black
		114432 114604	ATTACK 14 GW BRAKE 95 [A]	matt white solid white
		114594	PROTECTOR ATTACK LYT 13 GW BRAKE 95 [P] ATTACK 14 MN DEMO BRAKE 95 [F]	matt black
		114455 114609	ATTACK 14 MN DEMO BRAKE 95 [F] ATTACK LYT 13 GW DEMO BRAKE 95 [F]	solid black solid black
		114612	ATTACK LYT 13 GW DEMO BRAKE 95 [F] ATTACK LYT 13 GW DEMO BRAKE 95 [F] ALMONTE 12 PT BRAKE 90 [M] ALMONTE 10 PT BRAKE 90 [M] ALMONTE 10 PT DEMO BRAKE 90 [M]	solid black
		114589 114591	ALMONTE 10 PT BRAKE 90 [M] ALMONTE 10 PT DEMO BRAKE 90 [M]	black/metallic grey black/metallic grey
		114301 114302		solid black solid black
		114302 114303 114304	ADBERALIN 14 MN IONG W/O BRAKE [1]  AMBITION 12 NN W/O BRAKE [C]  AMBITION 10 NN W/O BRAKE [C]  AMBITION 10 NN W/O BRAKE [A]  ATTACK 14 GW W/O BRAKE [A]  ATTACK 14 GW W/O BRAKE [A]	solid black
315564	Oblivion 116	114304 114427 114551	ATTACK 14 GW W/O BRAKE [A]	solid black solid black
		114421	ATTACK 14 GW W/O BRAKE [A] ATTACK 17 GW W/O BRAKE [A] ATTACK 17 GW W/O BRAKE [A]	solid black/matt white mix solid black solid black/matt white mix
		114550	ATTACK 14 MN W/O RPAKE (A)	solid black
		114600	ATTACK LYT 11 GW W/O BRAKE [A] PROTECTOR ATTACK LYT 13 GW W/O BRAKE [P] ATTACK 14 MN DEWO W/O BRAKE [F] ATTACK LYT 13 GW DEMO W/O BRAKE [F]	solid black matt black
		114454 114608	ATTACK 14 MN DEMO W/O BRAKE [F] ATTACK LYT 13 GW DEMO W/O BRAKE [F]	solid black solid black
315584	Oblivion 102	114430	ATTACK 14 GW BRAKE 110 [A] ATTACK 14 GW BRAKE 110 [A]	solid black solid black/matt white mix
		114421 114550		solid black solid black/matt white mix
		114423	ATTACK IT OW W/O BRAKE [A] ATTACK IT OW W/O BRAKE [A] ATTACK IT OW W/O BRAKE [A] ATTACK LYT II GW BRAKE IIO [A] PROTECTOR ATTACK LYT I3 GW BRAKE IIO [P] ATTACK I4 MN DEMO BRAKE IIO [F]	solid black
		114603 114595 114456	PROTECTOR ATTACK LYT 13 GW BRAKE 110 [P]	solid black matt black
DIFFI.	0100-04	114610	ATTACK LYT 13 GW DEMO BRAKE 110 [F]	solid black solid black
315514	Oblivion 94	114429 114441	ATTACK LYT IS GW DEMO BRAKE TIO [F] ATTACK LYT IS GW DEMO BRAKE TIO [F] ATTACK LYT GW BRAKE 95 [A] ATTACK TI GW W/O BRAKE [A] ATTACK TI GW W/O BRAKE [A] ATTACK TI GW W/O BRAKE [A]	solid black blue
		114421 114422	ATTACK 17 GW W/O BRAKE [A] ATTACK 17 GW W/O BRAKE [A]	solid black blue
		114423 114602	ATTACK I M W MYO BRANE [N] ATTACK Y M IN WO BRANE [N] ATTACK Y TH MYO BRANE [N] ATTACK Y TH IN W BRANE 95 [A] PROTECTOR ATTACK (YT 13 GW BRANE 95 [F] ATTACK Y M IN DEMO BRANE 95 [F] ATTACK Y TH 3 GW DEMO BRANE 95 [F] ATTACK Y TH 10 W DEMO BRANE 95 [F] ATTACK Y TH 10 W DEMO BRANE 95 [F] ATTACK I W TH SORDER 95 [F]	solid black solid black
		114594 114455	PROTECTOR ATTACK LYT 13 GW BRAKE 95 [P] ATTACK 14 MN DEMO BRAKF 95 [F]	matt black solid black
		114609 114612	ATTACK LYT 13 GW DEMO BRAKE 95 [F]	solid black solid black
315524	Oblivion 84	114428	ATTACK 14 GW BRAKE 85 [A] ATTACK 17 GW W/O BRAKE [A]	solid black
		114421 114423		solid black solid black
		114601 114594	ATTACK LYT 11 GW BRAKE 85 [A] PROTECTOR ATTACK LYT 13 GW BRAKE 95 [P]	solid black matt black
				solid black
		114455	ATTACK 14 MN DEMO BRAKE 95 [F] ATTACK 17T 13 GW DEMO BRAKE 95 [F]	solid black
315544	Oblivion 79	114455	ATTACK 14 MN DEMO BRAKE 95 [F] ATTACK LYT 11 GW DEMO BRAKE 95 [F] ATTACK LYT 11 GW DEMO BRAKE 95 [F] ATTACK 14 GW BRAKE 95 [A]	solid black
315544	Oblivion 79	114455 114609 114612 114425 114428	ATTACK H MG MICH SHARES (A) ATTACK LYTH IN GH BERARE SS (A) FRONEITOR ATTACK LYTH GH BERARE SS (F) ATTACK M M DEBNO BERARE SS (F) ATTACK M M M DEBNO BERARE SS (F) ATTACK M THIS GH DEBNO BERARE SS (F) ATTACK M GH BERARE SS (A) ATTACK M GH BERARE SS (A) ATTACK M GH BERARE SS (A)	solid black solid black flash yellow solid black
315544	Oblivion 79	114455 114609 114612 114425 114428 114421 114421		solid black solid black flash yellow solid black solid black solid black
315544	Oblivion 79	114455 114609 114612 114425 114428 114421 114423 114601 114594	ATTACK 19 GW BYO BRAKE [A] ATTACK 14 MN W/O BRAKE [A] ATTACK 14 MN W/O BRAKE [A] ATTACK 1VT II GW BRAKE RS [A]	solid black solid black flash yellow solid black solid black solid black solid black solid black matt black
315544	Oblivion 79	114455 114609 114612 114425 114428 114421 114423 114423 114594 11455 114609	ATTACK 17 GW W/O BRAKE [A] ATTACK 17 GW W/O BRAKE [A] ATTACK 17 II UW BRAKE 85 [A] PROTECTOR ATTACK LYT 13 GW BRAKE 95 [P] ATTACK LYM NO FORM BRAKE 95 [F] ATTACK LYM NO FORM BRAKE 95 [F]	solid black solid black flash yellow solid black matt black solid black solid black
315544 TOURING	Oblivion 79	114455 114609 114612 114425 114428 114421 114423 114601 114594	ATTACK I FOR IND SEARCE (A) ATTACK IT ON IND SEARCE (A) ATTACK IT ON IND SEARCE (A) ATTACK I TO IND SEARCE (B) ATTACK I I SEARCE (B) A	solid black solid black flash yellow solid black solid black solid black solid black solid black matt black
	Oblivion 79  Crux 105 Pro	114655 114609 114612 114425 114425 114421 114423 114601 114594 114455 114609 114612	ATTACK OF WIND SHARE (2) ATTACK HIS MIN DO SHARE (3) ATTACK HIS MIN DO SHARE (3) ATTACK HIS MIN DO SHARE (3) ATTACK HIS MIN SHARE (3) ATTACK HIS M	solid black solid black flash yellow solid black black/sand
TOURING		114455 114609 114612 114425 114428 114423 114601 114594 11455 114609 114612 114584 114590 114590 114590	ATTACK OF WIND SHARE (2) ATTACK HIS MIN DO SHARE (3) ATTACK HIS MIN DO SHARE (3) ATTACK HIS MIN DO SHARE (3) ATTACK HIS MIN SHARE (3) ATTACK HIS M	solid black solid black flash yellow solid black black/solid black/metallic grey black/metallic grey
TOURING 315804	Crux 105 Pro	114455 114609 114612 114425 114425 114428 114421 114423 114601 114594 11455 114609 11459 114609 11459 1159 1159 1159 11599 11599 115	ATTACK IT ON WID SEARCE () ATTACK MEN IN DEBACE () AMONTE () AMO	solid black solid black flash yellow solid black flash yellow solid black
TOURING		114455 114609 114612 114425 114425 114421 114421 114421 114601 114591 114591 114591 114592 114612 114592 114633 114592 114592 114592 114592 114592 114592 114592	ATTACK IT ON WID SEARCE () ATTACK MEN IN DEBACE () AMONTE () AMO	solid black solid
TOURING 315804	Crux 105 Pro	114455 114609 114609 114612 114628 114628 114628 114631 114631 114534	ATTACK IT ON WID SEARC () ATTACK MAN IN SEARC () ALMONITE () PT SEARC () ALMONITE () PT SEARC () AMBITTON DAWN ON SEARC () AMBITTON DAWN ON SEARC () ALMONITE () PT SEARC () ALMONITE ()	solid black voice black voice black solid
TOURING 315804	Crux 105 Pro	114455 114609 114612 114625 114625 114625 114623 114631 116631 11	ATTACK M WIN D SBAKE (A) ATTACK M WIN D SBAKE (A) ATTACK M WIN D SBAKE (B) AMONITE OF BRAKE (B) SIM AMONITE OF BRAKE (B) AMONITE OF BRAKE	solid black solid
TOURING 315804	Crus 105 Pro	114455 114609 114609 114608 114428 114423 114423 114423 114423 114459 114455 114455 114599 114599 114599 114590 11	ATTACK M WIN DEBACE () ATTACK M HIN DEBACE () AMONTE () BASE () BASE () AMONTE () BASE (	solid black solid
TOURING 315804	Crus 105 Pro	114455 114609 114609 114609 114428 1144421 114	ATTACK IT ON WID SEARCE (A ATTACK MAN IN OBBACE (A) ATTACK MAN IN OBBACE (A) ATTACK MAN IN OBBACE (B) ALMONITE (P) BRAKE (D) (M) ALMONITE (P) BRAKE (D) (M) AMBITION DAY MO SERVE (C)	solid black void black void black solid bl
TOURING 315804	Crus 105 Pro	114455 114609 114609 114609 114423 114423 114423 114423 114423 114423 114601 114609 11	ATTACK I TO WIND SBAKE (A) ATTACK IN HIN DISBAKE (A) ATTACK IN HIN DISBAKE (A) ATTACK IN HIN DISBAKE (B) ATTACK IN HIN HIN HIN HIN HIN HIN HIN HIN HIN	solid black colid black solid black
TOURING 315804 315814 315824	Crus 105 Pro Crus 99 Pro Crus 99 Pro	114455 114657 114658 114428 1144428 1144428 1144428 1144428 114443 114443 114443 114443 114443 114459 114459 114591 114591 114591 114591 114591 114591 114591 114591 114591 114591 114591 114591 114591 114591 114591 114591	ATTACK IN WIN DEBACE (A) ATTACK IN WIN DEBACE (A) ATTACK IN WIN DEBACE (A) ATTACK IN WIN DEBACE (B) ATTACK IN WIN DEBACE (B) ATTACK IN THE DEBACE	solid black colid black solid
TOURING 315804 315814 315824	Crus 195 Pro Crus 99 Pro Crus 99 Pro Crus 93 Pro Crus 93 Pro	114455 114657 114657 114658 114658 114648 114658	ATTACK M WIN DEBACE () AMONITE ()	solid black
TOURING 315804 315814 315824 315824	Crus 105 Pro Crus 99 Pro Crus 99 Pro	114455 114609 114609 114421 114421 114423 114421 114423 114421 114591 114591 114591 114591 114591 114592 114593	ATTACK IT ON WID SBARE (A) ATTACK MAN IN OBBARE (A) ATTACK MAN IN OBBARE (A) ATTACK MAN IN OBBARE (B) AMONTO P OBBARE (C) AMONTO P OBBARE (B) AMONTO P OBBARE (B) AMONTO P OBBARE (C)	solid black voil black voil black solid black
TOURING 315804 315814 315824 315824	Crus 195 Pro Crus 99 Pro Crus 99 Pro Crus 93 Pro Crus 93 Pro	114455 114455 114455 114445 114445 114445 114445 114445 114445 11445 11445 11445 11445 11459	ATTACK M WIN DEBACE () AMONITE DE PEBACE () AMONIT	solid black
TOURING 315804 315814 315824 315834 315834	Crus 105 Fro Crus 99 Fro Crus 99 Fro Crus 99 Fro Crus 81 Fro Crus 81 Fro	114455 114609 114609 114428 114445 114445 114445 114445 114445 114445 11445 11445 11445 11459	ATTACK M WIN DEBACE () AMONITE DE PEBACE () AMONIT	solid black with black with black solid black
TOURING 315804 315814 315824 315834 315834	Crus 195 Pro Crus 99 Pro Crus 99 Pro Crus 93 Pro Crus 93 Pro	114455 114455 114455 114445 114445 114445 114445 114445 114445 114443 11	ATTACK M WIN DEBACE () AMONITE DE PEBACE () AMONIT	solid black void black void black solid black
TOURING 315804 315814 315824 315834 315834	Crus 105 Fro Crus 99 Fro Crus 99 Fro Crus 99 Fro Crus 81 Fro Crus 81 Fro	114455 114455 114455 114445 114445 114445 114445 114445 114445 11445 11445 11445 11445 11445 11445 11445 11445 11445 11445 11445 11445 11445 11445 11445 11445 11445 11459	ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (B)  AMOUNTE OF PEDAG BRAKE (B) (M)  AMOUNTE OF PEDAG BRAKE (B)  AMOUNTE OF PEDAG BRAKE (C)  AMOUNTE OF PEDAG BRAKE (	solid black voile black voile black solid
TOURING 315804 315814 315824 315824 315834 315844	Crus 105 Fro Crus 99 Fro Crus 99 Fro Crus 99 Fro Crus 81 Fro Crus 81 Fro	114455 114657 114657 114675 114675 114675 114675 114675 114675 114675 114677 11467 1146	ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (B)  ATTACK M WIN DEBACE (B)  ATTACK M WIN DEBACE (B)  ATTACK W TH OR DEBACE (B)  AMONTO P PER BOAK (B) WIN  AMONTO	solid black colid black solid black
TOURING 315804 315814 315824 315824 315834 315844	Crus 195 Pro Crus 99 Pro Crus 99 Pro Crus 87 Pro Crus 87 Pro Crus 87 Pro Crus 87 Pro	114455 114609 114609 114428 1144425 1144425 1144425 1144425 1144425 1144425 1144426 11	ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (B)  AMOUNTE OF PERMO BRAKE (C)	solid black with black with black solid bl
TOURING 315804 315804 315814 315824 315824 315934 315944	Crus 195 Pro Crus 99 Pro Crus 99 Pro Crus 87 Pro	114455 114455 114455 114445 114445 114445 114445 114445 114445 114445 114445 114443 11	ATTACK M WIN D BRAKE (A)  ATTACK M WIN D BRAKE (A)  ATTACK M WIN D BRAKE (B)  AMORTIC P P BRAKE (B)  AMORTIC P BRAKE (B)	solid black with black with black solid black
TOURING 315804 315804 315814 315824 315824 315934 315944	Crus 195 Pro Crus 99 Pro Crus 99 Pro Crus 87 Pro Crus 87 Pro Crus 87 Pro Crus 87 Pro	114455 114455 114445 11	ATTACK M WIN D BRAKE (A)  ATTACK M WIN D BRAKE (A)  ATTACK M WIN D BRAKE (B)  AMORTIC P P BRAKE (B)  AMORTIC P BRAKE (B)	solid black voiled black voiled black voiled black solid black sol
TOURING 315804 315804 315814 315824 315824 315934 315944	Crus 195 Pro Crus 99 Pro Crus 99 Pro Crus 87 Pro	114455 114455 114455 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 11445	ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (B)  AMOUNTE OF PEBACE (B)  AMOUNTE OF PEBA	solid black with black with black solid bl
Troising 315904 315904 315924 315924 315924 315924 315924	Crus 195 Pro Crus 99 Pro Crus 87 Pro	114455 114455 114456 114456 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 11445 1	ATTACK MY WIS BRAKE (A)  ATTACK MY WIN OB BRAKE (A)  ATTACK MY WIN OB BRAKE (B)  AMOUNTE OF PERMO BRAKE (C)  AMOUNTE OF PERMO BRAKE (B)  AMOUNTE OF PERMO BRAKE (C)  AMOUNTE OF PERMO BRAKE (B)  AMOUN	solid black voil black voil black solid bl
Troising 315904 315904 315924 315924 315924 315924 315924	Crus 195 Pro Crus 99 Pro Crus 99 Pro Crus 87 Pro	114455 114455 114455 114446 114445 114446 114446 114446 114446 114446 114446 114446 114446 114446 114446 114446 114446 11	ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (B)  AMONITE OF PEBACE (B)  AMONI	solid black voiled black voiled black voiled black solid black sol
Troising 315904 315904 315924 315924 315924 315924 315924	Crus 195 Pro Crus 99 Pro Crus 87 Pro	114455 114455 114455 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 11445 11445 11445 11445 11445 11445 11445 11445 11445 1145	ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (B)  ATTACK WIT IN DEBBACE (B)  ATTACK WIT IN DEBBACE (B)  ATTACK WIT IN DEBBACE (B)  ATTACK WIT IS DEBBACE (B)  AMONTE OF PEBACE (B)  AMONTE (B)  A	solid black  solid
TOURING 3959040000000000000000000000000000000000	Crus 195 Pro Crus 99 Pro Crus 99 Pro Crus 89 Pro Crus 81 Pro Crus 99 Crus 99 Crus 99 Crus 99 Crus 91 Crus 91 Crus 91	114455 114659 114659 114428 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 1145 114	ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (B)  AMONITE OF PEBACE (B)  AMONI	solid black with black with black with black solid black
170/81HIG 155904 315814 315824 315924 315924 315924 315924	Crus 195 Pro Crus 99 Pro Crus 99 Pro Crus 81 Pro Crus 87 Pro Crus 87 Crus 87 Crus 87 Crus 87	114455 114455 114455 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114446 114445 114446 11445 11445 11445 11445 11445 11445 11445 1145	ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (B)  AMOUNTE OF PEBACE (B)  AMOUNTE (B)  AMOUNTE OF PEBACE (B)  AMOUNTE OF PEBACE (B)  AMOUNTE OF PEBACE (B)  AM	solid black with black with black with black solid bla
TOURING 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904	Crus 195 Pro Crus 99 Pro Crus 87 Pro Crus 88 Pro Crus 89 Crus 89 Crus 89 Crus 81 Footer Joy Super Joy	114455 114455 114455 114445 114445 114445 114445 114445 114445 114445 11445 11445 11445 11445 11445 11445 1145	ATTACK M WIN DEBACE (I)  ATTACK M WIN DEBACE (I)  ATTACK M WIN DEBACE (I)  ATTACK WITH OR BEARE SO, MARKET 95 [P]  ATTACK WITH OR BEARE SO, MARKET 95 [P]  ATTACK WITH OR DEBACE 95 [P]  ATTACK WITH SO WI DEBACE 95 [P]  ATTACK WITH SO WI DEBACE 95 [P]  ATMONT (IN PERSON DEBACE 95 [P]  ALMONT IN EPP BRAKE 105 [W]  ALMONT IN EPP BRAKE 105 [W]  ALMONT (IN PERSON DEBACE 95 [W]  ALMONT (IN PERSON DEB	solid black voile black voile black voile black solid black
TOURING 255004004 2550004 255004 255004 255004 255004 255004 255004 255004 255004 255004 255004 255004 255004 255004 255004 255004 255004 255004 255004 2550	Crux 89 Pro Crux 89 Pro Crux 81 Pro Crux 81 Pro Crux 82 Crux 83 Crux 83 Crux 81	114455 114455 114455 114445 11	ATTACK M WIN DEBACE (A)  ATTACK W WIN DEBACE (B)  AMONTE (B) PEBACE (B) (B)  AMONTE (C) PEBACE (C)  AMONT	solid black voiled black voiled black solid black
TOURING 255004004 2550004 255004 255004 255004 2550004 2550004 2550000000000	Crus 195 Pro Crus 99 Pro Crus 87 Pro Crus 88 Pro Crus 89 Crus 89 Crus 89 Crus 81 Footer Joy Super Joy	114455 114455 114455 114455 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 11445 11445 11445 11445 1145 1	ATTACK M WIN DEBACE (I)  ATTACK M WIN DEBACE (I)  ATTACK M WIN DEBACE (I)  ATTACK WITH OR BEARE SO, MARKET 95 [P]  ATTACK WITH OR BEARE SO, MARKET 95 [P]  ATTACK WITH OR DEBACE 95 [P]  ATTACK WITH SO WI DEBACE 95 [P]  ATTACK WITH SO WI DEBACE 95 [P]  ATMONT (IN PERSON DEBACE 95 [P]  ALMONT IN EPP BRAKE 105 [W]  ALMONT IN EPP BRAKE 105 [W]  ALMONT (IN PERSON DEBACE 95 [W]  ALMONT (IN PERSON DEB	solid black with black with black with black solid bla
1008886 395904 395904 395904 395904 395904 395904 395904 395904 395904 395904 395904 395904 395904	Crux 89 Pro Crux 89 Pro Crux 81 Pro Crux 81 Pro Crux 82 Crux 83 Crux 83 Crux 81	114455 114455 114455 114445 114445 114445 114445 114445 114445 114445 114445 114446 11446 11446 11446 114446 114446 114446 114446 114446 114446 114446 114446 11446 114446 114446 114446 114446 114446 114446 114446 114446 114446	ATTACK ME IN DEBACE (A)  ATTACK WITH OR BRAKE (A)  ATTACK WITH OR BRAKE (B)  ATTACK WITH OR BRAKE (B) (B)  ATTACK WITH OR DEBACE (B) (B)  ALMONTE OF PERACE (B) (B)  AMONTE OF PERACE (B) (B)  AMONTE OF PERACE (B) (B)  AMONTE OF PERACE (B) (B)  ALMONTE OF PERACE (C)  ALMONTE OF PERACE (B) (B)  ALMONTE OF PERACE (C)  ALMONTE OF PERACE (B) (B)  ALMONTE OF PERACE (C)  ALMONTE OF PERACE (B) (B)  ALMONTE OF PERACE (C)  ALMONTE (B) PERACE (C)	solid black voile black voile black voile black solid black
170/81HG 315804 315814 315824 315924 315924 315924 315924 315924 315924 315924 315924 315924 315924	Crus 105 Pro Crus 99 Pro Crus 99 Pro Crus 99 Pro Crus 81 Pro Crus 99 Crus 92 Crus 92 Crus 92 Crus 93 Crus 93 Crus 93 Crus 93 Crus 93 Crus 94 Crus 95 C	114455 114455 114455 114445 11445 11445 11445 11445 11445 11445 11445 11445 11445 1145 1	ATTACK M WIN DEBACE (A)  ATTACK M WIN DEBACE (B)  AMONTOR OF DEBA	solid black
100/88/MG 395904	Crus 195 Pro Crus 99 Pro Crus 99 Pro Crus 99 Pro Crus 87 Pro Crus 87 Pro Crus 99 Crus 99 Crus 97 Crus 97 Crus 97 Crus 98 Crus 99 Crus 80 Crus	114455 114455 114455 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 11445 11445 11445 11445 11445 11445 11445 11445 114	ATTACK MY NO BRAKE (A)  ATTACK MY NO BRAKE (B)  ATTACK MY IN OR BRAKE (B)  AMONTE OF PERON BRAKE (B) (M)  AMONTE OF PERON BRAKE (C)  AMONTE OF DERON BRAKE (C)  A	solid black with black with black with black solid black
100/88/MG 395904	Crus 105 Pro Crus 99 Pro Crus 99 Pro Crus 87 Pro Crus 87 Pro Crus 87 Pro Crus 87 Crus 88	114455 114456 114456 114456 114456 114456 114456 114456 114456 114456 114456 1146 114	ATTACK MY NO BRAKE (A)  ATTACK MY NO BRAKE (B)  ATTACK MY NO BRAKE (B)  ATTACK MY IT OR OR BRAKE (B) (B)  ALMONTE OF PERON BRAKE (B) (B)  ALMONTE OF PERON BRAKE (B) (M)  AL	solid black with black with black with black solid bla
100/88/MG 395904	Crus 195 Pro Crus 99 Pro Crus 99 Pro Crus 99 Pro Crus 87 Pro Crus 87 Pro Crus 99 Crus 99 Crus 97 Crus 97 Crus 97 Crus 98 Crus 99 Crus 80 Crus	114455 114455 114456 114445 11	ATTACK MY NO BRAKE (A)  ATTACK MY NO BRAKE (B)  ATTACK MY NO BRAKE (B)  ATTACK MY IT OR OR BRAKE (B) (B)  ALMONTE OF PERON BRAKE (B) (B)  ALMONTE OF PERON BRAKE (B) (M)  AL	solid black with black with black solid bl
170/81MG 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904	Crus 195 Pro Crus 99 Pro Crus 99 Pro Crus 99 Pro Crus 87 Pro Crus 87 Pro Crus 99 Crus 99 Crus 97 Crus 97 Crus 97 Crus 98 Crus 99 Crus 80 Crus	114455 114455 114455 114455 114446 114446 11446 11446 114446 114446 114446 114446 114446 114446 114446 114446 1144	ATTACK ME WIN DEBACE (A)  ATTACK ME WIN DEBACE (B)  AMONTE OF PEROW BRAKE (B) (M)  AMONTE OF PEROW BRAKE (B)  AMONTE OF PEROW BRAKE (C)  AMONTE OF PEROW BRA	solid black with black with black with black solid bla
170/81MG 155904 315814 315824 315924 315924 315924 315924 315924 315924 315924 315924 315924 315924 315924 315924 315924 315924	Crus 195 Pro Crus 99 Pro Crus 99 Pro Crus 87 Pro Crus 88 Pro Crus 88 Pro Crus 88 Pro Crus 88 Pro Crus 89 Pro Crus	114455 114458 114458 114458 114458 114458 114458 114458 114458 114591 11	ATTACK MY NO BRAKE (A)  ATTACK MY NO BRAKE (B)  ATTACK MY NO BRAKE (B)  ATTACK MY NO BRAKE (B)  ATTACK MY IT ON BRAKE (B)  ATTACK MY IT ON BRAKE (B) [P]  AMONTO P P BRAKE (B) [P]  AMONTO P P BRAKE (B) [P]  AMONTO P P BRAKE (B) [M]  P	solid black with black with black with black solid bla
170/81MG 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904	Crux 195 Pro Crux 99 Pro Crux 87 Pro Crux 88 Pro Crux 87 Pro Crux 89 Pro Crux	114455 114456 114456 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114456 114456 114456 114456 114	ATTACK ME IN DEBACE (I)  ATTACK CHE WIN DEBACE (I)  ATTACK CHE PE BRACE (I)  AMONITE OF PE BRACE (I	solid black with black with black with black solid bla
170/81MG 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904 315904	Crus 195 Pro Crus 99 Pro Crus 99 Pro Crus 87 Pro Crus 88 Pro Crus 88 Pro Crus 88 Pro Crus 88 Pro Crus 89 Pro Crus	114455 114455 114455 114455 114455 114455 114455 114455 114455 114456 114591 11	ATTACK MY IN O'S BRACE (A)  ATTACK MY IN O'S BRACE (B)  AMONTE O'S PERSON SPACE (B)  AMONTE O'S PERSON O'S (B)  AMONTE O'S PERSON O'S (B)  AMONTE O'S PERSON O'S (B)  AMONTE O'S BRACE (B)  AMONTE O'S PERSON O'S (B)  AMONTE O'S	solid black with black with black with black solid bla
1008RNG 135894 335894 335894 335894 335894 33594 335994 33594 34594 3	Crux 195 Pro Crux 99 Pro Crux 87 Pro Crux 88 Pro Crux 87 Pro Crux 89 Pro Crux	114455 114456 114456 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114456 114456 114456 114456 114	ATTACK MY IN OR BRAKE (A)  ATTACK MY IN OR BRAKE (A)  ATTACK MY IN OR BRAKE (B)  ATTACK MY IN OR BRAKE (B) IN  AMONTE OF PERSON BRAKE (C)  AMONTE OF PERSON BRAKE (C)  AMONTE OF PERSON BRAKE (B) IN  AMONTE OF PERSON BRAKE (B) IN  AMONTE OF PERSON BRAKE (B) IN  AMONTE OF PERSON BRAKE (C)  AMONTE OF PERSON BRAKE (B) IN  AMONTE OF P	solid black with black with black with black solid bla
100/8896 3959040	Crux 89 Pro Crux 89 Pro Crux 89 Pro Crux 81 Pro Crux 81 Pro Crux 82 Crux 83 Crux 81 Crux 81 Crux 81 Worldcup e Race Team Supershape J85 Supershape J85 Supershape Team	114455 114456 114456 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114456 114456 114456 114456 114	ATTACK MY IN OR BRAKE (A)  ATTACK MY IT ON WID BRAKE (A)  ATTACK MY IT ON BRAKE (B)  ATTACK MY IT ON BRAKE (B) IT  AMONITO E PP BRAKE (B) IT  AMONITO IN MY RO BRAKE (C)  AMONITO IN MY	solid black with black with black with black solid bla
100/81MG 195904	Crux 105 Pro Crux 99 Pro Crux 99 Pro Crux 93 Pro Crux 81 Pro Crux 81 Pro Crux 82 Crux 82 Crux 82 Crux 83 Crux 81 Worldcup e Race Team J85 Worldcup e Race Team Supershape Team Easy	114455 114455 114455 114446 114446 11446 11446 11446 11446 11446 11446 11446 11446 11446 11446 11446 11446 11446 11446 11446 114	ATTACK MY IN O'S BRACE (A)  ATTACK MY IN O'S BRACE (B)  AMONTE O'S PERSON SRACE (B) (M)  AMONTE O'S PERSON (B)  AMONTE O'S BRACE (B)  AMONTE O'S PERSON (B)  AMONTE O'S BRACE (B)  AMONTE O'S PERSON (B)  AMONTE O'S BRACE (B)  AMONTE O'S PERSON (B)  AMONTE O'S PERSO	solid black solid
100/818/G 315804 315804 315804 315804 315804 315904	Crux 195 Pro Crux 99 Pro Crux 99 Pro Crux 87 Pro Crux 87 Pro Crux 87 Pro Crux 87 Crux 88 Crux 87 Crux 88 Crux	114455 114455 114455 114455 114445 114455 114445 114455 114445 114451 114451 114451 114514 114514 114514 114514 114515 114515 114515 114516 11	ATTACK MY NO BRAKE (A)  ATTACK MY TO WIND BRAKE (A)  ATTACK MY NO BRAKE (A)  ATTACK MY NO BRAKE (B)  ATTACK MY IT ON BRAKE (B) (B)  AMONTO P PROBLEM (B)  AMONTO	solid black with black with black solid bl
100/88/06 395804 395804 395804 395804 395804 395804 395904	Crus 105 Fro Crus 99 Pro Crus 99 Pro Crus 87 Pro Crus 87 Pro Crus 87 Pro Crus 87 Crus 87 Crus 87 Crus 87 Crus 81 Pewer Joy Super Joy Morificip e-Race Team JRS Worldcup e-Race Team Supershape Team Easy	114455 114456 114456 114456 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114456 114456 114456 114456 114456 114	ATTACK ME IN DEBACE (A)  ATTACK ME IN DEBACE (B)  AMONITE OF PEBACE (B)  AMONITE OF PEBA	solid black with black with black with black solid bla
100/88/06 395804 395804 395804 395804 395804 395804 395904	Crux 105 Pro Crux 99 Pro Crux 99 Pro Crux 99 Pro Crux 81 Pro Crux 81 Pro Crux 82 Pro Crux 82 Crux 83 Pro Crux 83 Crux 83 Crux 84 Crux 84 Crux 85 Crux 86 Crux 86 Crux 86 Crux 86 Crux 87 Crux 86 Crux 87 Crux 87 Crux 88 Crux 87 Crux 88 Crux	114455 114455 114455 114446 114446 1144	ATTACK MY NO BRAKE (A)  ATTACK MY NO BRAKE (B)  ATTACK MY NO BRAKE (B)  ATTACK MY NO BRAKE (B)  ATTACK MY IT OR OR BRAKE (B) [A)  ATTACK MY IT OR OR BRAKE (B) [B]  ALMONTE OF PEOLO BRAKE (C)  ALMONTE OF P	solid black  solid
100/8810G 315904	Crux 105 Pro Crux 99 Pro Crux 99 Pro Crux 81 Pro Crux 81 Pro Crux 82 Pro Crux 83 Pro Crux 83 Pro Crux 83 Pro Crux 84 Pro Crux 84 Pro Crux 84 Pro Worldcup e Race Feam J85 Pro Worldcup e Race Feam J85 Supershape Team Easy J85 Supershape Team Easy J85 Joy Easy J85 Monster Easy J85 Monster Easy J85 Norse Team Supershape Team Easy J85 Supershape Team Easy J85 Supershape Team Easy J85 Joy Easy J85 Pro Patrol J85 Supershape Team Easy Supe	114455 114456 114456 114456 114456 114456 114456 114456 114457 114456 114456 114596 114596 114596 114596 114597 114596 114597 11	ATTACK ME NO BRAKE (A)  ATTACK ME NO BRAKE (B)  AMONTE OF PERON BRAKE (B) (M)  AMONTE OF PERON BRAKE (C)  AMON	solid black with black with black solid bl
100/8810G 315904	Crux 195 Pro Crux 99 Pro Crux 99 Pro Crux 87 Pro Crux 88 Pro Crux 81  Crux 81  Fower Joy Super Joy Total Joy Real Joy Worldcup & Race Team Worldcup & Race Team Supershape Team Easy Joy Casy J85 Monster Easy J85 Monster Easy J85 Paw Patrol J85 Korre Team	114455 114455 114456 114456 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114445 114456 114456 114456 114456 11466 11466 1	ATTACK MY NO BRAKE (A)  ATTACK MY NO BRAKE (B)  ATTACK MY NO BRAKE (B)  ATTACK MY NO BRAKE (B)  ATTACK MY IT OR OR BRAKE (B) [A)  ATTACK MY IT OR OR BRAKE (B) [A)  ATTACK MY IT OR OR BRAKE (B) [B)  ALMONTE OF PERON BRAKE (B) [M)  ALMONTE OF	solid black with black with black solid bl
TOURING 315804 315814 315824	Crux 105 Pro Crux 99 Pro Crux 99 Pro Crux 81 Pro Crux 81 Pro Crux 82 Pro Crux 83 Pro Crux 83 Pro Crux 83 Pro Crux 84 Pro Crux 84 Pro Crux 84 Pro Worldcup e Race Feam J85 Pro Worldcup e Race Feam J85 Supershape Team Easy J85 Supershape Team Easy J85 Joy Easy J85 Monster Easy J85 Monster Easy J85 Norse Team Supershape Team Easy J85 Supershape Team Easy J85 Supershape Team Easy J85 Joy Easy J85 Pro Patrol J85 Supershape Team Easy Supe	114455 114455 114456 114456 114456 114445 114456 114445 114456 114456 114456 114456 114456 114456 114456 114456 114456 114456 114566 11446	ATTACK ME NO BRAKE (A)  ATTACK ME NO BRAKE (B)  AMONTE OF PERON BRAKE (B) (M)  AMONTE OF PERON BRAKE (C)  AMON	solid black voice



# BINDINGS

TOURING | RACE | PERFORMANCE | ALL MOUNTAIN FREESKI | WOMEN'S | JUNIOR





# **LINE OVERVIEW**

TOUR	ING	Art. Nr.	Model	Brake	Color	DIN			Art. Nr.	Model	Brake	Color	DIN
-		114582	ALMONTE 12 PT	W/O [M]	black/sand	5-12	-	( ile	114588	ALMONTE 10 PT	W/O [M]	black/metallic grey	4-10
-	C. Ha	114583	ALMONTE 12 PT	90 [M]	black/sand	5-12	-	<b>CELLS</b>	114589	ALMONTE 10 PT	90 [M]	black/metallic grey	4-10
-		114584	ALMONTE 12 PT	105 [M]	black/sand	5-12	-	<b>CELE</b>	114590	ALMONTE 10 PT	105 [M]	black/metallic grey	4-10
-	e is	114585	ALMONTE 12 PT	W/0 [M]	black/metallic grey	5-12		i ili	114591	ALMONTE 10 PT DEMO	90 [M]	black/metallic grey	4-10
-	CHIE	114586	ALMONTE 12 PT	90 [M]	black/metallic grey	5-12			114592	ALMONTE 10 PT DEMO	105 [M]	black/metallic grey	4-10
-	(His	114587	ALMONTE 12 PT	105 [M]	black/metallic grey	5-12	_						

# **RACE**

100904 FREEFLEX ST 16	85 [A] m. black/speed blue 5-16	100908 FREEFLEX 11 GW	85 [D] m. black/speed blue 3-11
100905 FREEFLEX ST 14	85 [A] m. black/speed blue 4-14	100909 FREEFLEX DEMO 14 GW	85 [D] m. black/speed blue 4-14
100906 FREEFLEX 11 RACE	85 [A] m. black/speed blue 3-11	114300 FREEFLEX DEMO 14 GW	85 [D] solid black/white 4-14
100907 FREEFLEX 14 GW	85 [D] m. black/speed blue 4-14		

# PERFORMANCE

ed Tomin	100925	PROTECTOR PR 13 GW	85 [P]	matt black	4-13		Da ) (gran	114511	PROTECTOR PR 11 GW SET	95 [P]	matt black	3-11
ed Tomin	100926	PROTECTOR PR 13 GW	95 [P]	matt black	4-13		Da ) (gran	114546	PROTECTOR PR 11 GW SET	110 [P]	matt black	3-11
DED NEED	100927	PROTECTOR PR 13 GW	85 [P]	matt white	4-13	STOR		100941	PRD 12 GW	85 [F]	matt black	3,5-12
DED NEED	100928	PROTECTOR PR 13 GW	95 [P]	matt white	4-13	STOR		100946	PRD 12 GW	95 [F]	matt black	3,5-12
es ) tomo	114504	PROTECTOR PR 13 GW	85 [P]	matt black	4-13		310	114464	PRD 12 GW	85 [F]	matt black	3,5-12
E COM	114505	PROTECTOR PR 13 GW	95 [P]	matt black	4-13			114465	PRD 12 GW	95 [F]	matt black	3,5-12
E COM	114506	PROTECTOR PR 13 GW SET	85 [P]	matt black	4-13		100	114564	PRD 12 GW	85 [F]	matt white	3,5-12
E COM	114507	PROTECTOR PR 13 GW SET	95 [P]	matt black	4-13			100942	PR 11 GW	85 [G]	matt black	3-11
Par Corno	114545	PROTECTOR PR 13 GW SET	110 [P]	matt black	4-13			100943	PR 11 GW	90 [G]	matt black	3-11
	114508	PROTECTOR PR 11 GW	85 [P]	matt black	3-11			100911	PR 11 GW	78 [G]	m. black/speed blue	3-11
	114509	PROTECTOR PR 11 GW	95 [P]	matt black	3-11		O C	114517	PR 11 GW	85 [G]	solid black/white	3-11
) (Gr-1)	114510	PROTECTOR PR 11 GW SET	85 [P]	matt black	3-11		O C	114518	PR 11 GW	90 [G]	solid black/white	3-11

# **ALL MOUNTAIN**

4	114480 AM 12 GW	85 [D] matt black	3,5-12	114484 AM 12 GW	95 [D] matt white 3,5-12
4	114481 AM 12 GW	95 [D] matt black	3,5-12	114352 PRW 11 GW	85 [G] solid black 3-11
	114482 AM 12 GW	110 [D] matt black	3,5-12	114469 PRW 11 GW	90 [G] solid black 3-11
Cm (d	114483 AM 12 GW	85 [D] matt white	3,5-12		

# **FREESKI**

CE		114596	ATTACK LYT 12 GW	95 [A]	matt white	3,5-12	N	13	114603	ATTACK LYT 11 GW	110 [A]	solid black	3-11
30	) Lo	114597	ATTACK LYT 12 GW	110 [A]	matt white	3,5-12			114604	ATTACK LYT 11 GW	95 [A]	solid white	3-11
		114598	ATTACK LYT 11 GW	95 [A]	sand	3-11			114605	ATTACK LYT 11 GW	110 [A]	solid white	3-11
		114599	ATTACK LYT 11 GW	110 [A]	sand	3-11			114606	ATTACK LYT 9 GW	85 [D]	solid black	2-9
N	100	114600	ATTACK LYT 11 GW	W/O [A]	solid black	3-11			114607	ATTACK LYT 9 GW	95 [D]	solid black	2-9
	Her	114601	ATTACK LYT 11 GW	85 [A]	solid black	3-11		E 100-	114593	PROTECTOR ATTACK LYT 13 GW	W/0 [P]	matt black	4-13
PH 4	100	114602	ATTACK LYT 11 GW	95 [A]	solid black	3-11	HIL	E Tae-	114594	PROTECTOR ATTACK LYT 13 GW	95 [P]	matt black	4-13

FREE	SKI	Art. Nr	. Model	Brake	Color	DIN			Art. Nr.	Model	Brake	Color	DIN
NIE	ed far-	114595	PROTECTOR ATTACK LYT 13 GW	110 [P]	matt black	4-13		9100	114438	ATTACK 14 GW	95 [A]	red	4-14
		114422	ATTACK 17 GW	W/0 [A]	blue	6-17			114439	ATTACK 14 GW	110 [A]	red	4-14
		114421	ATTACK 17 GW	W/0 [A]	solid black	6-17			114440	ATTACK 14 GW	W/O [A]	blue	4-14
	010	114550	ATTACK 17 GW	W/0 [A]	s.black/m.white/mix	6-17			114441	ATTACK 14 GW	95 [A]	blue	4-14
1		114424	ATTACK 14 GW	W/0 [A]	flash yellow	4-14			114442	ATTACK 14 GW	110 [A]	blue	4-14
1		114425	ATTACK 14 GW	95 [A]	flash yellow	4-14	(D) 8	3)1	114423	ATTACK 14 MN	W/O [A]	solid black	4-14
E [		114426	ATTACK 14 GW	110 [A]	flash yellow	4-14		314	114454	ATTACK 14 MN DEMO	W/O [F]	solid black	4-14
	100	114551	ATTACK 14 GW	W/O [A]	s.black/m.white/mix	4-14		ST.	114455	ATTACK 14 MN DEMO	95 [F]	solid black	4-14
	100	114554	ATTACK 14 GW	85 [A]	s.black/m.white/mix	4-14	( D)	SE .	114456	ATTACK 14 MN DEMO	110 [F]	solid black	4-14
	1000	114552	ATTACK 14 GW	95 [A]	s.black/m.white/mix	4-14			114608	ATTACK LYT 13 GW DEMO	W/O [F]	solid black	4-13
	100	114553	ATTACK 14 GW	110 [A]	s.black/m.white/mix	4-14			114609	ATTACK LYT 13 GW DEMO	95 [F]	solid black	4-13
	1)10	114427	ATTACK 14 GW	W/O [A]	solid black	4-14			114610	ATTACK LYT 13 GW DEMO	110 [F]	solid black	4-13
	1)10	114428	ATTACK 14 GW	85 [A]	solid black	4-14			114611	ATTACK LYT 11 GW DEMO	W/O [F]	solid black	3-11
	1)10	114429	ATTACK 14 GW	95 [A]	solid black	4-14			114612	ATTACK LYT 11 GW DEMO	95 [F]	solid black	3-11
	1)10	114430	ATTACK 14 GW	110 [A]	solid black	4-14			114613	ATTACK LYT 11 GW DEMO	110 [F]	solid black	3-11
	010	114431	ATTACK 14 GW	W/0 [A]	matt white	4-14			114614	ATTACK LYT 11 GW DEMO	W/O [F]	solid white/black	3-11
	010	114432	ATTACK 14 GW	95 [A]	matt white	4-14			114615	ATTACK LYT 11 GW DEMO	95 [F]	solid white/black	3-11
	010	114433	ATTACK 14 GW	110 [A]	matt white	4-14			114616	ATTACK LYT 11 GW DEMO	110 [F]	solid white/black	3-11
2		114434	ATTACK 14 GW	W/0 [A]	green	4-14	Ma He	O O HOLE	114303	AMBITION 12 MN	W/O [C]	solid black	4-12
2		114435	ATTACK 14 GW	95 [A]	green	4-14	Ma He	O O H	114304	AMBITION 10 MN	W/O [C]	solid black	3-10
2		114436	ATTACK 14 GW	110 [A]	green	4-14		E	114301	ADRENALIN 14 MN short	W/O [F]	solid black	4-14
		114437	ATTACK 14 GW	W/0 [A]	red	4-14			114302	ADRENALIN 14 MN long	W/0 [F]	solid black	4-14

# WOMEN'S

	100913	PROTECTOR SLR 11 GW	80 [N]	matt black	3-11		( ) III (	114569	PROTECTOR SLR 11 GW SET	100 [N]	matt white	3-11
	100914	PROTECTOR SLR 11 GW	90 [N]	matt black	3-11			100930	PROTECTOR SLR 10 GW	80 [N]	matt black	3-10
	114555	PROTECTOR SLR 11 GW	80 [N]	matt black	3-11			100931	PROTECTOR SLR 10 GW	80 [N]	matt white	3-10
	114556	PROTECTOR SLR 11 GW SET	80 [N]	matt black	3-11		100	100917	JOY 12 GW PRD	85 [F]	matt white	3,5-12
	114566	PROTECTOR SLR 11 GW SET	90 [N]	matt black	3-11	-		100944	JOY 11 GW SLR	78 [H]	matt black	3-11
	114567	PROTECTOR SLR 11 GW SET	100 [N]	matt black	3-11			100945	JOY 11 GW SLR	90 [H]	matt black	3-11
131 0	114562	PROTECTOR SLR 11 GW	80 [N]	matt white	3-11	<b>E</b> (1)	(b) =>	100918	JOY 9 GW SLR	85 [H]	solid white	2,5-9
133 1	114563	PROTECTOR SLR 11 GW SET	80 [N]	matt white	3-11		(b) =>	100919	JOY 9 GW SLR	85 [H]	solid black	2,5-9
( in a	114568	PROTECTOR SLR 11 GW SET	90 [N]	matt white	3-11	-						

# **JUNIOR**

400		100921	EVO 9 GW CA	85 [D]	s. black/speed blue	2-9		2)	114478	JRS 4.5 GW CA	80 [I]	solid white/white	0,75-4,5
		100922	JRS 7.5 GW CA	78 [H]	s. black/speed blue	2-7,5		Dan	114479	JRS 4.5 GW CA	80 [I]	white glossy	0,75-4,5
		114470	JRS 7.5 GW CA	78 [H]	solid black/white	2-7,5			114487	SX TEAM 9.0 GW CA	95 [D]	solid black	2-9
		114471	JRS 7.5 GW CA	90 [H]	solid black/white	2-7,5	1	1 )	114488	SX 7.5 GW CA	78 [J]	solid white/black	2-7,5
		114473	JRS 7.5 GW CA	78 [H]	solid white/black	2-7,5		TEN	114489	SX 7.5 GW CA	78 [J]	solid black/white	2-7,5
		114474	JRS 7.5 GW CA	78 [H]	solid white/white	2-7,5	1	1 )	114490	SX 7.5 GW CA	90 [J]	solid black/white	2-7,5
	BREE	100923	JRS 4.5 GW CA	80[1]	s. black/speed blue	0,75-4,5		TEN	114491	SX 4.5 GW CA	80 [K]	solid black/white	0,75-4,5
	BRAT	114475	JRS 4.5 GW CA	80[1]	solid black/white	0,75-4,5		TEN	114492	SX 4.5 GW CA	80 [K]	solid white/black	0,75-4,5
<b>17 Miles</b>	Sill Cont	114477	JRS 4.5 GW CA	80 [1]	solid white/black	0,75-4,5	-						



# **ALMONTE 12 PT**

# THE ULTIMATE PIN BINDING

Experience the super-lightness on the ascent and highperformance on the descent. With intuitive handling, now it's your turn to explore new paths and set your very own track.





# LIGHTWEIGHT DESIGN

325 g/pc. incl. brake & screws.

# SUSTAINABLE MATERIALS -

all plastic parts are made from renewable raw material.

# **EASY STEP-IN**

for an effortless & fast entry.

# INTUITIVE HANDLING -

of hike & ski mode with AUTOMATIC BRAKE LOCK & an isolated mechanism to prevent icing.

52



# **ALMONTE 12 PT**



# PRODUCT FEATURES

TOUR Toe, AFD PT, TOUR Heel

# PRODUCT DETAILS

DIN	5 - 12	
WEIGHT	325 g/pc.	

NOTE: product comes with pre-mounted U-PIN Medium + box incl. U-PIN Hard & Performance Spacer Set.





# **ALMONTE 10 PT**

ARTICLE NUMBER	
114588 - black/metallic grey, W/O Brake [M]	
114589 - black/metallic grey, Brake [M] 90 mm	
114590 - black/metallic grey, Brake [M] 105 mm	

# PRODUCT FEATURES

TOUR Toe, AFD PT, TOUR Heel

PRODUCT DETAILS			
DIN	4 - 10		
WEIGHT	325 g/pc.		

NOTE: product comes with pre-mounted U-PIN Medium + box incl. Performance Spacer Set.







# **ALMONTE 10 PT DEMO**

ARTICLE NUMBER	NEW	
114591 - black/metallic grey, Brake [M] 90 mm		
114592 - black/metallic grey, Brake [M] 105 mm		
PRODUCT FEATURES		
TOUR Toe, AFD PT, TOUR Demo, TOUR Heel		
PRODUCT DETAILS		

NOTE: product comes with pre-mounted U-PIN Medium, excl. Barcode





# **ALMONTE SERIES**

# **ACCESSORIES**

# PERFORMANCE SPACER



**163170** PERFORMANCE SPACER TOUR (1.5/2.5/3.5 MM) (1 SET)

# **U-PIN**



INCLUDES:
• U-Pin pair
• mounting part & screw

163171 163172 U-PIN TOUR SOFT DIN 6 (recommended for DIN 4-8)
U-PIN TOUR MEDIUM DIN 8 (recommended for DIN 6-10)
U-PIN TOUR HARD DIN 11 (recommended for DIN 8-12)

# **TOURING LEASH**



INCLUDES:
• leash loop (4 pcs.)

# BARCODE HOLDER

163174 TOURING LEASH (1 PAIR)



ADDITIONAL SPARE PART FOR ALMONTE 10 PT DEMO

163107 BARCODE HOLDER BLACK (20 PAIRS)

# **BRAKES**



\* Brake Platform for binding use with touring leash and W/O brake

63160 BRAKE PLATFORM TOUR - W/O BRAKE [M] (1 PAIR)\*
63161 BRAKE TOUR 90 [M] (1 PAIR)

163161 BRAKE TOUR 90 [M] (1 PAIR)
163162 BRAKE TOUR 105 [M] (1 PAIR)
163163 BRAKE TOUR 120 [M] (1 PAIR)

# **CRAMPONS**



compatible with other products on the market

63164 CRAMPON ALMONTE 90 (1 PAIR) 63165 CRAMPON ALMONTE 105 (1 PAIR) 63166 CRAMPON ALMONTE 120 (1 PAIR)

# **TEMPLATE**




**163156** TEMPLATE TOUR PT (250 - 350 MM) (1 PC)

# **GENERAL**



ADJUSTMENT TOOL TOUR (1 PC) INCLUDED IN THE BOX





# FREEFLEX ST 16

#### ARTICLE NUMBER

100904 - matt black/speed blue, Brake [A] 85 mm

# PRODUCT FEATURES

Stream Toe, AFD ST Teflon, Freeflex Pro, RACE PRO Heel

# PRODUCT DETAILS

STAND HEIGHT	17 mm	
DIN	5 - 16	
WEIGHT	1325 g/pc.	



# FREEFLEX 14 GW

# ARTICLE NUMBER

100907 - matt black/speed blue, Brake [D] 85 mm

# PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, Freeflex Pro, D-RX (Diagonal) Heel

# PRODUCT DETAILS

STAND HEIGHT	21 mm
DIN	4 - 14
WEIGHT	1160 g/pc.





# FREEFLEX ST 14

# ARTICLE NUMBER

100905 - matt black/speed blue, Brake [A] 85 mm

# PRODUCT FEATURES

Stream Toe, AFD ST Teflon, Freeflex Pro, NX Heel

# PRODUCT DETAILS

STAND HEIGHT	17 mm
DIN	4 - 14
WEIGHT	1235 g/pc.



# FREEFLEX 11 GW

# ARTICLE NUMBER

100908 - matt black/speed blue, Brake [D] 85 mm

#### PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, Freeflex Pro, NX Heel

# PRODUCT DETAILS

STAND HEIGHT	21 mm
DIN	3 - 11
WEIGHT	1135 g/pc.





# FREEFLEX 11 RACE

### ARTICLE NUMBER

100906 - matt black/speed blue, Brake [A] 85 mm

# PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, Teflon, Freeflex Pro, NX Heel

# PRODUCT DETAILS

STAND HEIGH	T 17 mm	
DIN	3 - 11	
WEIGHT	1110 g/pc.	



# FREEFLEX DEMO 14 GW

# ARTICLE NUMBER

100909 - matt black/speed blue, Brake [D] 85 mm 114300 - solid black/white, Brake [D] 85 mm

#### PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, Freeflex Demo, NX Heel

# PRODUCT DETAILS

STAND HEIGHT	21 mm	
DIN	4 - 14	
WEIGHT	1325 g/pc.	





# PROTECTOR PR 13 GW

# **RECOMMENDED BY YOUR KNEES**

Featuring Full Heel Release technology, the PROTECTOR binding can reduce stress on the anterior cruciate ligament by more than 50%\*, in the event of a fall, significantly reducing the chance of injuries.

\* finite element model simulations by University of Innsbruck:

"Lateral Heel Release Reduces ACL strain in Simulated Backward Twisting Falls"





# **REDUCES ACL STRAIN**

by more than 50%\*.

# FULL HEEL RELEASE FUNCTION -

intelligent 180° release (horizontally & vertically).

# **BOOT COMPATIBILITY**

works with Alpine & GripWalk ski boots.

# SAME PERFORMANCE & CONVENIENCE -

as our conventional bindings plus maximum safety.







# **PROTECTOR PR 13 GW**

# ARTICLE NUMBER

100925 - matt black, Brake [P] 85 mm
100926 - matt black, Brake [P] 95 mm
100927 - matt white, Brake [P] 85 mm
100928 - matt white, Brake [P] 95 mm
114504 - matt black, Brake [P] 85 mm
114505 - matt black, Brake [P] 95 mm
114506 - matt black, Brake [P] 85 mm,
SET (incl. Twin PR base & 8 mm screws)
114507 - matt black, Brake [P] 95 mm,
SET (incl. Twin PR base & 8 mm screws)
114545 - matt black, Brake [P] 110 mm,
SET (incl. Twin PR base & 8 mm screws)

#### PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, PowerRail, HR Heel

# PRODUCT DETAILS

STAND HEIGHT	33,5 mm
DIN	4 - 13
WEIGHT	1180 g/pc.





# PROTECTOR PR 11 GW

# ARTICLE NUMBER

114508 - matt black, Brake [P] 85 mm
114509 - matt black, Brake [P] 95 mm
114510 - matt black, Brake [P] 85 mm, SET+
(incl. Twin PR base & 8 mm + 6 mm screws)
114511 - matt black, Brake [P] 95 mm, SET
(incl. Twin PR base & 8 mm screws)
114546 - matt black, Brake [P] 110 mm, SET
(incl. Twin PR base & 8 mm screws)

# PRODUCT FEATURES

TX Toe, Full Diagonal, AFS - Anti Friction Slider GW, PowerRail, HR Heel

STAND HEIGHT	33,5 mm
DIN	3 - 11
WEIGHT	1175 g/pc.





# PRD 12 GW

# ARTICLE NUMBER

100941 - matt black, Brake [F] 85 mm
100946 - matt black, Brake [F] 95 mm
114464 - matt black, Brake [F] 85 mm
114465 - matt black, Brake [F] 95 mm
114564 - matt white, Brake [F] 85 mm

# PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, PowerRail, D-RX (Diagonal) Heel

# PRODUCT DETAILS

INODUCID	LIAILS
STAND HEIGHT	33,5 mm
DIN	3,5 - 12
WEIGHT	1000 g/pc.





# **AM 12 GW**

# ARTICLE NUMBER

114480 - matt black, Brake [D] 85 mm	
114481 - matt black, Brake [D] 95 mm	
114482 - matt black, Brake [D] 110 mm	
114483 - matt white, Brake [D] 85 mm	
114484 - matt white, Brake [D] 95 mm	

# PRODUCT FEATURES

AM (All Mountain) Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, D-RX (Diagonal) Heel

# PRODUCT DETAILS

STAND HEIGHT	21 mm
DIN	3,5 - 12
WEIGHT	975 g/pc.





# **PR 11 GW**

# ARTICLE NUMBER

AKTICLL NOMBLK	
100942 - matt black, Brake [G] 85 mm	
100943 - matt black, Brake [G] 90 mm	
100911 - matt black/speed blue, Brake [G] 78 mm	
114517 - solid black/white, Brake [G] 85 mm	
114518 - solid black/white, Brake [G] 90 mm	

# PRODUCT FEATURES

TX Toe, Full Diagonal, AFS - Anti Friction Slider GW, PowerRail, SX FR

#### PRODUCT DETAILS

FRODUCT D	LIMILD
STAND HEIGHT	31 mm
DIN	3 - 11
WEIGHT	900 g/pc.





# PRW 11 GW

# ARTICLE NUMBER

114352 - solid black, Brake [G] 85 mm
114469 - solid black Brake [G] 90 mm

# PRODUCT FEATURES

AM (All Mountain) Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, PowerRail, SX FR Heel

INODUCID	LIAILS
STAND HEIGHT	31 mm
DIN	3 - 11
WEIGHT	905 g/pc.





62

# **ATTACK LYT 11 GW**

# LESS WEIGHT, MORE FUN

The Attack LYT is the lighter, more compact sibling of our legendary Attack freeski binding.
Outstanding performance with 15% less weight and 100% shredability.





SLIMMER DESIGN -

AUTOMATIC TOE - HEIGHT ADJUSTMENT

for Alpine & GripWalk boots.

**OUTSTANDING PERFORMANCE** -

with precise re-centering.





# ATTACK LYT 12 GW

ARTICLE N	UMBER	NEW
114596 - mat	tt white, Brake [A] 95 mm	
114597 - mat	tt white, Brake [A] 110 mm	
PRODUCT F	FEATURES	
ED I VT Too	AFS - Anti Friction Slider GW, NX FR Heel	
rk Lii ioe,	Ars - Allti friction slider GW, NA FR fleer	
PRODUCT I		
	DETAILS	
PRODUCT I	DETAILS	





# ATTACK LYT 11 GW

AKIICLE NO	UMBER	NEW
114598 - sand	d, Brake [A] 95 mm	
114599 - sand	d, Brake [A] 110 mm	
114600 - solic	d black, W/O Brake [A]	
114601 - solid	l black, Brake [A] 85 mm	
114602 - solid	d black, Brake [A] 95 mm	
114603 - solid	d black, Brake [A] 110 mm	
114604 - solic	d white, Brake [A] 95 mm	
	d white, Brake [A] 95 mm d white, Brake [A] 110 mm	
114605 - solid	d white, Brake [A] 110 mm	
	d white, Brake [A] 110 mm	
114605 - solid	d white, Brake [A] 110 mm	
114605 - solid	d white, Brake [A] 110 mm	
114605 - solid	d white, Brake [A] 110 mm  EATURES  AFS - Anti Friction Slider GW, SX FR Heel	
114605 - solid PRODUCT F FR LYT Toe, A	d white, Brake [A] 110 mm  EATURES  AFS - Anti Friction Slider GW, SX FR Heel  DETAILS	
PRODUCT F FR LYT Toe, F PRODUCT D	d white, Brake [A] 110 mm  EATURES  AFS - Anti Friction Slider GW, SX FR Heel  DETAILS	
PRODUCT F FR LYT TOE, A PRODUCT D STAND HEIGHT	d white, Brake [A] 110 mm  EATURES  AFS - Anti Friction Slider GW, SX FR Heel  DETAILS  17 mm	



# ATTACK LYT 9 GW

ARTICLE NUMBER	
114606 - solid black, Brake [D] 85 mm	
114607 - solid black, Brake [D] 95 mm	

# PRODUCT FEATURES

FR LYT Toe, AFS - Anti Friction Slider GW, SXL Heel

# PRODUCT DETAILS

STAND HEIGHT	21 mm
DIN	2 - 9
WEIGHT	845 g/pc.



# ATTACK 17 GW

# ARTICLE NUMBER

114422 - blue, W/O Brake [A]
114421 - solid black, W/O Brake [A]
11/1550 - solid black/matt white/mix W/O Brake [A]

# PRODUCT FEATURES

FR PRO3 Toe, AFD Metal GW, RACE PRO FR Heel

# PRODUCT DETAILS

STAND HEIGHT	17 mm
DIN	6 - 17
WEIGHT	970 g/pc.





# ARTICLE NUMBER

ARTICLE NUMBER
114424 - flash yellow, W/O Brake [A]
114551 - solid black/matt white/mix, W/O Brake [A]
114554 - solid black/matt white/mix, Brake [A] 85 mm
114552 - solid black/matt white/mix, Brake [A] 95 mm
114553 - solid black/matt white/mix, Brake [A] 110 mm
114425 - flash yellow, Brake [A] 95 mm
114426 - flash yellow, Brake [A] 110 mm
114427 - solid black, W/O Brake [A]
114428 - solid black, Brake [A] 85 mm
114429 - solid black, Brake [A] 95 mm
114430 - solid black, Brake [A] 110 mm
114431 - matt white, W/O Brake [A]
114432 - matt white, Brake [A] 95 mm
114433 - matt white, Brake [A] 110 mm
114434 - green, W/O Brake [A]
114435 - green, Brake [A] 95 mm
114436 - green, Brake [A] 110 mm
114437 - red, W/O Brake [A]
114438 - red, Brake [A] 95 mm
114439 - red, Brake [A] 110 mm
114440 - blue, W/O Brake [A]
114441 - blue, Brake [A] 95 mm
114442 - blue, Brake [A] 110 mm

# PRODUCT FEATURES

FR PRO3 Toe, AFD Metal GW, NX FR Heel

# PRODUCT DETAILS

STAND HEIGHT	17 mm
DIN	4 - 14
WEIGHT	865 g/pc.



65

# PROTECTOR ATTACK LYT 13 GW

1230 g/pc.

114593 - matt	black, W/O Brake [P]
114594 - matt	black, Brake [P] 95 mm
114595 - matt	black, Brake [P] 110 mm
PRODUCT F	EATURES
FR LYT Toe, A	AFS - Anti Friction Slider, HR Heel
PRODUCT D	ETAILS
STAND HEIGHT	32 mm
DIN	4 - 13



WEIGHT

ARTICLE NUMBER



NEW





# ATTACK 14 MN

#### ARTICLE NUMBER

114423 - solid black, W/O Brake [A]

# PRODUCT FEATURES

FR PRO3 Toe, AFS Metal MN, NX FR Heel

# PRODUCT DETAILS

STAND HEIGHT	24 mm	
DIN	4 - 14	
WEIGHT	960 g/pc.	

# MN



# ATTACK LYT 13 GW DEMO

ARTICLE NUMBER	
114608 - solid black, W/O Brake [F]	
114609 - solid black, Brake [F] 95 mm	
114610 - solid black, Brake [F] 110 mm	

# PRODUCT FEATURES

FR LYT Toe, AFS - Anti Friction Slider GW, Attack Demo, NX FR Heel

# PRODUCT DETAILS

STAND HEIGH	HT 32 mm	
DIN	4 - 13	
WEIGHT	1220 g/pc.	

Note: with automatic toe height adjustment for Alpine & GripWalk boots.





# ATTACK 14 MN DEMO

# ARTICLE NUMBER

All II Car II Ca	
114454 - solid black, W/O Brake [F]	
114455 - solid black, Brake [F] 95 mm	
114456 - solid black, Brake [F] 110 mm	

# PRODUCT FEATURES

FR PRO3 Toe, AFS Metal MN, Attack Demo, NX FR Heel

# PRODUCT DETAILS

STAND HEIGHT	32 mm
DIN	4 - 14
WEIGHT	1285 g/pc.

# MN

66



# ATTACK LYT 11 GW DEMO

ARTICLE NUMBER	NEW
114611 - solid black, W/O Brake [F]	
114612 - solid black, Brake [F] 95 mm	
114613 - solid black, Brake [F] 110 mm	
114614 - solid white/black, W/O Brake [F]	
114615 - solid white/black, Brake [F] 95 mm	
114616 - solid white/black, Brake [F] 110 mm	

# PRODUCT FEATURES

FR LYT Toe, AFS - Anti Friction Slider GW, Attack Demo, SX FR Heel

# PRODUCT DETAILS

FRODUCT DETAILS		
STAND HEIGHT	32 mm	
DIN	3 - 11	
WEIGHT	1160 g/pc.	

Note: with automatic toe height adjustment for Alpine & GripWalk boots.





# **AMBITION 12 MN**

# ARTICLE NUMBER

114303 - solid black, W/O Brake [C]

# PRODUCT FEATURES

AT (Alpine Touring) Toe, AFS - Anti Friction Slider, Telescopic Tube, Alpine Touring Heel

# PRODUCT DETAILS

STAND HEIGHT	38 (*42) mm
DIN	4 - 12
WEIGHT	955 g/pc.

<sup>\*</sup> stand height with Demo track





# **AMBITION 10 MN**

# ARTICLE NUMBER

114304 - solid black, W/O Brake [C]

### PRODUCT FEATURES

AT (Alpine Touring) Toe, AFS - Anti Friction Slider, Telescopic Tube, Alpine Touring Heel

# PRODUCT DETAILS

STAND HEIGHT	38 (*42) mm
DIN	3 - 10
WEIGHT	950 g/pc.
* stand heigh	t with Demo track

# MN



# **ADRENALIN 14 MN**

# ARTICLE NUMBER

114301 - solid black, W/O Brake [F], short 114302 - solid black, W/O Brake [F], long

# PRODUCT FEATURES

FR PRO Toe, AFS Metal MN, Hiking Platform, NX FR Heel

STAND HEIGHT	39 mm
DIN	4 - 14
WEIGHT	1240 g/pc (short), 1255 g/pc. (long)





#### PROTECTOR SLR 11 GW

#### ARTICLE NUMBER

ARTICLE NUMBER
114562 - matt white, Brake [N] 80 mm
100913 - matt black, Brake [N] 80 mm
100914 - matt black, Brake [N] 90 mm
114555 - matt black, Brake [N] 80 mm
114556 - matt black, Brake [N] 80 mm,
SET (incl. SLR PRO XL base & 8 mm screws)
114566 - matt black, Brake [N] 90 mm,
SET (incl. SLR PRO XL base & 8 mm screws)
114567 - matt black, Brake [N] 100 mm,
SET (incl. SLR PRO XL base & 8 mm screws)
114563 - matt white, Brake [N] 80 mm,
SET (incl. SLR PRO XL base & 8 mm screws)
114568 - matt white, Brake [N] 90 mm,
SET (incl. SLR PRO XL base & 8 mm screws)
114569 - matt white, Brake [N] 100 mm,
SET (incl. SLR PRO XL base & 8 mm screws)

#### PRODUCT FEATURES

TX Toe, Full Diagonal, AFS - Anti Friction Slider GW, SLR, HR Lite Heel

#### PRODUCT DETAILS

I RODOCT DETAILS	
STAND HEIGHT	28 mm
DIN	3 - 11
WEIGHT	980 g/pc.





#### PROTECTOR SLR 10 GW

#### ARTICLE NUMBER

AKTICEE NOMBEK	
00930 - matt black, Brake [N] 80 mm	
100931 - matt white. Brake [N] 80 mm	

#### PRODUCT FEATURES

TX Toe, Full Diagonal, AFS - Anti Friction Slider GW, SLR, HR Lite Heel

#### PRODUCT DETAILS

STAND HEIGHT	28 mm
DIN	3 - 10
WEIGHT	975 g/pc.



70





#### JOY 12 GW PRD

#### ARTICLE NUMBER

100917 - matt white, Brake [F] 85 mm

#### PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, PowerRail, D-RX (Diagonal) Heel

#### PRODUCT DETAILS

STAND HEIGHT	33,5 mm
DIN	3,5 - 12
WEIGHT	1000 g/pc.





#### JOY 11 GW SLR

#### ARTICLE NUMBER

00944 - matt black, Brake [H] 78 mm	
00945 - matt black, Brake [H] 90 mm	

#### PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, SLR, NX Heel

#### PRODUCT DETAILS

STAND HEIGHT	28 mm
DIN	3 - 11
WEIGHT	900 g/pc.









#### ARTICLE NUMBER

100918 - solid white, Brake [H] 85 mm 100919 - solid black, Brake [H] 85 mm

#### PRODUCT FEATURES

SX Lite Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, SLR, SXL Heel

#### PRODUCT DETAILS

I RODOCT DETAILS		
STAND HEIGHT	28 mm	
DIN	2,5 - 9	
WEIGHT	715 g/pc.	





#### EVO 9 GW CA

#### ARTICLE NUMBER

100921 - solid black/speed blue, Brake [D] 85 mm

#### PRODUCT FEATURES

SX Lite Toe with TRP System, Full Diagonal, AFS GW AC, SX LITE Heel

#### PRODUCT DETAILS

STAND HEIGHT	21 mm
DIN	2 - 9
WEIGHT	780 g/pc.





#### JRS 4.5 GW CA

#### ARTICLE NUMBER

100923 - solid black/speed blue, Brake [I] 80 mm 114475 - solid black/white, Brake [I] 80 mm 114477 - solid white/black, Brake [I] 80 mm 114478 - solid white/white, Brake [I] 80 mm 114479 - white glossy, Brake [I] 80 mm

#### PRODUCT FEATURES

SX Kid Toe with TRP System, Full Diagonal, AFS GW AC, JRS, SX Youth

#### PRODUCT DETAILS

STAND HEIGHT	27 mm
DIN	0,75 - 4,5
WEIGHT	575 g/pc.





#### JRS 7.5 GW CA

#### ARTICLE NUMBER

ARTICLE NUMBER	
100922 - solid black/speed blue, Brake [H] 78 mm	
114470 - solid black/white, Brake [H] 78 mm	
114471 - solid black/white, Brake [H] 90 mm	
114473 - solid white/black, Brake [H] 78 mm	
114474 - solid white/white, Brake [H] 78 mm	

#### PRODUCT FEATURES

SX Junior Toe with TRP System, Full Diagonal, AFS GW AC, JRS, SX Youth Heel

#### PRODUCT DETAILS

STAND HEIGHT	27 mm
DIN	2 - 7,5
WEIGHT	610 g/pc.





#### SX TEAM 9.0 GW CA

#### ARTICLE NUMBER

114487 - solid black, Brake [D] 95 mm

#### PRODUCT FEATURES

SX Lite Toe with TRP System, Full Diagonal, AFS GW AC, SX LITE Heel

#### PRODUCT DETAILS

STAND HEIGHT	21 mm
DIN	2 - 9
WEIGHT	780 g/pc.







#### **SX 7.5 GW CA**

#### ARTICLE NUMBER

114488 - solid white/black, Brake [J] 78 mm 114489 - solid black/white, Brake [J] 78 mm 114490 - solid black/white, Brake [J] 90 mm

#### PRODUCT FEATURES

SX Junior Toe with TRP System, Full Diagonal, AFS GW AC, SX Youth Heel

#### PRODUCT DETAILS

	STAND HEIGHT	21 mm
	DIN	2 - 7,5
	WEIGHT	685 g/pc.







#### ARTICLE NUMBER

114491 - solid black/white, Brake [K] 80 mm 114492 - solid white/black, Brake [K] 80 mm

#### PRODUCT FEATURE


SX Kid Toe with TRP System, Full Diagonal, AFS GW AC, SX Youth Heel

#### PRODUCT DETAILS

STAND HEIGHT	15 mm
DIN	0,75 - 4,5
VEIGHT	600 g/pc.



# BOOT BINDING COMPATIBILITY



- \* There are older ski bindings/ski boots without marking. Here the technician needs to check boot compatibility according the corresponding tech manual.
- \*\* Screwdriver icon indicates that the toe height needs to be adjusted by the technician. e.g. A MN
- \*\*\* Boot needs to have tech inserts. Compatibility with tech bindings might be limited. Check recommendations of the binding and boot manufacturer.
- \*\*\*\* Compatibility with tech bindings might be limited. Check recommendations of the binding and boot manufacturer.

Altough there is no Type A & C standard in ISO 9523 - MN bindings are marked with A to avoid possibly installing of a Type C Alpine or Walk boot in those bindings.

# **BRAKE OVERVIEW**

ATTACK LYT 13 GW DEMO 163052 PowerRail Brake<sup>2</sup> LD 110 [F] ATTACK LYT 11 GW DEMO 163053 PowerRail Brake<sup>2</sup> LD 130 [F]

162943 PowerRail Brake SL 78 [G]

163084 PowerRail Brake SL 85 [G]

162944 PowerRail Brake SL 90 [G] 163078 PowerRail Brake SL 100 [G] 162985 PowerRail Brake SL 115 [G]

PRD 12 GW PRD 11 GW

PRW 11 GW

PR 11 GW

PR 10 GW PROMO

#### **HEAD/TYROLIA BRAKE LINE**

PR 11 GW

HEAD 24.25	TYROLIA 24.25	ART. NO.	Brake model/ width	brake code	HEAD 24.25	TYROLIA 24.25	ART. NO.	Brake model/ width
FREEFLEX ST 20 X RD	FREEFLEX ST 16	163033	Power Brake <sup>2</sup> Race PRO 17-85 [A]		JOY 11 GW SLR	SLR 10 GW	162942	SL Brake LR 78 [H]
FREEFLEX ST 20 X RS	RACE ST 14	163035	Power Brake <sup>2</sup> Race PRO 95 [A]		JOY 9 GW SLR	SLR 9.0 GW	163085	SL Brake LR 85 [H]
FREEFLEX ST 16 X RD	ATTACK 17 GW	163036	Power Brake <sup>2</sup> Race PRO 110 [A]	Н	JRS 7.5 GW CA	JRS 7.5 GW CA	162949	SL Brake LR 90 [H]
FREEFLEX ST 14 X	ATTACK 14 MN	163037	Power Brake <sup>2</sup> Race PRO 130 [A]				163079	SL Brake LR 100 [H]
FREEFLEX ST 16	ATTACK 14 GW	163038	Power Brake <sup>2</sup> Race PRO 150 [A]					
FREEFLEX ST 14	ATTACK LYT 12 GW					1		
FREEFLEX 11 RACE	ATTACK LYT 11 GW	*use onl	y for racing competition (X) bindings	100				
		163032	Power Brake <sup>2</sup> Race PRO 16-85 [A]*		JRS 4.5 GW CA	JRS 4.5 GW CA	163132	SX Kid Brake JRS/SLR EASY 80 [I]
		163039	Power Brake <sup>2</sup> Race PRO 18-85 [A]*					
		163034	Power Brake <sup>2</sup> Race PRO wide 18-85 [A]*					
						TX 10 GW	163058	SL Brake 78 [J]
				1		SX 7.5 GW CA	162776	SL Brake 90 [J]
	AMBITION 10 MN	163016	Brake Ambition 95 white [C]	J			163067	SL Brake 100 [J]
	AMBITION 10 MN	163016	Brake Ambition 95 white [C]				163068	SL Brake 115 [J]
		163004	Brake Ambition 105 white [C]					
		163005	Brake Ambition 125 white [C]	_				
		163098	Brake Ambition 85 black [C]	17		SX 4.5 GW CA	163133	SX Kid Brake EASY 80 [K]
		163099	Brake Ambition 95 black [C]	K		SX 4.5 R GW CA		
		163100	Brake Ambition 105 black [C]			SRM 4.5 GW CA		
		163101	Brake Ambition 125 black [C]					
						ALMONTE 12 PT	163160	Brake platform TOUR - W/O Brake (
FREEFLEX 14 GW	FREEFLEX DEMO 14 GW	163044	Power Brake <sup>2</sup> LD 85 [D]			ALMONTE 10 PT	163161	Brake TOUR 90 [M]
FREEFLEX 11 GW	FREEFLEX 11 GW	163045	Power Brake <sup>2</sup> LD 95 [D]	M		ALMONTE 10 DEMO	163162	Brake TOUR 105 [M]
FREEFLEX DEMO 14 GW	AM 12 GW	163046	Power Brake <sup>2</sup> LD 110 [D]				163163	Brake TOUR 120 [M]
EVO 9 GW CA	RX 12 GW	163047	Power Brake <sup>2</sup> LD 130 [D]					
	SP 10 GW	163048	Power Brake <sup>2</sup> LD 150 [D]					
	BYS 10 GW				PROTECTOR SLR 11 GW	PROTECTOR SLR 11 GW	163152	Protector Brake SLR 80 [N]
	SR 10 GW			Ν	PROTECTOR SLR 10 GW		163153	Protector Brake SLR 90 [N]
	SRM 10 GW			14			163154	Protector Brake SLR 100 [N]
	ATTACK LYT 9 GW						-	
	SX TEAM 9.0 GW CA							
					PROTECTOR PR 13 GW	PROTECTOR ATTACK LYT 13 GW	163138	Protector Brake PR 85 [P]
				Р		PROTECTOR PR 13 GW	163139	Protector Brake PR 95 [P]
PRD 12 GW	ADRENALIN 14 MN	163050	PowerRail Brake <sup>2</sup> LD 85 [F]	P		PROTECTOR PR 11 GW	163140	Protector Brake PR 110 [P]
JOY 12 GW PRD	ATTACK 14 MN DEMO	163051	PowerRail Brake <sup>2</sup> LD 95 [F]				163141	Protector Brake PR 130 [P]

### **DRILL TEMPLATES HEAD/TYROLIA**

DRILL TEMPLATE	ART. NO.	RANGE OF FIXING MECHANISM	HEAD	TYROLIA
92 W 92 FAT	162760 162868	59 - 108 mm 104 - 154 mm	FREEFLEX ST 20 X RD, FREEFLEX ST 20 X RS, FREEFLEX ST 16 X RD, FREEFLEX ST 14 X, FREEFLEX ST 16, FREEFLEX ST 14, FREEFLEX 11 RACE, FREEFLEX 14 GW, FREEFLEX 11 GW, EVO 9 GW CA	FREEFLEX ST 16, RACE ST 14, FREEFLEX 11 GW, ATTACK 17 GW, ATTACK 14 MN, ATTACK 14 GW, ATTACK LYT 12 GW, ATTACK LYT 11 GW, ATTACK LYT 9 GW, PROTECTOR ATTACK LYT 13 GW, RX 12 GW, AM 12 GW, TX 10 GW, SX TEAM 9.0 GW CA, SX 7.5 GW CA, BYS 10 GW
TOUR	163156	75-125		ALMONTE 12 PT, ALMONTE 10 PT, ALMONTE 10 PT DEMO
AMBITION	163000	75-125		AMBITION 12 MN, AMBITION 10 MN, AMBITION 10 MN DEMO
ADRENALIN	162976	75-125		ADRENALIN14 MN long, ADRENALIN 14 MN short
ATTACK DEMO	163009	75-125		ATTACK 14 MN DEMO, ATTACK LYT 13 GW DEMO, ATTACK LYT 11 GW DEMO
BASES & PLATES	162865	59-108	BETTER BALANCE PR Base BETTER BALANCE PR wide Base, TWIN PR Base, ALL MOUNTAIN PR Base LYT PR Base	MULTIFLEX PR Base, SUPERFLEX PR high Base, TWIN PR Base, POWERPRO PLATE 9
RACEPLATE WCR SHORT/TEAM	165253	59-108	RACEPLATE WCR SHORT, RACEPLATE WCR TEAM	
RACE PLATE 09	162902	59-108	RACEPLATE EVO 14	RACEPATE EVO 14
JRS/SLR PRO	163104	59-108	SLR PRO Base XL; JOY BB SLR PRO Base, JRS Base S, M, L	SLR PRO Base XL, JRS Base S, M, L
94W	162761	59-108		SX 4.5 GW CA, SX 4.5 R GW CA
FREEFLEX DEMO	163013	59-108	FREEFELX DEMO 14 GW	FREEFLEX DEMO 14 GW
SP 2003 W	162763	59-108		SP 10 GW
SR 2003 W	162762	59-108		SR 10 GW

# BOOTS

TOURING | RACE | HIGH PERFORMANCE | PERFORMANCE | FREESKI | ALL MOUNTAIN | COMFORT | JUNIOR





# **BOOTS**

#### **LINE OVERVIEW**

604211 NEXO LYT 110 100

anthracite/red

600290 NEXO LYT 100

100 black

#### **RACE TOURING** 604033 CRUX PRO 99 black 604035 CRUX 604042 CRUX W Art. Nr. Model Last Color 603029 RAPTOR WCR 120 603024 RAPTOR WCR 140S 603026 RAPTOR WCR 130S 99 dark grey 96 white 96 anthracite 96 white **HIGH PERFORMANCE** 603038 RAPTOR WCR 115 W Art. Nr. Model Last Color 603046 RAPTOR WCR 95 W 604108 FORMULA 130 LV GW 604121 FORMULA 120 LV GW 604132 FORMULA 110 LV GW 603033 RAPTOR WCR 120S 98 black/white black/speed blue black/red anthracite Art. Nr. Model Last Color 604111 FORMULA 130 MV GW 604122 FORMULA 120 MV GW 604123 FORMULA 120 MV GW 604133 FORMULA 110 MV GW 604171 FORMULA 100 MV 604128 FORMULA 105 W LV GW black/white black/speed blue black/anthracite 604152 FORMULA 95 W LV GW 604129 FORMULA 105 W MV GW 604155 FORMULA 95 W MV GW 604172 FORMULA 85 W MV Art. Nr. Model Last Color 604150 FORMULA 95 W LV GW 604156 FORMULA 95 W MV GW dark blue/anthracite dark Blue/anthracite anthracite/black ice/grey black/anthracite **PERFORMANCE**

#### **FREESKI**

604010 KORE 130 LV GW

604011 KORE 130 MV GW





604020 KORE 105 W LV GW



604026 KORE 95 W MV GW





**ALL MOUNTAIN** 

603210 EDGE 130 HV GW 102 black



603230 EDGE 120 HV GW 102 black/yellow 603245 EDGE 110 HV GW

603253 EDGE 100 HV anthracite/red

604024 KORE 110 MV GW

603240 EDGE 105 W HV GW 102 dark blue

603260 EDGE 85 W HV 102 anthracite 603248 EDGE 95 W HV GW

black/turquoise











603282 EDGE LYT 65 W HV 102

603264 EDGE 85 W HV 102 ice Art. Nr. Model Last Color

603270 EDGE LYT 90 HV 102 black/white

604410 CUBE3 70 104 black/anthracite







604412 CUBE3 60 W black/white

**JUNIOR** 

604400 CUBE3 90 104

grey/red







604401 CUBE3 80 W 104 black



603535 RAPTOR 60

JUNIOR

604411 CUBE3 60 W 104 white/grey





604505 KORE 60 JUNIOR



JUNIOR



603545 J3 JUNIOR

JUNIOR



603546 J3 JUNIOR

603520 RAPTOR 70

JUNIOR



603547 J3 JUNIOR



JUNIOR



603557 J2 JUNIOR



anthracite





Art. Nr. Model Last Color 603558 603565 603566 603567 J2 JUNIOR J1 JUNIOR JUNIOR JUNIOR white/arev hlack/white white/grey

604212 NEXO LYT 100 W

anthracite/black

600296 NEXO LYT 80 W

100 black



line delivers incredible skiability in a super strong, super light package. Accept no compromise



the touring solution.

#### COMFORT SKIN SHELL

Designed to wrap the foot with a balanced and comfortable 99 mm touring last. The reactive material provides minimum thickness and precise adaptation to the foot.

in the ascent or descent, this is

#### **CONTROL CUFF**

Featuring 2 buckles and a high profile for superior ski control even in the most demanding conditions and speeds.

#### LYT DYNAMIC FRAME

Connects the shell, cuff and ski-hike device, providing the direct and powerful energy transmission. The Vibram Durastep rockered sole provides smooth foot rolling.

#### **CRUX PRO HP**

Customizable liner, the material's density ensure the perfect mold in the most critical area of the boot. Reinforced tongue and upper cuff. Tongue and cuff velcro for extra spoiler.
















2 screwed micro-adj. T1 H Magnesium buckles, 1 T1 H nesium buckles, Buckles lock, Ratchet lock

#### **CRUX PRO**

ARTICLE NUMBER NEW	PRODU	CT D	ETAI	LS	
604033 Black	LEVEL		Prof	essio	nal
	SIZES		240	/245-	
PRODUCT FEATURES			300	/305	
Ski Hike Mechanism, Forward	SHELL		Peb	ax® R	new® +
lean 14° +/-2°, Range of Motion			Rec	ycled	Carbon
55°, Dynafit tech inserts, Dura-			Fibe	rs	
step Sole, Traction Lug	LAST		TOU	IR 185	Осс
	WEIGHT		1250	g/pc	
LINER			@ S	ize: 26	55
CRUX Pro HP, Laces option , Tour	Last	97		99	101
footbed, 40mm ratchet power	Size	25.5	í	26.5	27.5
strap	ERGO BA	LANCE	Tou	r bala	nce
			Forv	vard l	ean:
BUCKLES			clas	sic m	ethod 14°
2 screwed micro-adj. T1 HP			Ram	ıp anç	gle 3°
Magnesium buckles, 1 T1 HP Mag-					

#### CRUX

ARTICLE NUMBER NEW	PRODU	ICT D	ETA	ILS	
604035 Dark Grey	LEVEL		Pro	ofessio	nal
	SIZES		25	0/255-	
PRODUCT FEATURES			30	0/305	
Ski Hike Mechanism, Forward	SHELL		Ult	ramid	Fiber
lean 14° +/-2°, Range of Motion			Gla	SS	
55°, Dynafit tech inserts, Dura-	LAST		ТО	UR 185	50cc
step Sole, Traction Lug	Last	97		99	101
	Size	25.5		26.5	27.5
LINER	ERGO BA	LANCE	То	ur bala	ince
CRUX Pro HP, Laces option , Tour			Fo	ward l	ean:
footbed, 40mm ratchet power			cla	ssic m	ethod 14°,
strap			Ra	mp an	gle 3°



**CRUX W** 

**BUCKLES** 

**BUCKLES** 

	0. 5	LIA	ILS		
LEVEL		Pro	ofessio	nal	
SIZES		23	0/235-		
		26	0/265		
SHELL		Ult	ramid	Fiber	
		Gla	ess		
LAST	LAST		TOUR 1850cc		
Last	95		97	99	
Size	24.5		25.5	26.5	
ERGO BA	LANCE	То	ur bala	nce	
		Fo	rward I	ean:	
		cla	ssic m	ethod 14°,	
		Ra	mp and	gle 3°	
	SIZES  SHELL  LAST  Last Size	SIZES  SHELL  LAST  Last 95  Size 24.5  ERGO BALANCE	SIZES   23   26	SIZES   230/235-260/265   SHELL   Ultramid   Glass	





2 screwed micro-adj. T1 HP Magnesium buckles, 1 T1 HP Magnesium buckles, Buckles lock, Ratchet lock

# HEAD

**RAPTOR** 

Simply the most successful race boot in World Cup history and still the equipment of choice for the world's fastest racers. This is ultimate speed in a tailored, precise fit.

#### **BUCKLE POSITIONING**

The higher screw-racing buckle and compact shell won't touch the snow when achieving high edge angles.

#### **CUFF ALIGNMENT**

Gives more precise adjustment, more stable connection and less friction between shell and cuff.

#### **EXTENDED TOE BOX AND MATERIAL**

The extended toe box increases torsional rigidity and power transmission. The shell's PU material provide a more progressive flex, smooth rebound and less vibration for better control.

#### **WCR BOOT BOARD**

The all-new WCR boot board has no varus, which allows for rapid and easy fitting.













LIPUID)

LIPUE)

FIT

Extended Toe Box, Rear support tuning, FIS approved sole thickness, Flat foam wedge LINER

WCR PRO LF, HP frame footbed, 50mm Double power booster velcro strap, Adj. Tongue

BUCKLES

4 screwed micro-adjustable Spineflex racing alloy buckles, Racing low profile buckles

#### PRODUCT DETAILS

	KODOOI DEIMIES							
LEVEL		Professional						
FLEX		150/140						
SIZES	220/225							
		30	0/305	5				
SHELL	PU							
LAST		RS 1800cc						
Last	94		96		98			
Size	25.5		26.5		27.5			

#### RAPTOR WCR 130S

#### ARTICLE NUMBER

603026 Anthracite

#### PRODUCT FEATURES

Flex tuning, Cuff Alignment, Extended Toe Box, Rear support tuning, FIS approved sole thickness, Flat foam wedge

#### LINER

WCR PRO LF, HP frame footbed, 45mm velcro strap, Adj. Tongue

#### BUCKLES

4 screwed micro-adjustable racing alloy buckles, Racing low profile buckles

#### PRODUCT DETAILS

LEVEL		Professional				
FLEX		140/130				
SIZES		220/225				
	300/305					
SHELL		PU				
LAST	RS 1800cc					
Last	94		96		98	
Size	25.5		26.5		27.5	

#### **RAPTOR WCR 120S**

#### ARTICLE NUMBER

603033 White

#### PRODUCT FEATURES

Flex tuning, Cuff Alignment, Extended Toe Box, Rear support tuning, FIS approved sole thickness, Flat foam wedge

#### LINER

WCR HF Pro LF, HP frame footbed, 45mm velcro strap

#### BUCKLES

4 micro-adjustable racing alloy buckles, Racing low profile buck-

#### PRODUCT DETAILS

Professional								
220/225 300/305 SHELL PU LAST RS 1800cc	LEVEL		Professional					
300/305  SHELL PU  LAST RS 1800cc  Last 94 96 98	FLEX		130/120					
SHELL         PU           LAST         RS 1800cc           Last         94         96         98	SIZES		220/225					
LAST RS 1800cc  Last 94 96 98			300/305					
Last 94 96 98	SHELL		PU					
	LAST		RS 1800cc					
Size 25.5 26.5 27.5	Last	94		96	98			
	Size	25.5		26.5	27.5			

#### **RAPTOR WCR 120**

#### ARTICLE NUMBER

603029 White

#### PRODUCT FEATURES

Flex tuning, Cuff Alignment, Extended Toe Box, Rear support tuning, FIS approved sole thickness, Flat foam wedge, Interch. Toe and heel

#### LINER

WCR HF Pro, HP frame footbed, 45mm velcro strap

#### BUCKLES

4 micro-adjustable racing alloy buckles, Racing low profile buck-

#### PRODUCT DETAILS

LEVEL		Professional					
FLEX		130	)/120				
SIZES	220/225						
		30	0/305	5			
SHELL		PU					
LAST		RS	1800	СС			
Last	94		96		98		
Size	25.5		26.5		27.5		





#### **RAPTOR WCR 115 W**

ARTICLE NUMBER	PRODU	CT D	ETA	ILS	
603038 Ice	LEVEL		Pro	ofessio	nal
	FLEX		125	5/115	
PRODUCT FEATURES	SIZES		22	0/225	270/27
Flex tuning, Cuff Alignment,	SHELL		PU	- (SHO	RT CUFF
Extended Toe Box, FIS approved	LAST	RS 1800cc			
sole thickness, Flat foam wedge,	Last	92		94	96
Interch. Toe and heel	Size	24.5		25.5	26.5
	ERGO BA	LANCE	Ra	ce bala	nce
LINER			For	ward l	ean: clas
WCR HF Pro W, HP frame foot-			sic	metho	d 16°,
bed, 40mm velcro strap			ne	w meth	od 9°
Juan Torono Strup			_		1 40

Ramp angle 4°







4 micro-adjustable racing alloy buckles, Racing low profile

4 micro-adjustable racing alloy buckles, Racing low profile

buckles


BUCKLES

buckles

ARTICLE NUMBER	PRODU	ICT D	ETA	ILS	
603046 Anthracite	LEVEL		Pro	ofession	ıal
	FLEX		105	5/95	
PRODUCT FEATURES	SIZES		220	0/225	270/275
Flex tuning, Cuff Alignment,	SHELL	PU - (SHORT CUFF			
Extended Toe Box, FIS approved	LAST	RS 1800cc			
sole thickness, Flat foam wedge,	Last	92		94	96
Interch. Toe and heel	Size	24.5		25.5	26.5
	ERGO BA	LANCE	Ra	ce balar	nce
LINER			For	ward le	an: clas-
WCR HF W, HP frame footbed,			sic method 16°,		
40mm velcro strap			nev	w metho	od 9°
			Rai	mp ang	le 4°
BUCKLES					







**FORMULA 130 LV GW** 

**BUCKLES** 

profile buckles

4 screwed micro-adjustable Spine-Flex alloy buckles, Low



**FORMULA** 

A high-performance boot designed for expert skiers looking for unbeatable comfort and foot wrapping. Formula comes in 98mm and 100mm last sizes to fit all feet and every terrain.

#### SPINEFLEX BUCKLE

This unique buckle concept has a flexible element, that adapts to the shell profile, reducing pressure points and improving the fit and performance.

#### **CUFF ALIGNMENT**

Gives more precise adjustment, more stable connection and less friction between shell and cuff.

#### **EXTENDED TOE BOX**

A longer toe box increases torsional rigidity and power transmission. New design for a better balance and increased comfort.

#### **PU MATERIAL**

The PU material gives more progressive flex, smooth rebound and less vibration for better control.























ARTICLE NUMBER	PRODU	CT D	ETA	ILS	
604108 Black/speed blue	LEVEL		Pr	ofessio	nal
	FLEX		14	0/130	
PRODUCT FEATURES	SIZES		25	0/255-	
Flex tuning, Cuff Alignment,			30	0/305	
Extended Toe Box, Rear support	SHELL		Pι	J	
tuning, Foam wedge, Interch. Toe	LAST		RS 1800cc		
and heel	Last Size	96 25.5		98/LV 26.5	100
LINER	ERGO BA	LANCE	Ra	ce bala	nce
3D Perfect Fit EVO Pro LF, Adj.			Fo	rward l	ean: clas-
Tongue, HP frame footbed,			sic	metho	d 16°,
50mm velcro strap, Power plate			ne	w meth	od 9°
			Ra	mp ang	jle 4°

#### FORMULA 120 LV GW

ARTICLE NUMBER	PRODU	CT DI	ETA	ILS		
604121 Black/white	LEVEL		Pro	ofession	nal	
	FLEX		130	0/120		
PRODUCT FEATURES	SIZES		25	0/255		
Flex tuning, Cuff Alignment,			30	0/305		
Extended Toe Box, Rear support	SHELL		PU			
tuning, Foam wedge, Interch. Toe	LAST		RS	1800c	2	
and heel	Last	96		98/LV	100	
	Size	25.5		26.5	27.5	
LINER	ERGO BAL	ANCE	Ra	ce bala	nce	
3D Perfect Fit EVO Pro LF, HP			Foi	rward le	ean: cla	as
frame footbed, 50mm velcro			sic	metho	d 16°,	
strap, Power plate			ne	w meth	od 9°	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Ra	mp ang	le 4º	
DUCKLEC						

#### **FORMULA 110 LV GW**

Low profile buckles

OKMOLA IIO LV OW					
ARTICLE NUMBER	PRODU	CT D	ETA	ILS	
604132 Black/red	LEVEL		Ex	pert	
	FLEX		120	0/110	
PRODUCT FEATURES	SIZES		25	0/255	
Flex tuning, Cuff Alignment,			30	0/305	
Extended Toe Box, Rear support	SHELL		Pι	J	
tuning, Foam wedge, Interch. Toe	LAST		RS 1800cc		
and heel	Last Size	96 25.5		98/LV 26.5	100 27.5
LINER	ERGO BA	LANCE	Ra	ce balar	nce
BD Perfect Fit EVO, HP frame			Fo	rward le	an: clas-
footbed, 45mm velcro strap			sic	method	d 16°,
,			ne	w metho	od 9°
BUCKLES			Ra	mp angl	e 4°
4 micro-adjustable alloy buckles					







#### **FORMULA 105 W LV GW**

ARTICLE NUMBER	PRODU	ICT DI	ETA	ILS	
604128 Black/anthracite	LEVEL		Pro	ofession	al
	FLEX		115	/105	
PRODUCT FEATURES	SIZES		230/235270/275		
Women double adjustable cuff,	SHELL		PU		
Flex tuning, Cuff Alignment,	LAST		RS	1800cc	
Extended Toe Box, Rear support	Last	94		96	98/LV
tuning, Foam wedge, Interch. Toe	Size	24.5		25.5	26.5
and heel	ERGO BALANCE Race balance				
			Fo	ward le	an: clas-
LINER				method	
3D Pro Formula LF W, HP frame			ne	w metho	od 9°
footbed, 40mm velcro strap.			Ra	mp angl	e 4°







FORM

#### **FORMULA 130 MV GW**

#### ARTICLE NUMBER

604111 Black/speed blue

#### PRODUCT FEATURES

Flex tuning, Cuff Alignment, Extended Toe Box, Rear support tuning, Foam wedge, Interch. Toe and heel

#### LINER

3D Perfect Fit EVO Pro LF, Adj. Tongue, HP frame footbed, 50mm velcro strap, Power plate

#### Professional LEVEL FLEX 140/130 SIZES 250/255-...-300/305 SHELL PU LAST RS 1850cc

4 screwed micro-adjustable Spine-

Flex, alloy buckles, Low profile

PRODUCT DETAILS

#### FORMULA 120 MV GW

#### ARTICLE NUMBER

604122 Black/white 604123 White

#### PRODUCT FEATURES

Flex tuning, Cuff Alignment, Extended Toe Box, Rear support tuning, Foam wedge, Interch. Toe and heel

#### LINER

3D Perfect Fit EVO Pro LF, HP frame footbed, 50mm velcro strap, Power plate

**FORMULA 110 MV GW** 

ARTICLE NUMBER

PRODUCT FEATURES

Flex tuning, Cuff Alignment,

Extended Toe Box, Rear support

tuning, Foam wedge, Interch. Toe

604133 Black/red

and heel GW

#### BUCKLES

BUCKLES

buckles

4 micro-adjustable alloy buckles, Low profile buckles

#### PRODUCT DETAILS

LEVEL		Pr	ofessio	nal	
FLEX		130/120			
SIZES		250/255			
		300/305			
SHELL		PU			
LAST		RS	1850c	С	
Last	98		100/MV	102	
Size	25.5		26.5	27.5	



#### LINER 3D Perfect Fit EVO, HP frame footbed, 45mm velcro strap

#### BUCKLES

4 micro-adjustable alloy buckles, Low profile buckles

#### PRODUCT DETAILS

	Ex	pert		
	120	0/110		
	24	0/245-		
	30	0/305		
	Pυ	l		
	RS	1850c	С	
98		100/MV	102	
25.5		26.5	27.5	
		120 24 30 PU RS	300/305 PU RS 1850c	120/110 240/245 300/305 PU RS 1850cc



604171 Black

#### PRODUCT FEATURES

Flex tuning, Cuff Alignment, Extended Toe Box, Rear support tuning, Interch. Toe and heel

#### LINER

Perfect Fit S, HP frame footbed, 40mm velcro strap

#### **BUCKLES**

4 micro-adjustable alloy buckles, Low profile buckles

#### PRODUCT DETAILS

LEVEL		ĽΧ	pert		
FLEX		10	0/110		
SIZES		24	0/245-		
		30	0/305		
SHELL		Pυ	I / SL		
LAST		RS	1850c	С	
Last Size	98 25.5		100/MV 26.5	102 27.5	







#### **FORMULA 95 W LV GW** ARTICLE NUMBER

4 micro-adjustable alloy buckles,

Power plate

BUCKLES

Low profile buckles

604150 Dark Blue/anthracite 604152 Ice/grey	AKIICL	LINUI	MDEK
604152 Ice/grey	604150	Dark	Blue/anthracite
. , ,	604152	Ice/gr	еу

#### PRODUCT FEATURES Women double adjustable cuff,

Flex tuning, Cuff Alignment, Extended Toe Box, Foam wedge, Interch. Toe and heel

#### LINER

3D Perfect Fit EVO W, HP frame footbed, 35mm velcro strap

#### **BUCKLES**

90

4 micro-adjustable alloy buckles, Low profile buckles

#### FLEX 105/95

PRODUCT DETAILS

LEVEL

SIZES		230/235270/27				
SHELL		PU				
LAST		RS 1800cc				
Last	94		96		98/LV	
Size	24.5		25.5		26.5	

Expert

ERGO BALANCE Race balance Forward lean: classic method 16°, new method 9° Ramp angle 4°



#### PRIMALOFT. GRIP



GRIP WALK





#### FORMULA 105 W MV GW

ARTICLE NUMBER	PRODU	CT D	ETA	ILS	
604129 Black/anthracite	LEVEL		Pro	ofession	al
	FLEX		125	5/115	
PRODUCT FEATURES	SIZES		23	0/235	-270/275
Women double adjustable cuff,	SHELL		PU		
Flex tuning, Cuff Alignment,	LAST		RS	1850cc	
Extended Toe Box, Rear support	Last	96		98	100/MV
tuning, Foam wedge, Interch. Toe	Size	24.5		25.5	26.5
and heel	ERGO BALANCE Race balance				
			Fo	rward le	an: clas-
LINER			sic	method	116°,
3D Perfect Fit EVO Pro LF W,			ne	w metho	od 9°
HP frame footbed, 35mm velcro			Ra	mp angl	e 4º





#### FORMULA 95 W MV GW

4 micro-adjustable alloy buckles,

strap, Power plate

Low profile buckles

BUCKLES

FORMULA 95 W MV GW							
ARTICLE NUMBER	PRODUCT DETAILS						
604155 Dark Blue/anthracite	LEVEL		Ех	pert			
604156 Ice/grey	FLEX		105	5/95			
	SIZES		23	0/235	270/275		
PRODUCT FEATURES	SHELL		PU				
Women double adjustable cuff,	LAST	RS 1850cc					
Flex tuning, Cuff Alignment,	Last	96		98	100/MV		
Extended Toe Box, Rear support	Size	24.5		25.5	26.5		
tuning, Foam wedge, Interch. Toe	ERGO BA	ERGO BALANCE		Race balance			
and heel			Fo	rward l	ean: clas-		
			sic	metho	d 16°,		
LINER			ne	w meth	od 9°		
3D Perfect Fit EVO W. HP frame			Ra	mp ang	le 4º		





#### FORMULA 85 W MV

BUCKLES

BUCKLES

Low profile buckles


4 micro-adjustable alloy buckles,

footbed, 35mm velcro strap

4 micro-adjustable alloy buckles, Low profile buckles

TORMOLA OS II III							
ARTICLE NUMBER	PRODUCT DETAILS						
604172 Athracite/black	LEVEL		Ex	pert			
	FLEX		95	/85			
PRODUCT FEATURES	SIZES		23	0/235	270/27		
Women double adjustable cuff,	SHELL PU			PU / SL			
Flex tuning, Cuff Alignment,	LAST	LAST			RS 1850cc		
Extended Toe Box, Interch. Toe	Last	96		98	100/MV		
and heel	Size	24.5		25.5	26.5		
	ERGO BA	LANCE	Ra	ce bala	nce		
LINER			Fo	rward le	ean: clas-		
Formula S W Perfect Fit S, HP	_		sic	metho	d 16°,		
frame footbed, 30mm velcro	new method 9°				od 9°		
strap			Ra	mp ang	le 4º		
•							





# **PERFORMANCE NEXO** Power efficient design for better skiing with

less effort. Graphene and Smart Frame Shell combine to give an unrivalled skiing experience that is as powerful as it is lightweight. This is a high-performance boot that will satisfy advanced skier.

#### **POWER PLATE AND 45MM VELCRO STRAP**

Designed to increase support through the upper cuff, elevating overall performance.

#### **LOW PROFILE BUCKLES**

#### **DUO FLEX**

Enables a progressive and reactive flex with precise ski control through all phases of the turn.

#### **EASY ENTRY DESIGN**

A bi-injected shell with more softer material for easier step in performance.



























#### **NEXO LYT 110**

ARTICLE	NUMBER

#### 604211 Anthracite/red PRODUCT FEATURES

Smart frame, Duo Flex, Stiffer/ softer flex adjustment, Single Canting, Foam Wedge

#### LINER

3D Perfect fit LF, HP frame footbed, 45mm velcro strap

#### NEW BUCKLES

4 micro-adjustable alloy buckles, Low profile buckles, 1 Supermacro light ratchet

#### PRODUCT DETAILS

I KODOOI DEIMIED						
LEVEL		Ex	pert			
FLEX 110/100						
SIZES 240/245						
		300/305				
SHELL		PU				
LAST		S 1	850cc			
Last	98		100/MV	102		
Size	25.5		26.5	27.5		

#### **NEXO LYT 100**

#### ARTICLE NUMBER

600290 Black

#### PRODUCT FEATURES

Smart frame, Duo Flex, Stiffer/ softer flex adjustment, Single Canting, Foam Wedge

#### LINER

Perfect fit S, HP frame footbed, 45mm velcro strap

#### **BUCKLES**

4 micro-adjustable alloy buckles, Low profile buckles, 1 Supermacro light ratchet

#### PRODUCT DETAILS

LEVEL		Ex	pert			
FLEX		100	0/90			
SIZES		250/255				
		300/305				
SHELL		PU				
LAST		S 1	850cc			
Last	98		100/MV	102		
Size	25.5		26.5	27.5		

4 micro-adjustable alloy buckles,

Low profile buckles, 1 Supermacro

#### **NEXO LYT 100 W**

#### ARTICLE NUMBER

604212 Anthracite/black

#### PRODUCT FEATURES

Smart frame, Duo Flex, Stiffer/ softer flex adjustment, Single Canting, Women double adjustable cuff, Foam Wedge, Rear support tuning

#### LINER

3D Perfect Fit LF W, HP frame footbed, 35mm velcro strap, Pow er plate

#### PRODUCT DETAILS

BUCKLES

light ratchet

LEVEL		Ex	pert			
FLEX		100/90				
SIZES		230/235				
		270/275				
SHELL		Pυ	l			
LAST	S 1850cc					
Last	96		98		100/MV	
Size	24.5		25.5		26.5	

#### NEXO LYT 80 W

#### ARTICLE NUMBER 600296 Black

#### PRODUCT FEATURES Smart frame, Duo Flex, Stiffer/

softer flex adjustment, Single Canting, Women double adjustable cuff, Foam Wedge

#### LINER

95

Perfect fit S W, HP frame footbed, Auto Adapt Tech, 35mm velcro strap

#### **BUCKLES**

4 micro-adjustable alloy buckles, Low profile buckles, 1 Supermacro light ratchet

#### PRODUCT DETAILS

LEVEL		Expert					
FLEX		80	/70				
SIZES		220/225					
		270/275					
SHELL		Pυ	J				
LAST		S 1	850c	С			
Last	96		98	100/MV			
Size	24.5		25.5	26.5			

KORE 130 LV GW ARTICLE NUMBER 604010 Anthracite/blue



**KORE** 

Using technology from HEAD's performance range, the KORE RS boot gives excellent power transfer and responsiveness with freeride specific features. Your next backcountry sidekick.

#### SUPERLEGGERA BUCKLES

Simple, lightweight and effective aluminum buckles featuring Buckle lock and Ratchet lock to keep things secure when hiking.

#### **SKI HIKE MECHANISM**

53° Range of Motion, provides strong precise connection between cuff and shell.

#### DYNAFIT TECH INSERT

Low tech insert for compatibility with pin bindings.

#### **RUBBER INSERT**

Rubber insert for enhanced grip and comfort when hiking.



















#### **KORE 110 MV GW**

ARTICLE NUMBER NEW	PRODUC	CIDI	LΙΑ	ILS		
604024 Grey	LEVEL		Exp	pert		
	FLEX		110			
PRODUCT FEATURES	SIZES		240	0-245	305	
Ski Hike Mechanism, Forward	SHELL		PU	/SL		
lean adj. +1°, Foam Wedge, Dy-	LAST		FR	1850cc		
nafit tech inserts, Rear support	WEIGHT		1826g @ Size: 2		ize: 26	5
tuning	Last	98		100/HV	102	
	Size	25.5		26.5	27.5	
LINER	ERGO BAL	ANCE	Rad	ce balar	nce	
KORE Perfect Fit, Laces option ,			For	ward le	an: cla	ıs-
HP frame footbed, 50mm velcro			sic	method	d 16°,	
strap. Power plate			nev	w metho	od 9°	

Ramp angle 4°

#### **BUCKLES**

4 screwed micro-adjustable Superleggera buckles, Buckles lock, Ratchet lock





	on , HP frame footbed, 53mm atchet velcro
-	iteriet verero
В	UCKLES
4	screwed micro-adjustable Su-

ARTICLE NUMBER NEW	PRODU	CT D	ETA	ILS	
604010 Anthracite/blue	LEVEL		Pro	ofessio	nal
	FLEX		130	)	
PRODUCT FEATURES	SIZES		24	0-245	305
Ski Hike Mechanism, Forward	SHELL		PU	/SL	
lean adj. +1°, Foam Wedge, Dy-	LAST	FR 1800cc			
nafit tech inserts, Rubber insert,	WEIGHT		166	64g @ :	Size: 265
Rear support tuning	Last	96		98/LV	100
	Size	25.5		26.5	27.5
LINER	ERGO BA	LANCE	Ra	ce bala	ince
KORE Pro Perfect Fit , Laces op-			Fo	rward I	ean: clas-
tion , HP frame footbed, 53mm	sic mathod 16			od 16°,	
ratchet velcro			ne	w meth	od 9°
			Ra	mp and	gle 4°



Ratchet lock

ARTICLE NUMBER NEW	PRODU	CT D	ETA	ILS			
604011 Anthracite/blue	LEVEL		Pro	ofession	nal		
	FLEX		130	)			
PRODUCT FEATURES	SIZES		24	0/245			
Ski Hike Mechanism, Forward	-		30	0/305			
lean adj. +1°, Foam Wedge, Dy-	SHELL PU/SL						
nafit tech inserts, Rubber insert,	LAST	LAST F			FR 1850cc		
Rear support tuning	WEIGHT		1952g @ Size: 26		ize: 265		
	Last	98		100/HV	102		
LINER	Size	25.5		26.5	27.5		
KORE Pro Perfect Fit, Laces op-	ERGO BA	LANCE	Ra	ce bala	nce		
tion , HP frame footbed, 53mm			Fo	rward le	ean: clas-		
ratchet velcro			sic	metho	d 16°,		
			ne	w meth	od 9°		
BUCKLES			Ra	mp ang	le 4º		











ARTICLE NUMBER NEW	PRODU	CT D	ETA	ILS		
604020 Anthracite	LEVEL		Pr	ofessio	nal	
	FLEX		10	5		
PRODUCT FEATURES	SIZES		22	0/225	270/275	
Ski Hike Mechanism, Forward	SHELL		PU	/SL		
ean adj. +1°, Foam Wedge, Dy-	LAST	FR 1800cc				
nafit tech inserts, Rubber insert,	WEIGHT	WEIGHT		1826g @ Size: 245		
Rear support tuning	Last	96		98/LV	100	
	Size	25.5		26.5	27.5	
LINER	ERGO BA	LANCE	Ra	ce bala	nce	
KORE Pro Perfect Fit W, Lac-			Fo	rward l	ean: clas-	
es option , HP frame footbed,			sic	metho	d 16°,	
53mm ratchet velcro			ne	w meth	od 9°	
			Ra	mp ang	jle 4°	



#### KORE 95 W MV GW

4 screw micro-adjustable Superleggera buckles, Buckles lock,

BUCKLES


Ratchet lock

ARTICLE NUMBER NEW	PRODUCT DETAILS						
604026 Green	LEVEL		Exp	pert			
	FLEX		95				
PRODUCT FEATURES	SIZES		220	0/225	270/275		
Ski Hike Mechanism, Forward	SHELL		PU	/SL			
lean adj. +1°, Foam Wedge, Dy-	LAST		FR 1850cc				
nafit tech inserts, Rear support	WEIGHT		1765g @ Size: 245				
tuning	Last Size	98 25.5		100/MV 26.5	102 27.5		
LINER	ERGO BALANCE		Race balance				
KORE Perfect Fit W, Laces option			For	rward le	ean: clas-		
, HP frame footbed, 40mm vel-			sic	metho	d 16°,		
cro strap, Power plate			ne	w meth	od 9°		
			Ra	mp ang	le 4º		
BUCKLES							
4 screw micro-adjustable Super-							
leggera buckles, Buckles lock,							
Ratchet lock							











# **EDGE**

Evolved over 20 years into the most popular boot we've ever made. With the new EZ tech shell, skiers experience EZ-ON, EZ-WALK and EZ-SKI, for every skier and every slope.

#### **EZ TECH SHELL**

The last and technology in the new shell is the culmination of 6 generations of EDGE boots.

#### EZ-ON

The new Edge Shell provides the easiest step in ever for a four buckle boot.

#### **EZ-WALK**

The EZ-WALK switch releases the upper cuff to rotate freely and combines with the Grip-Walk sole for easy walking.

#### EZ-SKI

The unique Hi-Top lower shell plus the Power flex ensures a direct energy transfer from skier to ski, to amplifying ski control, reducing fatigue and increasing fun.













#### FORM FIT

3D Perfect Fit EVO Pro LF, Adj. Tongue, Sport frame footbed, 35mm velcro strap, Power plate

EDGE 130 HV GW ARTICLE NUMBER

PRODUCT FEATURES

Adjustable Profile

LINER

EZ Tech Shell, Ski-Walk System,

Power Flex, Extended toe box, Tri-Injected Frame, Foam Wedge,

603210 Black

**BUCKLES** 

4 micro-adjustable alloy buckles, 2 Double Power levers, 1 Supermacro ratchet

#### PRODUCT DETAILS

LEVEL		Ad	lvanced	1			
FLEX		130	130				
SIZES		25	250/255				
		300/305-315-325					
		(Advant Edge 335-					
		34	5 No L	iquid Fit			
		Liner)					
SHELL		PU					
LAST		C 2100cc					
Last	100		102/HV	104			
Size	25.5		26.5	27.5			

#### EDGE 120 HV GW

#### ARTICLE NUMBER

603230 Black/yellow

#### PRODUCT FEATURES

EZ Tech Shell, Ski-Walk System, Power Flex, Extended toe box, Tri-Injected Frame, Adjustable Profile

#### LINER

3D Perfect Fit EVO Pro , Sport frame footbed, 35mm velcro strap, Power plate

#### BUCKLES

4 micro-adjustable alloy buckles, 1 Supermacro ratchet

#### PRODUCT DETAILS

LEVEL		Ad	vanced		
FLEX		120	)		
SIZES		25	0/255-		
		30	0/305		
SHELL		PU			
LAST		C 2	2100cc		
Last	100		102/HV	104	
Size	25.5		26.5	27.5	

#### **EDGE 110 HV GW**

#### ARTICLE NUMBER

603245 Anthracite

#### **PRODUCT FEATURES**

EZ Tech Shell, Ski-Walk System, Power Flex, Extended toe box, Tri-Injected Frame, Adjustable Profile

#### LINER

3D Perfect Fit EVO, Sport frame footbed, 35mm velcro strap

#### BUCKLES

4 micro-adjustable alloy buckles, 1 Supermacro ratchet

#### PRODUCT DETAILS

LEVEL		Advanced				
FLEX		110				
SIZES		25	0/255-			
		30	0/305			
SHELL		PU	/SL			
LAST		C 2	2100cc			
Last	100		102/HV	104		
Size	25.5		26.5	27.5		

#### EDGE 100 HV

#### ARTICLE NUMBER

603253 Anthracite/red

#### PRODUCT FEATURES

EZ Tech Shell, Ski-Walk System, Power Flex, Extended toe box, Tri-Injected Frame, Adjustable Profile

#### LINER

GRIP

Perfect Fit S, Sport frame footbed, 35mm velcro strap

#### **BUCKLES**

4 micro-adjustable alloy buckles, 1 Supermacro ratchet

#### PRODUCT DETAILS

LLVLL		Advanced				
FLEX		100	С			
SIZES		25	0/255-	·		
		30	0/305			
SHELL		PU/SL				
LAST	C 2100cc					
Last	100		102/HV	104		
Size	25.5		26.5	27.5		



















#### EDGE 105 W HV GW

ARTICLE NUMBER	PRODUCT DETAILS					
603240 Dark blue	LEVEL		Ad	vanced		
	FLEX		105	5		
PRODUCT FEATURES	SIZES		22	0/225	270/275	
EZ Tech Shell, Ski-Walk System,	SHELL		PU			
Power Flex, Extended toe box,	LAST		C 2	2100cc		
Tri-Injected Frame, Foam Wedge,	Last	98		100	102/HV	
Women's Adjustable Profile	Size	24.5		25.5	26.5	
	ERGO BA	LANCE	ΑII	ride bal	ance	
LINER			Fo	rward L	ean 14°	
3D Perfect Fit EVO Pro W, Sport			Ra	mp ang	le 5°	
frame footbed, 35mm velcro						



#### **EDGE LYT 90 HV**

#### ARTICLE NUMBER

603270 Black/white

#### PRODUCT FEATURES

Smart frame, Hi-Top tech, Duo Flex, Easy entry shell design, Single canting, Stiffer/softer flex adjust.

#### LINER

Comfort, Sport frame footbed, 35mm velcro strap

#### BUCKLES

4 micro-adjustable alloy buckles, 1 Supermacro ratchet, Low profile buckles

#### PRODUCT DETAILS

LEVEL		Int	ermed	iate		
FLEX		90/80				
SIZES		250/255				
		30	0/305			
SHELL		SL				
LAST		C 2100cc				
Last	100		102/HV	104		
Size	25.5		26.5	27.5		

### GRIP WALK OPTION

GRIP WALK OPTION

#### **EDGE LYT 80 HV**

#### ARTICLE NUMBER 603280 Black/yellow

#### PRODUCT FEATURES

Smart frame, Hi-Top tech, Duo Flex, Easy entry shell design, Single canting

#### LINER

Comfort, Sport frame footbed, 35mm velcro strap

#### BUCKLES

4 micro-adjustable plastic buckles, 1 Supermacro ratchet

#### PRODUCT DETAILS

LEVEL         Intermediate           FLEX         80           SIZES         250/255           300/305         300/305           SHELL         SL           LAST         C 2100cc           Last         100           Size         25.5           26.5         27.5							
SIZES 250/255 300/305 SHELL SL LAST C 2100cc	LEVEL		Int	ermed	iate		
300/305  SHELL SL  LAST C 2100cc  Last 100 102/HV 104	FLEX		80	)			
SHELL         SL           LAST         C 2100cc           Last         100         102/HV         104	SIZES		250/255				
LAST C 2100cc  Last 100 102/HV 104			300/305				
Last 100 102/HV 104	SHELL		SL				
	LAST		CZ	2100cc			
Size 25.5 26.5 27.5	Last	100		102/HV	104		
	Size	25.5		26.5	27.5		





FORM FIT

#### EDGE 95 W HV GW

4 micro-adjustable alloy buckles,

strap, Power Plate

1 Supermacro ratchet

BUCKLES

ARTICLE NUMBER	PRODU	CT D	ETA	ILS	
603248 Black/turquoise	LEVEL		Ad	vanced	l
	FLEX		95		
PRODUCT FEATURES	SIZES		220	0/225-	270/27
EZ Tech Shell, Ski-Walk System,	SHELL		PU	/SL	
Power Flex, Extended toe box,	LAST		C 2	100cc	
Tri-Injected Frame, Foam Wedge,	Last	98		100	102/HV
Women's Adjustable Profile	Size	24.5		25.5	26.5
	ERGO BA	LANCE	All	ride ba	lance
LINER			For	ward L	ean 14°
3D Perfect Fit EVO W, Sport			Rai	mp and	gle 5°
frame footbed, 35mm velcro					



#### ARTICLE NUMBER 603275 Black/turquoise

EDGE LYT 75 W HV

#### PRODUCT FEATURES

Smart frame, Hi-Top tech, Duo flex, Easy entry shell design, Double adjustable cuff

#### LINER

Comfort W, Sport frame footbed, 35mm velcro strap

#### BUCKLES

4 micro-adjustable alloy buckles, 1 Supermacro ratchet

#### PRODUCT DETAILS

LEVEL		Interme	diate
FLEX	•	75/65	
SIZES		220/225	
		270/275	
SHELL		SL	
LAST		C 2100c	С
Last	98	100	102/HV
Size	24.5	25.5	26.5



#### EDGE 85 W HV

1 Supermacro ratchet

strap

BUCKLES

4 micro-adjustable alloy buckles,

ARTICLE NUMBER	PRODUCT DETAILS					
603260 Anthracite	LEVEL		Advanced			
603264 Ice	FLEX		85			
	SIZES		220/225-	270/275		
PRODUCT FEATURES	SHELL		PU/SL			
EZ Tech Shell, Ski-Walk System,	LAST		C 2100cc			
Power Flex, Extended toe box,	Last	98	100	102/HV		
Tri-Injected Frame, Foam Wedge,	Size	24.5	25.5	26.5		
Women's Adjustable Profile	ERGO BA	LANCE	Allride ba	alance		
			Forward I	_ean 14°		
LINER			Ramp and	gle 5°		



#### EDGE LYT 65 W HV

#### ARTICLE NUMBER 603281 Black 603282 Grey

#### PRODUCT FEATURES

Smart frame, Hi-Top tech, Duo flex, Easy entry shell design, Double adjustable cuff

#### LINER

103

Comfort W, Sport frame footbed, 35mm velcro strap

#### **BUCKLES**

4 micro-adjustable plastic buckles, 1 Supermacro ratchet

#### PRODUCT DETAILS LEVEL Intermediate

FLEX		65				
SIZES		22	0/225	·	-	
		270/275				
SHELL		SL				
LAST		C 2100cc				
Last	98		100		102/HV	
Size	24.5		25.5		26.5	





Perfect Fit S W, Sport frame footbed, 35mm velcro strap

#### **BUCKLES**

102

4 micro-adjustable alloy buckles, 1 Supermacro ratchet













#### **CUBE3 90**

LINER

strap

SuperHeat3 quick entry, Sport frame footbed, 35 mm velcro

ARTICLE NUMBER	NEW	BUCKLES
604400 Grey/red		2 micro-adjustable plastic buckles
		1 micro-adjustable wide-body al-
PRODUCT FEATURES		loy buckles, 1 Supermacro ratchet
Integrated auto-skiwalk		
		PRODUCT DETAILS

LEVEL		Advanced			
FLEX		90			
SIZES		250/255			
		300/305			
SHELL		PU/SL			
LAST		EC	2200	СС	
Last	102		104	106	
Size	25.5		26.5	27.5	

#### **CUBE3 70**

ARTICLE NUMBER	NEW	PRODU	ICT DI	ET/	ILS	
604410 Black/anthracite		LEVEL		In	termed	iate
		FLEX		70	)	
PRODUCT FEATURES		SIZES		25	0/255	·
Integrated auto-skiwalk				30	0/305	-315-325
		SHELL		SL		
LINER		LAST		EC	2200	СС
Comfort quick entry liner, Spo	ort	Last	102		104	106
frame footbed, 35 mm velcro		Size	25.5		26.5	27.5
strap		ERGO BALANCE		Comfort balance		
				Fo	rward	Lean 16°
RIICKI FS				Ra	mp an	gle 6°

#### CUI

BUCKLES		Ramp angle 6°
3 micro-adjustable plastic	buckles,	
1 Supermacro ratchet		
CUBE3 80 W		
ARTICLE NUMBER	NEW	BUCKLES
604401 Black		2 micro-adjustable plastic buckle

604401	Black	
004401	Diack	

004401 Black	1 micro-ad
PRODUCT FEATURES	loy buckles
Integrated auto-skiwalk	

SuperHeat3 quick entry W, Sport frame footbed, 35 mm velcro
frame footbed, 35 mm velcro
strap

djustable plastic buckles, djustable wide-body ales, 1 Supermacro ratchet

PRODUCT DETAILS							
LEVEL	Advanced						
FLEX		80					
SIZES		230/235	·				
270/275							
SHELL	PU/SL						
LAST EC 2200cc							
Last	100	102	104				
Size	24.5	25.5	26.5				

#### CUBE3 60 W

ARTICLE NUMBER NEW	BUCKL	ES			
604411 White/grey	3 micro-adjustable plastic buckles,				
604412 Black/white	1 Supermacro ratchet				
PRODUCT FEATURES	PRODU	ICT DE	TAILS		
Integrated auto-skiwalk	LEVEL Intermedi		diate		
	FLEX	6	50		
NER SIZES		SIZES 230/235			
Women's Comfort quick entry	270/275				
liner, Sport frame footbed, 35 mm	n SHELL SL				
velcro strap	LAST	Е	C 2200	СС	
	Last	100	102	104	
	Sizo	24.5	25.5	26.5	





**RAPTOR JUNIOR** 

#### **BUCKLE POSITIONING**

The higher screw racing buckle and compact shell don't touch the snow when achieving high edge angles.

#### CUFF ALIGNMENT

Gives more precise adjustment, more stable connection and less friction between shell and cuff.

#### EXTENDED TOE BOX AND MATERIAL

The extended toe box increases torsional rigidity and power transmission. The shell's PU material provide a more progressive flex, smooth rebound and less vibration.

#### WCR BOOT BOARD

The WCR boot board has no varus, which allows for rapid and easy fitting.

**J KIDS BOOTS** 

#### JR. HI-TOP

Higher tongue profile and asymmetrical lateral support.

#### TWO PHASE FLEX

Gradual and natural centered balance.

#### NATURAL KID STANCE

#### VARIO LAST DESIGN

HEAD's Anatomical last has been developed to accommodate the natural growth of kid's feet: Wider last on small sizes.





#### **RAPTOR WCR 90**

#### ARTICLE NUMBER

603510 White

#### PRODUCT FEATURES

Flex tuning, Cuff Alignment, Extended Toe Box, Rear support tuning, JR Racing spoiler, FIS approved sole thickness, Flat foam wedge

#### LINER

Jr WCR HF Pro, HP frame footbed, 40mm velcro strap, Laces option

#### **BUCKLES**

4 micro-adjustable racing alloy buckles, Racing low profile

#### PRODUCT DETAILS

LEVEL		Pro	ofessi	ona	ıl	
FLEX		100	)/90			
SIZES		22	0/225			
	280/285					
SHELL	PU - (SHORT CUFF)					
LAST		RS	1800	СС		
Last	94		96		98	
Size	25.5		26.5		27.5	

#### RAPTOR WCR 70

#### ARTICLE NUMBER

603515 White

#### PRODUCT FEATURES

Flex tuning, Cuff Alignment, Extended Toe Box, Rear support tuning, JR Racing spoiler, FIS approved sole thickness, Flat foam wedge

#### LINER

Jr WCR HF Pro, HP frame footbed, 40mm velcro strap, Laces option

#### BUCKLES

4 micro-adjustable racing alloy buckles, Racing low profile

#### PRODUCT DETAILS

FRUDU	CID	DETAILS				
LEVEL		Expert				
FLEX		80	/70			
SIZES		220	0/225			
		280/285				
SHELL		PU - (SHORT CUFF)				
LAST		RS 1800cc				
Last	94		96		98	
Size	25.5		26.5		27.5	



#### RAPTOR 70

ARTICLE NUMBER	PRODUCT DETAILS		
603520 White	LEVEL	Expert	
	FLEX	70/60	
PRODUCT FEATURES	SIZES	205-215-220/225-	
Jr flex tuning, Adult norm (size		270/275	
220 up)	SHELL	SL	
	LAST	JR Racing	
LINER	ERGO BALANCE	Race balance	
Junior team, Self-shaping foot-		Forward Lean 16°	
bed, 30mm velcro strap		Ramp angle 4°	

#### BUCKLES

4 micro-adjustable alloy buckles, Low profile buckles



#### KORE 60

ARTICLE NUMBER NEW	PRODUCT D	ETAILS
604505 Anthracite	LEVEL	Advanced
	FLEX	60
PRODUCT FEATURES	SIZES	200/205
Jr racing flex tuning, Adult norm		270/275
(size 220 up)	SHELL	SL
	LAST	JR Racing
LINER	ERGO BALANCE	Race balance
Junior team, Self-shaping foot-		Forward Lean 16°
bed, 30mm velcro strap		Ramp angle 4°

#### BUCKLES

4 micro-adjustable plastic buck-





#### RAPTOR 60

ARTICLE NUMBER	PRODUCT D	ETAILS
603535 White	LEVEL	Advanced
	FLEX	60
PRODUCT FEATURES	SIZES	205-215-220/225-
Jr racing flex tuning, Adult norm		270/275
(size 220 up)	SHELL	SL
	LAST	JR Racing
LINER	ERGO BALANCE	Race balance
Junior team, Self-shaping foot-		Forward Lean 16°
bed, 30mm velcro strap		Ramp angle 4°



### GRIP WALS OPTION

	PRODUCT DE	TAILS
	LEVEL	Advanced
	FLEX	60
	SIZES	205-215-220/225-
orm		270/275
	SHELL	SL
	LAST	JR Racing
	ERGO BALANCE	Race balance
t-		Forward Lean 16°
		Ramp angle 4°

#### RAPTOR 40

BUCKLES

4 micro-adjustable plastic buck-

ARTICLE NUMBER	PRODUCT DETAILS	
603541 White	LEVEL	Advanced
	FLEX	40
PRODUCT FEATURES	SIZES	185-195220/225-
Adult norm (size 220 up)	-	230/235
	SHELL	SL
LINER	LAST	JR Racing
Junior team, Self-shaping foot-	ERGO BALANCE	Race balance
bed		Forward Lean 16°
		Ramp angle 4°
BUCKLES		
3 low profile plastic buckles	-	



#### KORE 40

ARTICLE NUMBER	IEW	PRODUCT DI	ETAILS
604507 Anthracite		LEVEL	Advanced
		FLEX	40
PRODUCT FEATURES		SIZES	180/185230/235
Adult norm (size 220 up)		SHELL	SL
		LAST	JR Racing
LINER		ERGO BALANCE	Race balance
Junior team, Self-shaping foo	t-		Forward Lean 16°
bed			Ramp angle 4°

#### BUCKLES

3 low profile plastic buckles





# HEAD

#### J3

tion

LINER

**BUCKLES** 

J1

LINER

BUCKLES

J2

norm

LINER

Comfort footbed

ARTICLE NUMBER

603557 Speed blue

603556 Black/white

603558 White/grey

PRODUCT FEATURES

Natural kid stance, Jr high top tech, Duo flex, Vario last, Easy entry shell construction, Junior

Comfort footbed

last, Easy entry shell construc-

Junior liner, Tongue handle,

3 low profile plastic buckles

PRODUCT FEATURES

Natural kid stance, Jr high top tech, Duo flex, Vario last, Easy

entry shell construction, Junior

Junior liner, Tongue handle,

1 low profile plastic buckles

ARTICLE NUMBER	PRODUC	T DETAILS
603545 Black/white	LEVEL	Intermediate
603546 Speed Blue	SIZES	230/235
603547 White/grey		260/265
	SHELL	SL
PRODUCT FEATURES	LAST	Junior
Jr high top tech, Duo flex, Vario		



#### LIQUID FIT INJECTION **TUBE 4PCS**

ARTICLE NUMBER 60120633



#### LIQUID FIT DOUBLE **INJECTION TUBE**

ARTICLE NUMBER 60123572



#### LIQUID FIT EXTRACTION **TUBE 2PCS**

LIQUID FIT PROTECTION

ARTICLE NUMBER

60120634

**GAITERS 2PCS** 

ARTICLE NUMBER

60120638



#### LIQUID FIT EXTRACTION SYRINGE

LIQUID FIT CARTRIDGE

ARTICLE NUMBER

ARTICLE NUMBER

60120641

6PCS

60120643





GRIP WALK

GRIP WALK OPTION

ARTICLE NUMBER	PRODUC	T DETAILS
603567 White/grey	LEVEL	Beginner
603565 Black/white	SIZES	155-165-175-185
603566 Speed blue	SHELL	SL
	LAST	Junior

PRODUCT DETAILS

Beginner

SL Junior

195-205-215-225

LEVEL

SIZES

SHELL





HEAD

#### LIQUID FIT **TECH CASE**

ARTICLE NUMBER 60120642



#### **LIQUID FIT INJECTION GUN**

ARTICLE NUMBER 60120640



#### TOE HEEL LIFTER RAPTOR WCR 5MM GRIP

ARTICLE NUMBER 60123495



ARTICLE NUMBER 60122666





# GRIP WALK

#### Junior liner, Tongue handle, Comfort footbed

BUCKLES 2 low profile plastic buckles



#### **SPOILER RAPTOR WCR**

ARTICLE NUMBER 60123200



110



# **HELMETS**

#### **LINE OVERVIEW**

#### **RACE**

Art. Nr.

Model

Color

Color

Color

- > Lightweight products
- > Aerodynamic design
- > For all alpine race disciplines



DOWNFORCE MIPS

320113

matt black







speedblue/white



speedblue



**HELMETS LINE OVERVIEW** 



DOWNFORCE JR



white/black



CHINGUARD



DOWNFORCE FITTING KIT

#### **RADAR & RACHEL**

- > Adjustable Ventilation
- > Integrated Visor System
- > Patented Sphere Fit system with BOA®



black



RADAR PHOTO





RADAR 5K MIPS



RADAR PRO





RACHEL PRO





RACHEL PRO



RADAR RETHINK

















nightblue

# RACHFI

#### **REV & RITA**

black

- > Revolutionary design
- > Adjustable Ventilation
- > Patented Sphere Fit system with BOA®



black



REV MIPS

black



323611

REV





323643

REV



REV



RITA

white







#### **CINEMA**

Model

Color

> Ventilated Lens

Model

Color

- > Unristricted field of vison > Patented Sphere Fit system
- > Easy Click Lens Exchange

CINEMA PRO

black

Art. Nr. 326104



anthracite



















#### **KNIGHT & QUEEN**

- > Lightweight In-Mold construction
- > Toolfree visor exchange
- > Spare visors available in multiple lens options





KNIGHT



#### **COMPACT PRO & COMPACT EVO**

- > Highly durable
- > Slim profile
- > Patented Sphere Fit system











326324

COMPACT PRO

COMPACT EVO W

COMPACT EVO W sand



- > Lightweight In-Mold construction
- > Supreme ventilation with Venturi Effect
- > Comfortable interieur





white







black

326434

COMPACT PRO W

COMPACT PRO W



326463

COMPACT EVO MIPS

COMPACT EVO







#### **JUNIOR**

> Kid specific sizes

Model

Color

Art. Nr.

Color

- > Lightweight and durable construction
- > Visor options available



MOJO VISOR

PAW

328523

PAW

MAJA SET



MOJO VISOR

black

328734

MAJA SET

pink/blue



MO.IO VISOR

blue/green

328622

MO.JO











MAJA VISOR

white

white





328334

MAJA VISOR

pink/blue











326523

COMPACT EVO









MOJO SET



#### DOWNFORCE MIPS

ARTICLE NUMBER		PRODUCT FEATURES
320113	matt black	Hardshell Technology, MIPS,
		Dual Density Core, Thermal Ventilation,
SIZES		Chinguard Compatible, Change-
XS	52-53 cm	able Adapter Plates, Microfleece,
S	54-55 cm	Beanie Liner, Removable Neckgator,
М	56-57 cm	Metal Chinstrap Buckle, Helmet Pouch
L	58-59 cm	Included, EN 1077:2007 Class A,
XL	60-61 cm	ASTM F 2040, FIS RH 2013
XXL	62-63 cm	



#### TEAM SL

ARTICLE	NUMBER	PRODUCT FEATURES  Hardshell Technology,	
320413 \	white/black		
		Toolfree Chinguard, Thermal Ventilation,	
SIZES		Microfleece, 360° BOA® Fit,	
XS/S	52-55 cm	Removable Neckgator, Chinguard Includ-	
M/L	56-59 cm	ed, Helmet Pouch Included, EN 1077:2007	
XL/XXL	60-63 cm	Class B	





#### DOWNFORCE

ARTIC	LE NUMBER	PRODUCT FEATURES	
320224	4 speedblue/white	Hardshell Technology, Dual Density Core,	
320223	3 white	Chinguard Compatible,	
		Thermal Ventilation, Changea-	
SIZES		ble Adapter Plates, Microfleece,	
XS	52-53 cm	Beanie Liner, Removable Neckgator,	
S	54-55 cm	Metal Chinstrap Buckle, Helmet Pouch	
М	56-57 cm	Included, EN 1077:2007 Class A,	
L	58-59 cm	ASTM F 2040, FIS RH 2013	
XL	60-61 cm		
XXL	62-63 cm		



#### CHINGUARD

ARTICLE NUMBER	SIZES
378577 black	ONE SIZE FITS ALL



#### DOWNFORCE JR

ARTIC	LE NUMBER	PRODUCT FEATURES
320323	3 speedblue	Hardshell Technology, Dual Density Core,
32033	3 black	Chinguard Compatible,
		Thermal Ventilation, Changea-
SIZES		ble Adapter Plates, Microfleece,
XS	52-53 cm	Beanie Liner, Removable Neckgator,
S	54-55 cm	Metal Chinstrap Buckle, Helmet Pouch
М	56-57 cm	Included, EN 1077:2007 Class A,
		ASTM F 2040, FIS RH 2013



#### DOWNFORCE FITTING KIT

ARTICLE NUMBER	SIZES	
378930 black	XS/S	52-55 cm
	M/L	56-59 cm
	XL/XXL	60-63 cm





# **RADAR**

Award-winning helmet with a fully integrated visor that combines the benefits of wearing a goggle with that of having a visor helmet. Lenses can be exchanged in seconds and are available in several configurations, including our contrast-enhancing 5K lens technology. Our Sphere Fit system assures a good fit and adjustable ventilation the perfect inner helmet climate.

#### RAPID LENS EXCHANGE SYSTEM

to adapt yourself to changing weather conditions on the go.

#### SPHERE FIT SYSTEM WITH BOA®

The patented Sphere Fit system is a free-hanging fit system. It wraps around the head like a beanie, creating a snug and comfortable fit without applying any pressure.

#### **RETHINK EDITION**

This product is made from eco-friendly materials and promotes responsible consumption while ensuring user safety and comfort.











#### **RADAR RETHINK**

322414 b	lack	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
XL/XXL	60-63 cm	
VISOR		
Silver/red	l: S2, VLT 20%	

#### PRODUCT FEATURES

Rethink Product, In-Mold Technology, Visor Construction, 360° Microshell, Adjustable Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, Fidlock Buckle, Rapid Lens Exchange System, Integrated Visor System, Double Lens Visor, Toric Lens, UV400 & Anti Fog, Comfort Foam, Spare Visor Available, Lens Cover included, Helmet Pouch Included, EN 1077:2007 Class B









#### **RADAR 5K PHOTO MIPS**

323011	plack
SIZES	
XS/S	52-55 cm
M/L	56-59 cm
XL/XXL	60-63 cm

#### **PRODUCT FEATURES**

In-Mold Technology, Visor Construction, MIPS, 360° Microshell, Adjustable Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, Fidlock Buckle, 5K Lens, Photochromic Lens, Rapid Lens Exchange System, Integrated Visor System, Double Lens Visor, Toric Lens, UV400 & Anti Fog, Comfort Foam, Spare Visor Available, Lens Cover included, Helmet Pouch Included, EN 1077:2007 Class B











#### **RADAR PHOTO**

ARTICLE NUMBER 323113 anthracite		
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
XL/XXL	60-63 cm	

Photo green: S1 - S3, VLT 46 - 16%

#### PRODUCT FEATURES

In-Mold Technology, Visor Construction, 360° Microshell, Adjustable Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, Fidlock Buckle, Photochromic Lens, Rapid Lens Exchange System, Integrated Visor System, Double Lens, Toric Lens, UV400 & Anti Fog, Comfort Foam, Spare Visor Available, Lens Cover included, Helmet Pouch Included, EN 1077:2007 Class B







#### **RADAR 5K MIPS**

323332 h	olack	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
XL/XXL	60-63 cm	
VISOR		
5K red: S	2, VLT 28%	

#### PRODUCT FEATURES

In-Mold Technology, Visor Construction, MIPS, 360° Microshell, Adjustable Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, Fidlock Buckle, 5K Lens, Rapid Lens Exchange System, Integrated Visor System, Double Lens Visor, Toric Lens, UV400 & Anti Fog, Comfort Foam, Spare Visor Available, Lens Cover included, Helmet Pouch Included, EN 1077:2007 Class B











#### RADAR

ARTICLE NUMBER		PRODUCT FEATURES	
323444	sun	In-Mold Technology, Visor Construction,	
323433	WCR	360° Microshell, Adjustable Ventilation,	
323423	black	Microfur, Beanie Liner, Sphere Fit, BOA®,	
		Neckgator, Removable Earpads, Fidlock	
SIZES		Buckle, Rapid Lens Exchange System,	
XS/S	52-55 cm	Integrated Visor System, Double Lens	
M/L	56-59 cm	Visor, Toric Lens, UV400 & Anti Fog,	
XL/XXL	60-63 cm	Comfort Foam, Spare Visor Available,	
		Lens Cover included, Helmet Pouch In-	
VISOR		cluded, EN 1077:2007 Class B	
	d: S2, VLT 20%	SPHERE	







#### **RADAR PRO**

ARTICLE	NUMBER	NEW	PRODU
323244	nightblue		In-Mold
323234	black		360° Mi
			Microfu
SIZES			Neckgat
XS/S	52-55 cm		Buckle,
M/L	56-59 cm		Integrat
XL/XXL	60-63 cm		Visor, To
			Comfort
VISOR			Lens Co
VISOR Red/yellow: S2, VLT 28%		cluded,	

UCT FEATURES Technology, Visor Construction, Microshell, Adjustable Ventilation, ur, Beanie Liner, Sphere Fit, BOA®, ator, Removable Earpads, Fidlock Rapid Lens Exchange System, ated Visor System, Double Lens Toric Lens, UV400 & Anti Fog, rt Foam, Spare Visor Available, over included, Helmet Pouch In-, EN 1077:2007 Class B







#### **RACHEL**

323513	white	
323553	black	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
VISOR		

#### PRODUCT FEATURES

In-Mold Technology, Visor Construction, 360° Microshell, Adjustable Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, Fidlock Buckle, Rapid Lens Exchange System, Integrated Visor System, Double Lens Visor, Toric Lens, UV400 & Anti Fog, Comfort Foam, Spare Visor Available, Lens Cover included, Helmet Pouch Included, EN 1077:2007 Class B







323284	green
323274 g	grey
SIZES	
XS/S	52-55 cm
M/L	56-59 cm
XL/XXL	60-63 cm
VISOR	
Red/vello	w: S2, VLT 28%

#### **NEW PRODUCT FEATURES**

In-Mold Technology, Visor Construction, 360° Microshell, Adjustable Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, Fidlock Buckle, Rapid Lens Exchange System, Integrated Visor System, Double Lens Visor, Toric Lens, UV400 & Anti Fog, Comfort Foam, Spare Visor Available, Lens Cover included, Helmet Pouch Included, EN 1077:2007 Class B





**RAPID LENS EXCHANGE SYSTEM** 

STEP 1 Pull out the lens with one hand.



#### STEP 2

To remove the lens, push out the fixation device with your thumb until the lens is loose. Be elastomer before clicking in the new careful that the elastomer doesn't snap back. Remove on both sides.



#### STEP 3

To attach the new lens, pull out the lens. Do it on both sides.



#### **REV RETHINK**

RTICLE	NUMBER	NEW PRODUCT FEATURES
22614 bla	ack	Rethink Product, In-Mold Technology,
		360° Microshell, Adjustable Ventilation,
IZES		Microfur, Beanie Liner, Sphere Fit, BOA®
S/S	52-55 cm	Neckgator, Removable Earpads, Fidlock
I/L	56-59 cm	Buckle, EN 1077:2007 Class B
L/XXL	60-63 cm	
		SPHERE BOA



#### KNIGHT

ARTICLE NUMBER		PRODUCT FEATURES	
324118 b	lack	In-Mold Technology, Visor Construction,	
		Microshell, Thermal Ventilation, Microfu	
SIZES		Earpads, Microfleece, Beanie Liner,	
XS/S	52-54 cm	Head 2D Fit, Removable Neckgator,	
M/L	54-57 cm	Toric Lens, UV400 & Anti Fog,	
XL/XXL	58-61 cm	Comfort Foam, Spare Visor Available,	
		Helmet Pouch Included, EN 1077:2007	
VISOR		Class B	
Silver: S2	2, VLT 20%		



#### REV

JMBER	PRODUCT FEATURES	
	In-Mold Technology, 360° Microshell,	
?	Adjustable Ventilation, Microfur,	
Sblack	Beanie Liner, Sphere Fit, BOA®,	
	Neckgator, Removable Earpads, Fidlock	
	Buckle, EN 1077:2007 Class B	
52-55 cm	Mips SPHERE BOA	
56-59 cm		
60-63 cm		
	S black 5 black 52-55 cm 56-59 cm	



#### QUEEN

ARTICLE NUMBER	PRODUCT FEATURES	
325010 white	In-Mold Technology, Visor Construction,	
	Microshell, Thermal Ventilation, Microfur	
SIZES	Earpads, Microfleece, Beanie Liner,	
(S/S 52-54 cm	Head 2D Fit, Removable Neckgator,	
M/L 54-57 cm	Toric Lens, UV400 & Anti Fog,	
	Comfort Foam, Spare Visor Available,	
VISOR	Helmet Pouch Included, EN 1077:2007  Class B	
Silver: S2, VLT 20%	Сіаээ п	



#### RITA

323734 lavender 323711 white		
01750		
SIZES		
XS/S	52-55 cm	

#### PRODUCT FEATURES

In-Mold Technology, 360° Microshell, Adjustable Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, Fidlock Buckle, EN 1077:2007 Class B













124

# **CINEMA**

Introducing the new HEAD CINEMA helmet with an innovative visor solution that will take your riding experience to the next level! With its sleek design and advanced features, this helmet is the perfect choice for any adventure seeker. The unique visor system allows for easy adjustments to optimize visibility, while the lightweight construction with Sphere Fit ensures maximum comfort and mobility.

#### THE LENS

The CINEMA features an innovative, free-hanging visor construction that can be operated with one hand. Several lens options are available, which can be easily exchanged with a simple click.

#### THE FIT

Featuring our patented Sphere Fit technology, the CINEMA assures a perfect, comfortable fit for any individual head shape. The integrated beanie liner is super comfortable, while the windshield protects the forehead from the wind.

#### THE DESIGN

Modern, timeless & functional - the new CINEMA offers a slim and stylish look. The free-hanging visor solution adds a bold statement to the design and is easy to operate at the same time.









#### **CINEMA PRO**

ARTICLE	NUMBER	NEW	PRODUCT FEATURES
326104 l	olack		Hardshell Technology,
326114 a	nthracite		Visor Construction, 360° Microshell,
			Thermal Ventilation, Microfur, Windshield
SIZES			Liner, Beanie Liner, Sphere Fit, Neckgator,
XS/S	52-55 cm		Removable Earpads, Easyclick Lens Ex-
M/L	56-59 cm		change System, Toric Lens, Ventilated
XL/XXL	60-63 cm		Lens, UV400 & Anti Fog, Comfort Foam,
			One-Handed-Operation, Spare Visor
VISOR			Available, Helmet Pouch Included, Lens
	ow: S2, VLT 28%		Cover included, EN 1077:2007 Class B, EN 174:2001













#### **CINEMA PRO W**

326174	berry	
326164	grey	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	

PRODUCT FEATURES Hardshell Technology, Visor Construction, 360° Microshell, Thermal Ventilation, Microfur, Windshield Liner, Beanie Liner, Sphere Fit, Neckgator, Removable Earpads, Easyclick Lens Exchange System, Toric Lens, Ventilated Lens, UV400 & Anti Fog, Comfort Foam, One-Handed-Operation, Spare Visor Available, Helmet Pouch Included, Lens Cover included, EN 1077:2007 Class B, EN 174:2001



#### **CINEMA & CINEMA W**

326214 (	CINEMA black	
326264	CINEMA W white*	
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
XL/XXL	60-63 cm	
*availah	le in size XS/S & M/L	

#### **NEW PRODUCT FEATURES**

Hardshell Technology, Visor Construction, 360° Microshell, Thermal Ventilation, Microfur, Windshield Liner, Beanie Liner, Sphere Fit, Neckgator, Removable Earpads, Easyclick Lens Exchange System, Toric Lens, Ventilated Lens, UV400 & Anti Fog, Comfort Foam, One-Handed-Operation, Spare Visor Available, Helmet Pouch Included, EN 1077:2007 Class B, EN 174:2001





#### COMPACT PRO

ARTICL	E NUMBER	
326324	petrol	
326301 black		
SIZES		
XS/S	52-55 cm	
M/L	56-59 cm	
XL/XXL	60-63 cm	

#### PRODUCT FEATURES

Hardshell Technology, 360° Microshell, Thermal Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, EN 1077:2007 Class B





#### **COMPACT EVO**

NUMBER	PRODUCT FEAT	
grey	Hardshell Techno	
lack	shell, Thermal	
nightblue	Beanie Liner, S	
	Removable Earpa	
	Class B	
52-55 cm	SPHERE	
56-59 cm	ST. IEST	
60-63 cm		
	grey olack nightblue 52-55 cm 56-59 cm	

#### TURES

nology, 360° Micro-Ventilation, Microfur, phere Fit, Neckgator, pads, EN 1077:2007



#### COMPACT PRO W

ARTICLE NUMBER		
326434	lavender	
326423	white	
SIZES		
SIZES		
SIZES XS/S	52-55 cm	

#### PRODUCT FEATURES

Hardshell Technology, 360° Microshell, Thermal Ventilation, Microfur, Beanie Liner, Sphere Fit, BOA®, Neckgator, Removable Earpads, EN 1077:2007 Class B







#### **COMPACT EVO W**

326724	sand
326713	white
SIZES	
SIZES XS/S	52-55 cm

#### PRODUCT FEATURES

Hardshell Technology, 360° Microshell, Thermal Ventilation, Microfur, Beanie Liner, Sphere Fit, Neckgator, Removable Earpads, EN 1077:2007





#### **COMPACT EVO MIPS**

ARTICLE NUMBER 326463 black		PRODUCT FEATURES
		Hardshell Technology, MIP croshell, Thermal Ventilati
SIZES		Beanie Liner, Sphere Fit, Nec
XS/S 52-55 cm		Removable Earpads, EN 1077
M/L	56-59 cm	Class B
XL/XXL	60-63 cm	Mips SPHERE

, 360° Mion, Microfur, eckgator, 77:2007









#### VARIUS

ARTICLE NUMBER 324320 black		PRODUCT FEATURES	
		In-Mold Technology,	
		Adjustable Ventilation,	
SIZES		Active Bottom Edge, Venturi Effect,	
XS/S 52-55 cm		Microfur, Beanie Liner, Head 3D Fit,	
M/L	56-59 cm	Removable Neckgator, EN 1077:2007	
XL/XXL 60-63 cm		Class B	



#### VICO

ARTICLE NUMBER  324564 nightblue  324574 grey  324551 black  SIZES  XS/S 52-55 cm		PRODUCT FEATURES	
		In-Mold Technology, Thermal Ventilation  Venturi Effect, Microfur Earpads,	
			Microfleece, Beanie Liner, Head 3D Fit
		Removable Neckgator, EN 1077:2007	
		Class B	
		M/L 56-59 cm	
XL/XXL 60-63 cm			





#### VALERY

ARTICLE NUMBER		PRODUCT FEATURES
325574 sky		In-Mold Technology, Thermal Ventilation
325560 white		Venturi Effect, Microfur Earpads,
		Microfleece, Beanie Liner, Head 3D Fit,
SIZES		Removable Neckgator, EN 1077:2007
XS/S	52-55 cm	Class B
M/L	56-59 cm	



#### VANDA

ARTICLE NUMBER		PRODUCT FEATURES	
325320 white		In-Mold Technology,	
		Adjustable Ventilation,	
SIZES		Active Bottom Edge, Venturi Effect,	
XS/S	52-55cm	Microfur, Beanie Liner, Head 3D Fit,	
M/L	56-59cm	Removable Neckgator, EN 1077:2007	
		Class B	





#### VICO MIPS


ARTICLE NUMBER		PRODUCT FEATURES	
324521 black		In-Mold Technology, MIPS,	
		Thermal Ventilation, Venturi Effect,	
SIZES		Microfur Earpads, Microfleece,	
XS/S	52-55 cm	Beanie Liner, Head 3D Fit,	
M/L	56-59 cm	Removable Neckgator, EN 1077:2007	
XL/XXL	60-63 cm	Class B	




#### MIPS - BRAIN PROTECTION SYSTEM







2. MIPS Low Friction Layer allows the head to move The MIPS brain protection system is 10-15mm, in all directions, inside the helmet designed to reduce strain to the brain. which reduces the rotational motion to the brain.





#### MOJO & MAJA VISOR PAW

ARTICLE NUMBER		PRODUCT FEATURES
328113 MOJO VISOR PAW		In-Mold Technology, Visor Construction,
328163 MAJA VISOR PAW		Thermal Ventilation, Microfleece,
		Kid Specific Liner, Head 2D Fit,
SIZES		UV400 & Anti Fog, Comfort Foam, Spare
(XS	47-51 cm	Visor Available, Helmet Pouch Included,
(\$/\$	52-56 cm	EN 1077:2007 Class B

VISOR	
Silver/red: S2, VLT 20%	



#### MAJA & MOJO SET

Silver/red: S2, VLT 20%

ARTICLE NUMBER		PRODUCT FEATURES
328734 MAJA SET pink/blue		In-Mold Technology, Thermal Ventilation,
328664 MOJO SET blue/green		Microfleece, Kid Specific Liner,
		Head 2D Fit, Goggle Included, Pouch In-
SIZES		cluded, EN 1077:2007 Class B
XXS	47-51 cm	
XS/S	52-56 cm	
GOGGLE		



#### M0.10

MUJU		
ARTICLE NUMBER		PRODUCT FEATURES
328653 TEAM		In-Mold Technology, Thermal Vent
328622 black		Microfleece, Kid Specific Liner,
		Head 2D Fit, EN 1077:2007 Class B
SIZES		
XXS	47-51 cm	
XS/S	52-56 cm	



#### MOJO & MAJA PAW SET

328513 MOJO SET PAW		I
328523	N	
		H
SIZES		C
XXS	47-51 cm	
XS/S	52-56 cm	





ARTICLE NUMBER	PRODUCT FEATURES
328653 TEAM	In-Mold Technology, Thermal Ventilation,
328622 black	Microfleece, Kid Specific Liner,
	Head 2D Fit, EN 1077:2007 Class B
SIZES	
XXS 47-51 cm	



#### **MOJO & MAJA VISOR**

ARTICL	E NUMBER
328234	MOJO VISOR blue/gre
328224	MOJO VISOR black
328334	MAJA VISOR pink/blu
328324	MAJA VISOR white
SIZES	
SIZES	47-51 cm

VISOR

Silver/red: S2, VLT 20%

130

#### PRODUCT FEATURES

In-Mold Technology, Visor Construction, Thermal Ventilation, Microfleece, Kid Specific Liner, Head 2D Fit, UV400 & Anti Fog, Comfort Foam, Spare Visor Available, Helmet Pouch Included, EN 1077:2007 Class B, EN 174:2001



#### MAJA

ARTICLE NUMBER		PRODUCT FEATURES
328732	pink	In-Mold Technology, Head 2D Fit,
328722 white		Kid Specific Liner, Microfleece, EN
		1077:2007 Class B, Thermal Ventilation
SIZES		
XXS	47-51 cm	
xs/s	52-56 cm	





## HELMET TECHNOLOGY

#### HARDSHELL TECHNOLOGY

This helmet technology is outstanding in longevity and impact protection. For this reason we use it in our race and rental helmets.

**IN-MOLD TECHNOLOGY** 

The shock absorbing inner EPS laver of this technology is injected into the hard outer polycarbonate layer to create a single comprehensive unit that provides perfect protection at a reduced weight.

#### VISOR CONSTRUCTION

HEAD's Visor Construction is a wind-sealed UV protective shield that allows skiers to ride wearing prescription glasses. Like on a motorcycle helmet the visor can be pulled down to protect the eyes while riding.

#### CONSTRUCTION

#### **DUAL DENSITY CORE**

This patented core technology is made from EPS with dual densities. This increases the helmets performance so it passes the FIS RH 2013 standard.

#### TOOLFREE CHINGUARD

The angle of our all-new Toolfree Chinguard can be adjusted individually, without using any tools. The chinguard can also be taken off, when not needed for training, or racing gates.

#### 360° MICROSHELL

The 360° Microshell is a polycarbonate layer, which three-dimensionally wraps around the lower helmet lip, that prevents scratches and dents in the helmet's foam.

#### MICROSHELL

The Microshell is a polycarbonate layer that prevents scratches and dents in the foam.

#### MIPS

The MIPS Brain Protection System is a helmet-integrated, low-friction layer designed to reduce rotational motion transferred to the brain from angled impacts to the head.

#### **VENTILATION**

#### ADJUSTABLE VENTILATION

The opening of the ventilation ducts on the top of the helmet may be adjusted continuously by means of a slide control.

#### THERMAL VENTILATION

Thermal Ventilation is our automatic ventilation system which leads warm air away from the head to the outside without allowing any cold air to the inside.

#### **ACTIVE BOTTOM EDGE**

An Active Bottom Edge in HEAD helmets reduces goagle foaging by delivering active airflow. It does this by allowing air to be drawn from the goggles through the helmet.

#### **VENTURI EFFECT**

The Venturi Effect creates the ideal inner helmet climate. It does so when air passing over the helmet draws out heat and moisture from the helmets inside

#### LINING

#### **MICROFUR**

Microfur is both warming and comfortable on the skin. As a helmet lining it creates the perfect fit and feel for all-day shredding.

#### MICROFLEECE

The soft microfleece material has several functions: It feels good, draws moisture from the skin and transports it away from the head.

#### BEANIE LINER

The soft microfleece material of the Beanie Liner adapts perfectly to the head and thus avoids any bruises and the unpleasant entering of cold air. Molded-in mesh zones let heat and moisture escape to the outside and. together with the ventilation system, ensure a pleasant head climate.

#### **COMFORT ZONE LINER**

Soft liner pads provide perfect fit & comfort at a fraction of the weight.

#### WINDSHIELD LINER

A thin cover on the forehead that keeps your head protected from the airstream.

#### KID SPECIFIC LINER

This lining is specifically designed for kids, fully covered with soft microfleece, providing perfect fit & comfort at a fraction of the

#### **EARPADS & FITTING**

The Neckgator provides comfort and warmth to the helmet wearer. It adds comfort, fit and excludes the elements.

#### REMOVABLE EARPADS/NECKGATOR

These ear pads and/or neckgator can be removed to suit the variable weather conditions and for cleaning.

132

#### **CHANGEABLE ADAPTER PLATES**

Use the flat adapter plates with optimized acoustics for speed disciplines, the chin guard adapter for slalom disciplines.

#### **SPHERE FIT**

The patented Sphere Fit system is a free-hanging fit system. It wraps around the head like a beanie, creating a snug and comfortable fit without applying any pressure.

#### BOA®

The BOA® Fit System allows you to adapt the helmet perfectly to your head, creating a snug and comfortable fit without any pressure.

#### 360° BOA® FIT

The 360° Fit System by BOA® evenly adjusts the fit of the helmet to all head shapes

#### **HEAD 3D FIT**

HEAD 3D Fit allows an exact horizontal as well as vertical adjustment of the helmet to the shape of your head.

#### **HEAD 2D FIT**

The size adjustment system may be varied horizontally in order to individually adjust the helmet to your head.

#### **METAL CHINSTRAP BUCKLE**

The Metal Chinstrap Buckle is both durable and tactile. Made from metal it also adds to the look of a HEAD helmet.

#### FIDLOCK BUCKLE

The magnets of this buckle close automatically and can be opened easily and conveniently by sliding the buckle laterally with just one hand. Even with gloves on, opening and closing the helmet will only take a moment.

#### CERTIFICATION

#### **EN 1077:2007 CLASS B**

EN 1077 is the European standard for ski & snowboard helmets, taking into account the results of collision tests to ascertain dampening and puncture resistant qualities of the outer shell. Class B of this certificate certifies helmets with soft ear protectors.

#### **EN 1077:2007 CLASS A**

The certification procedure for Class A is used for racing helmets with hard ear protectors. requiring high standards of puncture resist-

#### EN 174:2001

European standard for Personal eye-protection - Ski goggles for downhill skiing.

#### **ASTM F 2040**

The North American equivalent to the European CF-Test uses comparable methods.

#### **FIS RH 2013**

These helmets comply with FIS GS/SG/DH helmet regulations.

#### **VISORS & LENSES**

#### INTEGRATED VISOR SYSTEM

The innovative combination of a visor helmet with the advantages of wearing a goggle are integrated into a product which is outstanding in terms of fit, style and performance. The visor automatically adapts to the wearers face and seals off wind and water.

#### **DOUBLE LENS VISOR**

The Double Lens Visor is ventilated, which prevents the lens from fogging. It provides 100% UV protection. Therefore, it is the ideal solution for mountain sports.

#### **RAPID LENS EXCHANGE SYSTEM**

Lenses can be swapped on the go with only a click. Adapt yourself to changing weather in

#### **EASYCLICK LENS EXCHANGE SYSTEM**

The lens can be exchanged with a simple click mechanism on both sides. A small colored dot indicates if the lens is securely locked with the outriggers.

#### **VENTILATED LENS**


Channels off air from the lens into the helmets ventilation system and therefore prevents fogging.

#### PHOTOCHROMIC LENS

This lens automatically adapts its lens tone between category S1 to S3, depending on the weather condition. The lens is toned down in bright, sunny conditions and allows more light to enter the eyes in cloudy, overcast weather

#### **5K LENS**

5K enhances contrast and boosts color brilliance by filtering specific wave lengths of the visual spectrum, therefore revealing more details and assuring a safer, less tiring on-snow experience in any weather condition.





# GOGGLES

RACE | MAGNIFY | HORIZON 2.0 | NEVES CONTEX | F-LYT | SOLAR | JUNIOR



.com

# **GOGGLES**

#### **LINE OVERVIEW**

#### **RACE**

Color

- > Optimized for alpine racing
- > Unrestricted field of vision









silver/black



chrome/RD





chrome/RD



CONTEX PRO 5K RACE + SL

#### **MAGNIFY**

- > Toric Lens > Magnetic Lens Exchange
- > OTG Over The Glasses
- > All models feature 5K lens technology



Art. Nr. MAGNIFY 5K PHOTO Color green/black



gold/KORE







red/black



390923 MAGNIFY 5K chrome/sun

HORIZON 2.0

- > Cylindrical lens
- > Speed Snap Lens Exchange
- > All models feature 5K lens technology



Art. Nr.













HORIZON 2.0 5K

#### **NEVES**

Art. Nr.

Model

Color

Art. Nr.

Color

- > Cylindrical Lens
- > Laminated Double Lens (PRO models only)

green/olive

- > Interchangeable Lens Exchange
- > Available in medium and large















NEVES RETHINK

red/RETHINK











136

NEVES

blue/white

391744 NEVES

#### **CONTEX**

> Cylindrical Lens

Model Color

Art. Nr.

- > Laminated Double Lens (PRO models only)
- > Available in small, medium and large



CONTEX PHOTO

394583

CONTEX PRO 5K



390254





392811

CONTEX

red/black

394734

blue/black

F-LYT







CONTEX PRO 5K

394744

lime/hlack

F-LYT



CONTEX PRO 5K

green/sand

394764

red/black

F-LYT



CONTEX PRO 5K

F-LYT

- > Toric Lens > Super light
- > Supreme Anti-Fog and UV400 protection

394724

green/black

F-LYT

> Available in medium and large









Art. Nr. 394644 Model F-LYT PACK (10pcs)

#### **SOLAR**

> Toric Lens

Art. Nr.

Model

Color

> Big & frameless design > Available in medium and large











SOLAR FMR

areen



394774

F-LYT clear/black

SOLAR FMR PACK (8pcs)

#### **JUNIOR**

> Junior specific shapes & sizes

394417

SOLAR FMR

- > Protective frame design
- > Supreme UV400 protection

CONTEX YOUTH FMR

red/black





CONTEX YOUTH FMR

silver/WCR



red/white



137











Art. Nr.

Model

Color

395423 NIN.JA red/TEAM

395430 NIN.JA red/pink

SOLAR JR FMR red

SOLAR JR FMR blue







ARTICLE NUMBER

390023 chrome/RD

**SENTINEL 5K + SPARE LENS** 

#### **HORIZON RACE + SPARE LENS**

#### ARTICLE NUMBER

#### 390143 silver/black

#### Cylindrical Lens, Double Lens, UV400 & Anti Fog, Extreme Wide Field of Vision, Triple Layer Foam, Venting Foam, Speed Snap Lens Exchange, Silicone Layer, Spare Lens Included, Pouch Included, EVA Case Included Brown: S2, VLT 18% LENS



PRODUCT FEATURES



HEAD

HEAD

#### SENTINEL + SPARE LENS

#### ARTICLE NUMBER

390053 silver/black

PRODUCT FEATURES Toric Lens, Double Lens,

PRODUCT FEATURES

Toric Lens, Double Lens,

UV400 & Anti Fog, 5K Lens,

Extreme Wide Field of Vision,

Speed Snap Lens Exchange, Wind Seal,

5K chrome: S2, VLT 23%

Triple Layer Foam, Extra Facefoam,

Silicone Layer, Spare Lens Included,

Pouch Included, EVA Case Included

SPARELENS Orange: S1, VLT 57%

5<

UV400 & Anti Fog, Extreme Wide Field of Vision, Triple Layer Foam, Speed Snap Lens Exchange, Extra Facefoam, Wind Seal, Silicone Layer, Spare Lens Included, Pouch Included, EVA Case Included

Brown: S2, VLT 18% SPARELENS Orange: S1, VLT 57%



#### **NEVES PRO 5K RACE + SPARE LENS**

#### ARTICLE NUMBER

390154 chrome/RD

#### **NEW PRODUCT FEATURES**

Cylindrical Lens, Laminated Double Lens LDL, UV400 & Anti Fog, 5K Lens, Extreme Wide Field of Vision, Interchangeable Lens Exchange, Triple Layer Foam, Venting Foam, Silicone Layer, Spare Lens Included, Pouch Included, EVA Case Included 5K chrome: S2, VLT 23% SPARELENS Orange: S1, VLT 57%

5<



HEAD

#### **HORIZON 5K RACE + SPARE LENS**

#### ARTICLE NUMBER

138

390123 chrome/RD

PRODUCT FEATURES

Cylindrical Lens, Double Lens, UV400 & Anti Fog, 5K Lens, Extreme Wide Field of Vision, Triple Layer Foam, Venting Foam, Speed Snap Lens Exchange, Silicone Layer, Spare Lens Included, Pouch Included, EVA Case Included 5K chrome: S2, VLT 23% SPARELENS Orange: S1, VLT 57%





#### **CONTEX PRO 5K RACE + SPARE LENS**

#### ARTICLE NUMBER

390163 chrome/RD

#### PRODUCT FEATURES

Toric Lens, Laminated Double Lens LDL, UV400 & Anti Fog, 5K Lens, Extreme Wide Field of Vision, Triple Layer Foam, Venting Foam, Interchangeable Lens Exchange, Silicone Layer, Spare Lens Included, Pouch Included, EVA Case Included 5K chrome: S2, VLT 23%


SPARELENS Orange: S1, VLT 57%











#### เกกเด

#### **MAGNIFY 5K PHOTO**

#### ARTICLE NUMBER

HEAD

390511 green/black

#### PRODUCT FEATURES

Toric Lens, Double Lens,
UV400 & Anti Fog, 5K Lens, Photochromic Lens, Extreme Wide Field of Vision,
Triple Layer Foam, Venting Foam, Magnetic Lens Exchange, Wind Seal, OTG
- Over The Glasses, Silicone Layer, Pouch
Included, EVA Case Included

5K photo green: S1 - S3, VLT 43 - 11%

5<

### 391243 gc

HEAD

#### HORIZON 2.0 5K + SPARE LENS

#### ARTICLE NUMBER

391233 blue/white 391243 gold/petrol PRODUCT FEATURES

Cylindrical Lens, Double Lens,
UV400 & Anti Fog, 5K Lens,
Extreme Wide Field of Vision,
Triple Layer Foam, Venting Foam,
Speed Snap Lens Exchange, Spare Lens
Included, Pouch Included, EVA Case Included

5K blue: S3, VLT 17% 5K gold: S3, VLT 15%

SPARELENS Orange: S1, VLT 57%

5<



#### ARTICLE NUMBER

390854 gold/KORE 390864 blue/petrol

#### PRODUCT FEATURES

Toric Lens, Double Lens,
UV400 & Anti Fog, 5K Lens,
Extreme Wide Field of Vision,
Triple Layer Foam, Venting Foam, Magnetic Lens Exchange, OTG - Over The
Glasses, Wind Seal, Silicone Layer, Spare
Lens Included, Pouch Included, EVA Case
Included

LENS 5K gold: S3, VLT 15% 5K blue: S3, VLT 17%

SPARELENS Orange: S1, VLT 57%

5<



#### HORIZON 2.0 5K

#### ARTICLE NUMBER

391343 red/black 391353 chrome/sun

#### PRODUCT FEATURES

Cylindrical Lens, Double Lens, UV400 & Anti Fog, 5K Lens, Extreme Wide Field of Vision, Triple Layer Foam, Venting Foam, Speed Snap Lens Exchange, Pouch Included, EVA Case Included

5K red: S2, VLT 28% 5K chrome: S2, VLT 23%

5<





#### **MAGNIFY 5K**

#### ARTICLE NUMBER

390913 red/black 390923 chrome/sun


#### PRODUCT FEATURES

Toric Lens, Double Lens,
UV400 & Anti Fog, 5K Lens,
Extreme Wide Field of Vision,
Triple Layer Foam, Venting Foam, Magnetic Lens Exchange, OTG - Over The
Glasses, Wind Seal, Silicone Layer, Pouch
Included, EVA Case Included
LENS 5K red: S2, VLT 28%

5K red: S2, VLT 28% 5K chrome: S2, VLT 23%

5<













142

# **NEVES**

Our new goggle model NEVES ticks all boxes of a modern-looking and functional winter sports goggle. Through progressive industrial design, we achieved an extra wide lens with optimized angles to read every detail of the terrain. This goggle integrates seamlessly into the helmet and its wide contact area on the face makes it super comfortable to wear all day. It is available in two sizes, medium and large, including proportional frame and strap sizing to fit multiple face shapes.

#### THE LENS - UNLIMITED VISIBILITY

read every detail of the terrain with its large lens paired with high-definition 5K technology.\*

#### THE FIT - SEAMLESS INTEGRATION

combining unparalleled fit and seamless helmet integration.


#### THE DESIGN - PROPORTIONAL SIZING

bold, contemporary goggle design available in medium and large to fit multiple face shapes.

#### **RETHINK EDITION**

This product is made from eco-friendly materials and promotes responsible consumption while ensuring user safety and comfort.









#### **NEVES RETHINK**

### ARTICLE NUMBER

390214 red/grey

#### **NEW PRODUCT FEATURES**

Rethink Product, Cylindrical Lens, Double Lens, UV400 & Anti Fog, FMR, Extreme Wide Field of Vision, Interchangeable Lens Exchange, Triple Layer Foam, Venting Foam, Silicone Layer, Pouch Included FMR yellow/red: S2, VLT 32%





**NEVES PRO 5K PHOTO** 

#### ARTICLE NUMBER

## 391444 green/olive

#### **NEW PRODUCT FEATURES**

Cylindrical Lens, UV400 & Anti Fog, Double Lens, Photochromic Lens, 5K Lens, Extreme Wide Field of Vision, Interchangeable Lens Exchange, Triple Layer Foam, Venting Foam, Silicone Laver. Pouch Included 5K photo: S1 - S3, VLT 43% -

5<



## **NEVES PRO 5K**

#### ARTICLE NUMBER 391534 gold/KORE 391524 blue/olive 391514 red/black

#### **NEW PRODUCT FEATURES**

Cylindrical Lens, Laminated Double Lens LDL, UV400 & Anti Fog, 5K Lens, Extreme Wide Field of Vision, Interchangeable Lens Exchange, Triple Layer Foam, Venting Foam, Silicone Layer, Pouch Included

5K gold: S3, VLT 15% 5K blue: S3, VLT 17% 5K red: S2, VLT 28%

5<



#### **NEVES**

ARTICLE NUMBER	NE
391724 red/sun	
391714 red/black	
391734 blue/white	
391744 silver/petrol	

#### W PRODUCT FEATURES

Cylindrical Lens, Double Lens, UV400 & Anti Fog, FMR, Extreme Wide Field of Vision, Interchangeable Lens Exchange, Triple Layer Foam, Venting Foam, Silicone Layer, Pouch Included

LENS	FMR yellow/red: S2, VLT 32%
	FMR blue: S3, VLT 12%
	FMR silver: \$2 VLT 18%





# CONTEX

This goggle line offers everything you need for any day on the mountain, while being easy on the budget at the same time. The CONTEX features an exchangeable double lens with flashy mirrors, supreme anti-fog, and UV protection - packed in modern frame design. The CONTEX PRO features the contrast-enhancing 5K lens technology as well as a laminated double lens LDL. Every model in this line is available in three sizes small, medium and large.

#### LAMINATED DOUBLE LENS

increases the field of vision by 15%, by connecting the inner lens to the outer lens through a lamination process.


#### DYNAMIC VENTILATION SYSTEM

is designed to allow air to enter the goggle from three sides, therefore creating an airstream that assures a perfect climate inside the goggle.

#### RETHINK EDITION

This product is made from eco-friendly materials and promotes responsible consumption while ensuring user safety and comfort.







WATCH THE HIGHLIGHT VIDEO

# HEAD

#### **CONTEX RETHINK**

## ARTICLE NUMBER 390254 red/grey

#### **NEW PRODUCT FEATURES**

Rethink Product, Toric Lens,
Double Lens, UV400 & Anti Fog, FMR,
Interchangeable Lens Exchange,
Triple Layer Foam, Venting Foam,
Silicone Layer, Pouch Included
LENS FMR yellow/red: S2, VLT 32%





#### **CONTEX PHOTO**

ARTICLE NUMBER	
394444 blue/olive	
394423 blue/WCR	
392412 blue/black	

#### PRODUCT FEATURES

Photochromic Lens, Cylindrical Lens,
Double Lens, UV400 & Anti Fog, FMR,
Interchangeable Lens Exchange,
Triple Layer Foam, Venting Foam,
Silicone Layer, Pouch Included
LENS Photo blue: S1 - S3, VLT 54%-

16%





#### ARTICLE NUMBER

**CONTEX PRO 5K** 

394524	gold/sand	
394563	red/black	
394574	chrome/olive	
394583	blue/WCR	

#### PRODUCT FEATURES

Toric Lens, Laminated Double Lens LDL, UV400 & Anti Fog, 5K Lens, Extreme Wide Field of Vision, Interchangeable Lens Exchange, Triple Layer Foam, Venting Foam, Silicone Layer, Pouch Included

5K gold: S3, VLT 15%

5K red: S2, VLT 28%

5K chrome: S2, VLT 23%

5K blue: S3, VLT 17%

5<



HEAD THE XX

#### CONTEX

ARTICLE NUMBER	
394873 blue/white	
394864 green/sand	
394853 red/sun	
392811 red/black	

#### PRODUCT FEATURES

Toric Lens, Double Lens,
UV400 & Anti Fog, FMR, Interchangeable Lens Exchange, Triple Layer Foam,
Venting Foam, Silicone Layer, Pouch
Included

FMR blue: S3, VLT 12%	
FMR blue/green: S2, VLT 24%	
FMR yellow/red: S2, VLT 32%	



#### F-LYT





ARTICLE NUMBER	PRODUCT FEATURES	
394417 FMR lime	Toric Lens, Double Lens,	
394427 FMR blue	UV400 & Anti Fog, FMR, Comfort Foam, Pouch Included	
394437 FMR red		
394468 FMR green	LENS FMR lime: S3, VLT 17%	
	FMR blue: S3, VLT 12%	)
	FMR red: S2, VLT 28%	
	FMR green: S3, VLT 119	6





#### F-LYT

ARTICLE NUMBER	PRODUCT FEATURES	
394764 red/black	Double Lens, Toric Lens,	
394774 clear/black	UV400 & Anti Fog, Double Layer Foam, Pouch Included	
	LENS Red: S1, VLT 45%	
	Transparent: SO, VLT 81%	



#### **SOLAR FMR PACK (8 PCS)**

ARTICLE	NUMBER
394608	



# HEAD



#### F-LYT PACK (10 PCS)

ARTICLE NUMBER
394644







#### NINJA

ARTICLE NUMBER	PRODUCT FEATURES		
395423 red/TEAM	Spherical Lens, Double Lens,	Spherical Lens, Double Lens,	
395410 red/black	UV400 & Anti Fog, Interchangeable Lens		
395430 red/pink	Exchange, Venting Foam, Comfort Foam,		
	Pouch Included		
	LENS Red: S1, VLT 45%		



# CONTEX YOUTH FMR

	ARTICLE NUMBER
	395113 red/black
	395123 silver/WCR
	395133 red/white
HEAD	

#### PRODUCT FEATURES

Cylindrical Lens, Double Lens,
UV400 & Anti Fog, FMR, Interchangeable Lens Exchange, Venting Foam,
Double Layer Foam, Pouch Included
LENS FMR yellow/red: S2, VLT
32%
FMR silver: S2, VLT 18%



#### **SOLAR JR**

ARTICLE NUMBER	PRODU	ICT FEATURES
395624 FMR red	Toric Lens, Double Lens,	
395634 FMR blue	UV400 & Anti Fog, FMR, Comfort Foam,	
395644 red	Pouch I	ncluded
	LENS	FMR yellow/red: S2, VLT 32%
		FMR blue/green: S2, VLT 24%
		Red: S1, VLT 45%



#### **CONTEX YOUTH**

ARTICLE NUMBER	
395333 red/black	
395343 red/white	

#### PRODUCT FEATURES

Cylindrical Lens, Double Lens, UV400 & Anti Fog, Interchangeable Lens Exchange, Venting Foam, Double Layer Foam, Pouch Included LENS Red: S1, VLT 45%



#### SOLAR JR PACK (9 PCS)

ARTICLE NUMBER
395724





# **GOGGLE TECHNOLOGY**

#### **LENS**

#### **5K LENS**

5K enhances contrast and boosts color brilliance by filtering specific wave lengths of the visual spectrum, therefore revealing more details and assuring a safer, less tiring on-snow experience in any weather condition.

#### PHOTOCHROMIC LENS

This lens automatically adapts its lens tone between category S1 to S3, depending on the weather condition. The lens is toned down in bright, sunny conditions and allows more light to enter the eyes in cloudy, overcast weather

#### LAMINATED DOUBLE LENS (LDL)

By connecting the inner lens to the outer lens through a lamination process, there is no gap between the two lenses. This increases the field of vision by 15%. A special anti-fog coating is applied to assure a clear vision in any condition.

#### SCRATCH RESISTANT

The mirror coating of this lens is applied on the inside. This protects the coating from scratching or wearing off over time.

#### **DOUBLE LENS**

The polycarbonate double lens is a lightweight lens, that provides 100% UV protection and is 10 times more impact-resistant than conventional glass or plastic. It is therefore the ideal lens for mountain sports.

#### UV400 & ANTI FOG

UV400 & Anti Fog refers to the intense UV protective qualities of HEAD lenses and their ability to minimize fogging. The light on the mountain is intense so you need the best protection possible as well as anti-fogging qualities to maintain the best visibility.

#### **FMR**

FMR is HEAD's flashy mirror finish to their lenses providing added protection against sunlight. Light on the mountain is intense so riders need the best protection possible.

#### **TORIC LENS**

Toric lenses are curved in a way which avoids optical distortion and adds a bold, modern look to the goggle.

#### SPHERICAL LENS

A Spherical Lens has a consistent vertical and horizontal curve for a true and clear field of vision. It is both functional and looks great.

#### CYLINDRICAL LENS

The Cylindrical Lens is a flat lens with a single lateral curve that provides a superior field of vision. It also looks great!

#### FILTER CATEGORY

SO: Clear lens for night touring

S1: For cloudy or snowy days on the mountain.

S2: Versatile lens for changeable weather conditions.

S3: Bright and sunny conditions require a dimming lens tone.

#### **FEATURES**

#### **EXTREME WIDE FIELD OF VISION**

HEAD's goggles with an extra wide field of vision are perfect for racers, allowing a tight aerodynamic tuck without impaired vision.

#### MAGNETIC LENS EXCHANGE

The magnetic lens exchange solution enables you to swap lenses on the go. It automatically locks the lens in place and assures that you can adapt yourself to changing weather conditions quick and easily.

#### SPEED SNAP LENS EXCHANGE

Speed Snap Lens Exchange is a fast and easy lens exchange system. Lenses snap in and out quickly and easily allowing a rider to keep up with the changing light conditions.

#### INTERCHANGEABLE LENS EXCHANGE

Interchangeable Lenses means that they can be changed to suit light conditions or when damaged. This increases the longevity of a goggle frame and allows for flexibility.

Protects the goggle from wind and water entering the inside.

#### **MATERIAL**

#### WINDSEALED MAIN FRAME

Windseal Foam is a wind retardant foam. We use it in our downhill race goggles to exclude the rushing wind of racing.

#### **VENTING FOAM**

Venting Foam allows the transfer of air, heat and moisture. When used in our goggles it prevents fogging and creates the ideal climate inside a pair of goggles.

#### TRIPLE LAYER FOAM

Dual-density comfort foam with microfleece is a bonded foam with a soft fleece for added comfort. The two foams serve different purposes, including anti-fogging, climate regulation and padding while the fleece creates the ideal comfort layer between goggle and skin.

#### **DOUBLE LAYER FOAM**

Comfort Foam with microfleece is a single density foam that regulates a goggles inner climate, cushions and provides the perfect skin to goggle interface.

#### **EXTRA FACEFOAM**

For customizing the fit of the goggle to your face, as well as creating the perfect match between helmet and goggle.

#### **COMFORT FOAM**

Comfort Foam is a single density foam that allows for the ideal inner goggle climate. Comfortable with venting properties it is the ideal foam for goggles.

#### SILICONE LAYER

The Silicone Layer provides added grip between a goggle strap and on-mountain head wear. From helmets to beanies the Silicone Layer keeps goggles in place.

#### OTG - OVER THE GLASSES

Prescription glasses can be worn under the goggle, as it offers enough volume on the inside to intake glasses with a width up to 13 cm. The face foam is molded on the sides, to give space to the temples of the glasses.

# SPARE LENS

		S3 **	S2 📛	SI 🥋	S0 (***
		Bright and sunny conditions require a dimming lens tone.	Versatile lens for changeable weather conditions.	For cloudy or snowy days on the mountain.	Clear lens for night touring.
SENTINEL	5K LENS	SENTINEL SL 5K GOLD Art.No. 376141	SENTINEL SL 5K CHROME Art.No. 376151		
					D
			SENTINEL SL RACE Art.No. 376110	SENTINEL RD NR 3 Art.No. 376140	SENTINEL SL CLEAR Art.No. 376190
MAGNIFIY	5< LENS	MAGNIFY SL 5K GOLD Art.No. 376221	MAGNIFY SL 5K RED Art.No. 376211		
HORIZON	5C LENS	HORIZON SL 5K GOLD Art.No. 376521	HORIZON SL 5K RED Art.No. 376511		
CONTEX	5< LENS	CONTEX PRO SL 5K GOLD Art.No. 376811	CONTEX PRO SL 5K RED Art.No. 376821		
		CONTEX SL BLUE Art.No. 376871	CONTEX SL RED Art.No. 376861	CONTEX SL ORANGE Art.No. 376881	CONTEX PRO SL CLEAR Art.No. 376891
NEVES	5< LENS	NEVES PRO SL 5K GOLD Art. No. 376714	NEVES PRO SL 5K RED Art. No. 376724		
		NEVES SL BLUE Art. No. 376764	NEVES SL RED Art. No. 376754	NEVES SL ORANGE Art. No. 376774	NEVES SL CLEAR Art. No. 376784

## HOW TO **CHANGE**

SCAN ME FOR VIDEO INSTRUCTION



MAGNETIC **LENS EXCHANGE** 



**SPEED SNAP LENS EXCHANGE** 



**INTERCHANGEABLE** LENS EXCHANGE





















# PERFECT MATCH

Everybody has an individual demand in terms of product, performance and fit - a perfectly matching helmet and goggle combination is essential to maximize safety, function and style on the slopes.







320224 DOWNFORCE speedblue/white 390154 NEVES PRO 5K + SL chrome/RD



320323 DOWNFORCE JR speedblue 390123 HORIZON 5K RACE + SL chrome/RD 390214 NEVES RETHINK red/RETHINK



322614 REV RETHINK black



323611 REV black 391534 NEVES PRO 5K gold/KORE



323643 REV wcr 394423 CONTEX PHOTO blue/WCR



323654 REV sun 391744 NEVES silver/petrol



323711 RITA white 391734 NEVES blue/white



323734 RITA lavender 394864 CONTEX green/sand



326524 COMPACT EVO grey 391514 NEVES PRO 5K red/black



326324 COMPACT PRO petrol 391724 NEVES red/sun



326434 COMPACT PRO W lavender 391734 NEVES blue/white



326463 COMPACT EVO MIPS black 394444 CONTEX PHOTO blue/olive



326724 COMPACT EVO W sand 394524 CONTEX PRO 5K gold/sand



326713 COMPACT EVO W white 394873 CONTEX blue/white



326301 COMPACT PRO black 392811 CONTEX red/black





Whether uphill or downhill - this is the complete touring solution.

### **ROLL TOP CLOSURE**

Easy access and expandable storage.

**DEDICATED AVALANCHE TOOL** COMPARTMENT

**TWO COLOR OPTIONS** 

Black and white.

LIGHTWEIGHT **HELMET CARRY** 

**SKI CARRY** 

Diagonal or A-Frame.



156

**CARBON** 

ICE FLEX -**PIVOTING BASKET** 



## **CRUX TOURING SKINS**

65% Mohair, 35% Nylon, pre-cut and ready to use.

#### CX 30+ BACKPACK WHITE

ARTICLE NU	MBER	NEW
383304		
PRODUCT F	EATURES	
Dedicated	avalanche tool compartme	nt
Diagonal o	r a frame ski carry	
Lightweigh	nt helmet carry	
Roll top an	d back access to main com	partment
Hydration	reservoir compatible	
Goggle and	d accessory pocket	
DIMENSION	32 * 54 * 13.5 CM	
VOLUME	30 L	
WEIGHT	1060 gm	











#### CX 30+ BACKPACK BLACK

ARTICLE NU	IMBER NEV
383314	
PRODUCT F	EATURES
Dedicated	avalanche tool compartment
Diagonal o	r a frame ski carry
Lightweigh	nt helmet carry
Roll top ar	nd back access to main compartment
Hydration	reservoir compatible
Goggle and	d accessory pocket
DIMENSION	32 * 54 * 13.5 CM
VOLUME	30 L
WEIGHT	1060 gm













#### **REBELS TRAVELBAG**

#### ARTICLE NUMBER

383003

#### PRODUCT FEATURES

Big wheelie bag for ski pros and world travelers Co-developed with Head Race Department Can be divided into two pieces

Compression straps

Top and front handles

Telescopic handle to be combined with skibag

Durable outer material

DIMENSION	77 * 38 * 42 CM	
VOLUME	120 L	
WEIGHT	3940 gm	







#### **REBELS BACKPACK**

ART	ICLE	NUN	<b>MBER</b>

383013

PRODUCT	FEATURES	
D 4		

Boot carry system on sides Fleece lined goggle pocket

Ergonomic back panel

Comfortable shoulder and waist straps

Durable outer material

DIMENSION	33 * 55 * 23 CM	
VOLUME	30 L	
WEIGHT	1060 gm	



#### REBELS RACING BACKPACK

ARTICLE NUMBER	NEW
383034 L	
383044 S	

#### PRODUCT FEATURES

Big backpack for racers and tech-reps Co-developed with Head Race department Separate boot storage

Fleece lined goggle pocket, two big side pock-

Reinforced back panel and cushioned shoulder

Durable outer material

DIMENSION	49.5 * 67 * 28.5 CM (L)
	49.5 * 62 * 28.5 CM (S)
VOLUME	90 L (L)
	70 L (S)
WEIGHT	1750 gm (L)
	1660 gm (S)





#### **REBELS BOOT CARRY ON**

#### ARTICLE NUMBER

383923

#### PRODUCT FEATURES

Messenger style bag for one pair of skiboots Co-developed with Head Race department Inner boot divider which unzips

Hidden shoulder straps for alternate backpack

Padded front document pocket Durable outer material

DIMENSION	50 * 36 * 12 CM
VOLUME	25 L
WEIGHT	700 gm







#### **REBELS SINGLE SKIBAG**

ARTICLE	NUMBER
---------	--------

383933 197 cr	n
383953 180 c	m

#### PRODUCT FEATURES

Protective bag for one pair of skis
Comfortable carry straps
Simple full zip access
Durable outer material

DIMENSION	197.5 * 20 * 23 CM (197 cm)
	180 * 20 * 23 CM (180 cm)
VOLUME	67 L (197 cm)
	60 L (180 cm)
WEIGHT	860 gm (197 cm)
	800 gm (180 cm)



#### **REBELS DOUBLE SKIBAG**

Δ	RT	CI	F	NII	М	RF	R

383023

#### PRODUCT FEATURES

Protective wheelie bag for 2 pairs of skis
Co-developed with Head Race Department
Easy adjust compression straps
Internal sleeves for poles
Durable outer material

DIMENSION	203 * 18 * 28 CM
VOLUME	110 L
WEIGHT	2580 gm





## REBELS COACHES BACKPACK

ARTICLE NUMBER	NEW
383964	

#### PRODUCT FEATURES

Big backpack for coaches, technicians and racers

Co-developed with Head Race department

Multiple pockets and compartments

Reinforced back panel and cushioned shoulder

Detachable folding chair

Durable outer material

DIMENSION	49.5 * 62 * 29.5 CM
VOLUME	75 L
WEIGHT	2380 am















#### **HEATABLE BOOTBAG**

#### ARTICLE NUMBER

383193

#### PRODUCT FEATURES

Heatable boot bag featuring AC connection

Stowable backpack straps

Multiple zipped pockets
Padded goggle compartment and adjustable
helmet holder

DIMENSION 43 \* 25 \* 58 CM

VOLUME 65 L

WEIGHT 4500 gm







#### **BOOTBAG**

#### ARTICLE NUMBER

383074

#### PRODUCT FEATURES

Boot bag for one pair of ski boots

Ample room for additional accessories or a

helmet

Durable material

DIMENSION	40 * 40 * 25 CM	
VOLUME	40 L	
WEIGHT	500 gm	





#### **BOOT BACKPACK**

#### ARTICLE NUMBER

383084

#### PRODUCT FEATURES

Easy to transport boot backpack
Two separate compartments for boots and helmet

Integrated carry handle

DIMENSION	42 * 41 * 25 CM	
VOLUME	35 L	
WEIGHT	560 gm	







#### **BOOT CARRY ON**

#### ARTICLE NUMBER

383094

#### PRODUCT FEATURES

Messenger style bag for one pair of skiboots Inner boot divider which unzips Hidden shoulder straps for alternate backpack carry

Padded front document pocket Durable outer material

 DIMENSION
 50 \* 36 \* 12 CM

 VOLUME
 25 L

 WEIGHT
 640 gm





#### SKIBAG

ARTICLE NUMBER	
383054 Single 175 cm	
383904 Single 195 cm	
383064 Double 175 cm	
383914 Double 195 cm	
383944 Short	

#### PRODUCT FEATURES

PRODUCT FEATURES
Protective bag for one pair of skis
Available in two sizes
Simple access
Compression straps
Durable material

DIMENSION	175 * 14 * 25 CM (Single 175 cm)
	195 * 14 * 25 CM (Single 195 cm)
	175 * 14 * 28 CM (Double 175 cm)
	195 * 14 * 28 CM (Double 195 cm)
	160 * 14 * 25 CM (Short)
VOLUME	60 L (Single 175 cm)
	65 L (Single 195 cm)
	70 L (Double 175 cm)
	72 L (Double 195 cm)
	50 L (Short)
WEIGHT	730 gm (Single 175 cm)
	760 gm (Single 195 cm)
	790 gm (Double 175 cm)
	810 gm (Double 195 cm)
	650 gm (Short)



#### THE SIMPLE SKIBAG

ARTICLE NU	MBER	NEW
383404		
PRODUCT FI	EATURES	
Basic ski b	ag for one pair of skis	
Side zip fo	r easy access	
Roll top de	sign to adjust length	
Bottom dra	ainage hole	
Adjustable	shoulder strap	
DIMENSION	205 * 31,5 CM	
VOLUME	55 L	
WEIGHT	450 gm	



# ACCESSOR

#### **KORE BACKPACK**

#### ARTICLE NUMBER

383103

#### PRODUCT FEATURES

Diagonal or a frame ski carry

Dedicated avalanche tool compartment

Innovative helmet carry

Main compartment top and back access

Hydration reservoir compatible

 DIMENSION
 30 \* 55 \* 16 CM

 VOLUME
 30 L

 WEIGHT
 1060 gm













#### FREERIDE DOUBLE SKIBAG

#### ARTICLE NUMBER

383134

#### PRODUCT FEATURES

Protective wheelie bag for 2 pairs of skis
Co-developed with Head Freeride team
Large opening for wider rockered skis
Internal sleeves for poles
Durable outer material

DIMENSION 203 \* 18 \* 28 CM

VOLUME 85 L

WEIGHT 2570 gm





#### FREERIDE TRAVELBAG

#### ARTICLE NUMBER

383114

#### PRODUCT FEATURES

Big wheelie bag for ski pros and world travelers

Can be divided into two pieces

Compression straps

Top and front handles

Durable outer material

IMENSION	77 * 38 * 42 CM
OLUME	120 L
/EIGHT	3980 am







#### **KORE BOOTBAG**

#### ARTICLE NUMBER

383143

#### PRODUCT FEATURES

Boot bag for one pair of ski boots

Dry Feet System - side panel opens flat to change into or out of ski boots

Durable material

DIMENSION	40 * 40 * 25 CM	
VOLUME	30 L	
WEIGHT	470 am	





#### FREERIDE SINGLE SKIBAG

#### ARTICLE NUMBER

383124

#### PRODUCT FEATURES

Protective bag for one pair of skis and poles
Roll top design length adjustment
Shoulder strap adjusts to balance different
length skis

Full zip easy access

Extra durable base material

 DIMENSION
 220 \* 26 \* 16 CM

 VOLUME
 65 L

 WEIGHT
 1050 gm





165





#### **WOMEN BACKPACK**

#### ARTICLE NUMBER

383183

#### PRODUCT FEATURES

Diagonal or a frame ski carry Dedicated avalanche tool compartment Innovative helmet carry

Main compartment top and back access Hydration reservoir compatible

DIMENSION	30 * 54 * 7 CM	
VOLUME	20 L	
WFIGHT	1000 am	













**WOMEN BOOTBAG** ARTICLE NUMBER 383173

Boot bag for one pair of ski boots and accessories

Handbag style

Straps adjust for backpack carry

Cushioned handle for carrying comfort Durable outer material

DIMENSION	35 * 43 * 23 CM	
VOLUME	30 L	
WEIGHT	600 gm	









#### **WOMEN SINGLE SKIBAG**

#### ARTICLE NUMBER

383153

#### PRODUCT FEATURES

Protective and fashionable bag for one pair of skis and poles

Roll top design length adjustment

Shoulder strap adjusts to balance different length skis

Full zip easy access

Extra durable base material

DIMENSION	195 * 26 * 16 CM
VOLUME	47.5 L
WEIGHT	860 gm









#### TRAVEL BACKPACK

ARTICLE NUM	IBER	NEV
374504		
PRODUCT FE	ATURES	
Water-resist	ant nylon material	
20" padded	laptop compartment	
Padded bac	k panel and shoulder s	straps for
extra comfo	rt	
Side compre	ession straps for an ac	ljustable fit
Pockets for	organization	
Additional 1	OI (31x31x10cm) foldab	le travel
organizer		
DIMENSION	33 * 48 * 15 cm	
VOLUME	30 L	



#### **BOOT BACKPACK JR.**

383584	
303304	

Easy to transport smaller boot backpack Two separate compartments for junior boots and helmet

Integrated carry handle

DIMENSION	35 * 34 * 22 CM	
VOLUME	25 L	
WEIGHT	440 gm	







#### SKIBAG JR. ARTICLE NUMBER

383504	
PRODUCT FEA	TURES
Basic ski ba	g for one pair junior of skis
Side zip for	easy access
Roll top des	ign to adjust length
Bottom drai	nage hole
Adjustable s	houlder strap

DIMENSION	170 * 30 CM	
VOLUME	40 L	
WEIGHT	360 gm	









ARTICLE NUMBER NEW	ARTICLE NUMBER NEW
381114 carbon/reflective	381224 aluminum/anthracite
PRODUCT FEATURES	PRODUCT FEATURES
Lightweight Carbon	7075 Aluminum
2K Touring Foam Grip	2K Touring Foam Grip
Power Lock Aluminum locking system	Power Lock Aluminum locking system
Ice Flex basket	Vario Powder basket
Tungsten Carbide Tip	Tungsten Carbide Tip
PRODUCT DETAILS	PRODUCT DETAILS
DIAMETER 16/14 mm	DIAMETER 18/16 mm
LENGTH Adjustable 105 to 140	LENGTH Adjustable from 105 to 140



### **WORLDCUP REBELS CARBON**

381204 whi	te/black/speed blue	
PRODUCT	FEATURES	
Worldcup C	arbon Race Pole	
Race Rubbe	r Grip	
Race Velcro	Strap	
Mini Race B	asket	
Tungsten C	arbide Tip	
PRODUCT	DETAILS	
DIAMETER	12,3 mm	
LENGTH	105-140	

## **WORLDCUP REBELS CARBON**

ARTICLE NUMBER

381214 speed blue/black/white		381054 v
PRODUCT	FEATURES	PRODUC
Worldcup (	Carbon Race Pole	SG Bend
Race Rubb	er Grip	7075 Alu
Race Velcre	o Strap	Race Rub
Mini Race Basket		Race Vel
Tungsten Carbide Tip		DH/SG C
		Tungsten
<b>PRODUCT</b>	DETAILS	
DIAMETER	12,3 mm	PRODUC
LENGTH	105-140	DIAMETER
		LENGTH

### **WORLDCUP SG**

381054 wh	ite/black/speed blue	
PRODUCT	FEATURES	
SG Bend W	orldcup Race Pole	
7075 Alum	inum	
Race Rubbe	er Grip	
Race Velcro	Strap	
DH/SG Con	e Basket	
Tungsten C	arbide Tip	
DDODUCT	DETAILC	
PRODUCT		
DIAMETER	18 mm	
LENGTH	110-135	



#### **WORLDCUP SL WORLDCUP SL HEAD WC SL PROTECTOR** ARTICLE NUMBER ARTICLE NUMBER ARTICLE NUMBER 381074 white/black/speed blue 381174 speed blue/black/white 381340 white/black PRODUCT FEATURES PRODUCT FEATURES PRODUCT FEATURES Worldcup SL Race Pole Worldcup SL Race Pole Universal HEAD branded Hand Protector 7075 Aluminum 7075 Aluminum Fits on both Junior and Adult Aluminum SL Race Rubber Grip Race Rubber Grip poles Race Velcro Strap Race Velcro Strap Includes mounting hardware Mini Race Basket Mini Race Basket 2 protectors / poly bag Tungsten Carbide Tip Tungsten Carbide Tip PRODUCT DETAILS PRODUCT DETAILS PRODUCT DETAILS n/a DIAMETER DIAMETER 18 mm 18 mm LENGTH 110-140 LENGTH 110-140



#### FRONTSIDE

ARTICLE N	NUMBER		
381554 blad	ck/white		
381184 blac	ck/speed blue		
381164 blac	:k/green		
381124 blac	k/red		
381544 bla	ck/blue		
PRODUCT	FEATURES		
5083 Alum	5083 Aluminum		
Glossy Matt	Glossy Matte finish		
HEAD Perfo	HEAD Performance Grip		
50 mm Rac	e Basket		
Star Tip			
PRODUCT DETAILS			
DIAMETER	18 mm		
LENGTH	105-135		



#### MULTI

#### ARTICLE NUMBER

381864 grey/white
381842 black/neon yellow
381852 black/black
381803 black/speed blue

#### PRODUCT FEATURES

5083 Aluminum	
Transparent Race Grip	
Automatic Strap	
50 mm Race Basket	
Star Tip	

#### PRODUCT DETAILS

DIAMETER	18 mm	
LENGTH	105-135	

#### **MULTI POLE BOX**

#### ARTICLE NUMBER

381894 black/black ; black/speed blue

#### PRODUCT FEATURES

30 pairs of MULTI poles shipped in a display box

Two colours and size range from 110cm to 135cm

Black/Black: 110 x 1, 115 x 3, 120 x 4, 125 x 4, 130 x 2, 135 x 1

Black/Speed Blue: 110 x 2, 115 x 3, 120 x 4, 125 x 4, 130 x 2

#### PRODUCT DETAILS

DIAMETER	18 mm	
LENGTH	Mixed sizes	



#### ARTICLE NUMBER

381173 black/anthracite

#### PRODUCT FEATURES

INODUCTIENTUNES	
7075 Aluminum	
Glossy Matte Finish	
Race Grip	
Vario Powder basket	
Steel tip	
Easy Adjust Powder Strap	

#### PRODUCT DETAILS

DIAMETER	18 mm
LENGTH	105-135

### KORE FREE TOUR

### ARTICLE NUMBER

381103 black/anthracite

#### PRODUCT FEATURES

	LATORES
7075 Alumin	ium
2K Touring F	oam Grip
Power Lock	Aluminum locking system
Vario Powde	r basket
Tungsten Ca	rbide Tip

PRODUCT DETAILS		
Ī	DIAMETER	18/16 mm
_ i	LENGTH	Adjustable from 105 to 140

#### OBLIVION

#### ARTICLE NUMBER

381294 black/white


#### PRODUCT FEATURES

5083 Aluminum	
Glossy Matte Finish	
Race Grip	
Two baskets included	
Steel tip	
Easy Adjust Powder Strap	

#### PRODUCT DETAILS

DIAMETER	18 mm	
ENCTH	100-115	







## ARTICLE NUMBER

J0Y

381764 grey/white

PRODUCT FEATURES

7075 Aluminum

Cork Foam Pistol Grip

Padded Strap

Mini UL Fix Basket

Steel Tip

### PRODUCT DETAILS

FRODUCI	DETAILS	
DIAMETER	16 mm	
LENGTH	105-125	

#### J0Y

## ARTICLE NUMBER

381694 white 381684 black

#### PRODUCT FEATURES

5083 Aluminum
Women-specific SBS Soft Handle
Automatic Strap
Race Basket
Star Tip

#### PRODUCT DETAILS

DIAMETER 16 mm LENGTH 105-125

#### **WORLDCUP SG JR**

#### ARTICLE NUMBER

381064 white/black/speed blue

#### PRODUCT FEATURES

SG Bend Worldcup Race Pole for Juniors
5083 Aluminum
Race Rubber Jr Grip
Powder Strap
DH/SG Cone Basket
Steel Tip

#### PRODUCT DETAILS

DIAMETER 16 mm LENGTH 90-110

### WORLDCUP SL JR

#### ARTICLE NUMBER

381084 white/black/speed blue

### PRODUCT FEATURES

Worldcup SL Race Pole for Juniors
5083 Aluminum
Race Rubber Jr Grip
Powder Strap
Mini Race Basket
Steel Tip

#### PRODUCT DETAILS

DIAMETER 16 mm LENGTH 90-110

#### **SUPERSHAPE TEAM**

#### ARTICLE NUMBER

381963 white/black/speed blue

#### PRODUCT FEATURES

5083 Aluminum Kids Plastic Grip Classic Strap Mini Race Basket Steel Tip

#### PRODUCT DETAILS

DIAMETER 14 mm LENGTH 70-110



## SUPERSHAPE TEAM ADJUSTABLE

#### ARTICLE NUMBER

381973 white/black/speed blue

#### PRODUCT FEATURES

5083 aluminum Adjustable length Kids Plastic Grip Expander locking system Star Tip

#### PRODUCT DETAILS

DIAMETER	16/14 mm
LENGTH	Adjustable from
	85 to 110

#### **MONSTER TEAM**

#### ARTICLE NUMBER

381624 black/blue/white

#### PRODUCT FEATURES

5083 aluminum
Kids Plastic Grip
Automatic strap Kids
50 mm Race Basket
Steel Tip

## PRODUCT DETAILS

	DIAMETER	14 mm	
-	LENGTH	80-105	

#### **KORE TEAM**

#### ARTICLE NUMBER

381393 black/yellow

#### PRODUCT FEATURES

5083 aluminum
Kids Plastic Grip
Automatic strap Kids
50 mm Race Basket
Steel Tip

#### PRODUCT DETAILS

DIAMETER	14 mm	
LENGTH	80-105	

#### JOY GIRL

#### ARTICLE NUMBER

381643 blue/white

#### PRODUCT FEATURES

5083 aluminum
Kids Plastic Grip
Automatic strap Kids
50 mm Race Basket
Steel Tip

#### PRODUCT DETAILS

DIAMETER	14 mm
LENGTH	80-105

#### **CRUX 105 TOURING SKINS**

ARTICLE NUMBER	NEV
388384 L	
388394 M	

#### PRODUCT FEATURES

65% Mohair / 35% Nylon
Pre-cut and ready to use

LENGTH	184 cm (L)
	170 / 177 cm (M)
WEIGHT	600 g (L)
	600 g (M)
WIDTH	118 - 101 - 113 mm (L)
	118 - 101 - 112 mm (M)
COLORS	sand



#### **CRUX 99 TOURING SKINS**

ARTICLE NUMBER	NE
388404 L	
388414 M	

#### PRODUCT FEATURES

65% Mohair / 35% Nylon Pre-cut and ready to use

COLORS	sand
	118 - 96 - 106 mm (M)
WIDTH	118 - 96 - 107 mm (L)
	550 g (M)
WEIGHT	600 g (L)
	163 / 170 cm (M)
LENGTH	177 / 184 cm (L)



#### **CRUX 93 TOURING SKINS**

ARTICLE NUMBER	NEW
388434 L	
388444 M	

#### PRODUCT FEATURES

65% Mohair / 35% Nylon Pre-cut and ready to use

LENGTH	177 / 184 cm (L)
	163 / 170 cm (M)
WEIGHT	600 g (L)
	550 g (M)
WIDTH	117 - 90 - 106 mm (L)
	117 - 90 - 102 mm (M)
COLORS	sand



#### **CRUX 87 TOURING SKINS**

ARTICLE NUMBER	NEW
388464 L	
388474 M	
388454 S	

#### PRODUCT FEATURES

65% Mohair / 35% Nylon Pre-cut and ready to use

LENGTH	177 / 184 cm (L)	
	163 / 170 cm (M)	
	149 / 156 cm (S)	
WEIGHT	600 g (L)	
	550 g (M)	
	500 g (S)	
WIDTH	114 - 83 - 101 mm (L)	
	113 - 83 - 97 mm (M)	
	113 - 83 - 96 mm (S)	
COLORS	sand	



#### **CRUX 81 TOURING SKINS**

ARTICLE NUMBER	NEV
388424 L	
388484 M	
388494 S	

#### PRODUCT FEATURES

65% Mohair / 35% Nylon Pre-cut and ready to use

LENGTH	177 / 184 cm (L)
	163 / 170 cm (M)
	149 / 156 cm (S)
WEIGHT	600 g (L)
	550 g (M)
	500 g (S)
WIDTH	112 - 78 - 95 mm (L)
	111 - 77 - 91 mm (M)
	111 - 77 - 90 mm (S)
COLORS	sand



## HEAD TOURING SKINS UNTRIMMED

ARTICLE NUMBER	NEW
388504 L	
388514 M	
388524 S	

#### PRODUCT FEATURES

65% Mohair / 35% Nylon Cutting tool included

LENGTH	180 - 191 cm (L)	
	170 - 179 cm (M)	
	160 - 169 cm (S)	
WEIGHT	600 g (L)	
	600 g (M)	
	550 g (S)	
WIDTH	130 mm	
COLORS	sand	









SKI



## SHAPE V2 R

RTICLE NUMBER	
---------------	--

316254 AMT PR R Base

#### PRODUCT FEATURES

SHAPE V4 R

LYT Tech Construction, ERA 3.0, Graphene, Power Sidewall Jacket LYT Tech Construction, ERA 3.0, Power Fiber Jacket Construction, Construction, Wood Composite Core, Structured UHM C Base, Allride Rocker

#### PRODUCT DETAILS

LENGTH	149/156/163/170/177
SIDECUT	128/74/109 @ Length 170
RADIUS	13,0 @ Length 170
BINDING	114517 PR 11 GW Brake [G] 85 mm

ARTICLE NUMBER

316224 AMT PR R Base

#### PRODUCT FEATURES

Synthetic Core, UHM C Base black, Allride Rocker

#### PRODUCT DETAILS

LENGTH	142/149/156/163/170/177
SIDECUT	128/70/108 @ Length 170
RADIUS	12,5 @ Length 170
BINDING	114517 PR 11 GW Brake [G] 85 mm









#### ARTICLE NUMBER

KORE X 85 R

316154 LYT PR R Base

#### PRODUCT FEATURES

Sandwich Cap Construction, Graphene , Structured UHM C Base, Allride Rocker

#### DECENICT DETAILS

PRUDUCI	DETAILS	
LENGTH	156/163/170/177/184	
SIDECUT	127/85/108 @ Length 170	
RADIUS	14,8 @ Length 170	
BINDING	114469 PRW 11 GW Brake [G] 90 mm	

## KORE X 80 R

SKI

ARTICLE NUMBER 316164 LYT PR R Base

#### PRODUCT FEATURES

Wood Composite Core, Graphene, Power Sidewall Jacket Construction, Structured UHM C Base, Allride Rocker

#### PRODUCT DETAILS

LENGTH	149/156/163/170/177
SIDECUT	126/80/106 @ Length 170
RADIUS	13,2 @ Length 170
BINDING	114352 PRW 11 GW Brake [G] 85 mm









ARTICLE NUMBER

316534 SLR Pro R Base

#### PRODUCT FEATURES

LYT Tech Construction, EMC F, Graphene, Women's Camber, Super Light Weight Distribution, Power Sidewall Jacket Construction, Wood Composite Core, UHM C Base, Allride Rocker

#### PRODUCT DETAILS

	LENGTH	143/148/153/158/163
	SIDECUT	121/75/107 @ Length 163
	RADIUS	13,1 @ Length 163
	BINDING	100919 JOY 9 GW SLR Brake
		[H] 85 mm

#### **PURE JOY R**

#### **NEW ARTICLE NUMBER**

316464 SLR Pro R Base

#### PRODUCT FEATURES

LYT Tech Construction, EMC F, Graphene, Women's Camber, Super Light Weight Distribution, Power Sidewall Jacket Construction, Synthetic Core, UHM C Base, Allride Rocker

SKI

#### PRODUCT DETAILS

PRODUCT DETAILS	
LENGTH	143/148/153/158/163
SIDECUT	121/75/107 @ Length 163
RADIUS	13,1 @ Length 163
BINDING	100918 JOY 9 GW SLR Brake
	[H] 85 mm

#### EASY JOY R

#### ARTICLE NUMBER

316484 SLR Pro R Base

#### PRODUCT FEATURES

LYT Tech Construction, Power Fiber Jacket Construction, Synthetic Core, UHM C Base, Allride Rocker

#### PRODUCT DETAILS

LENGTH	143/148/153/158/163
SIDECUT	117/70/103 @ Length 163
RADIUS	13,3 @ Length 163
BINDING	100918 JOY 9 GW SLR Brake
	[H] 85 mm





#### ARTICLE NUMBER

316414 LYT PR R Base

#### PRODUCT FEATURES

Sandwich Cap Construction, Structured Surface, Black UHM C Base, Rebel Camber

#### PRODUCT DETAILS

I KODOOT DETAILO	
LENGTH	149/156/163/170/177
SIDECUT	125/72/109 @ Length 170
RADIUS	12,9 @ Length 170
BINDING	114517 PR 11 GW Brake
	[G] 85 mm



#### ARTICLE NUMBER

316374 LYT PR R Base 316384 Trackset SP adult 85

#### PRODUCT FEATURES

LYT Tech Construction, ERA 3.0, Power Fiber Jacket Construction, Structured Surface, **PRODUCT FEATURES** Wood Composite Core, UHM C Base black, Allride Rocker

SKI

#### PRODUCT DETAILS

LENGT	Н	142/149/156/163/170
SIDECU	JT	128/70/108 @ Length 170
RADIU	S	12,4 @ Length 170
BINDIN	NG	114517 PR 11 GW Brake
		[G] 85 mm

## SHAPE CX R

#### ARTICLE NUMBER

316324 Trackset SP adult 85 316334 LYT PR R Base 316344 SLR Pro R Base 316314

LYT Tech Construction, ERA 3.0, Power Fiber Jacket Construction, Synthetic Core, UHM C Base black, Allride Rocker

#### PRODUCT DETAILS


LENGTH	142/149/156/163/170
SIDECUT	128/70/108 @ Length 170
RADIUS	12,4 @ Length 170
BINDING	114532 SP 10 GW PM






## 3 SOLE LENGTHS FOR ALL SKIBOOT SIZES

How does its work?




# BINDING



>>> The color code speeds up the selection of matching the binding with the boot.

## SKI

HEAD skis are availabe in 5 different sizes. Ambition Pro woodcore, 140cm to 180cm and Ambition PU core, 130cm to 170cm. All skis can be used with the BYS System.



>>> With color codes, you can easily identify the right HEAD setup immediately. All settings are pre-adjusted.

Among the bindings you can choose between the color coded fix mounted toe- and heel-piece or the adjustable SP binding (track system).

Organizing your fleet not only by size but also by preset DIN settings (4, 5, and 6) will allow you to speed up your process.



## AMBITION PRO R

#### ARTICLE NUMBER

316562 Trackset SP adult 85	
316582 BYS Black	
316592 BYS Yellow	

#### PRODUCT FEATURES

ERA 2.0, Protective Frame Design, Integrated Tip Protector, Composite Radius Construction, Structured Surface, Woodcore Cap Construction, Black UHM C Base

#### PRODUCT DETAILS

LENGTH	130/140/150/160/170/180
SIDECUT	130/78/110 @ Length 150
RADIUS	10,6 @ Length 150
BINDING	114532 SP 10 GW PM

#### **AMBITION R**

#### ARTICLE NUMBER

316432 Trackset SP adult 85
316442 BYS Black
316452 BYS Yellow

AMBITION

AMBITION

MOILLION

AMBITION

#### PRODUCT FEATURES

ERA 2.0, Protective Frame Design, Integrated Tip Protector, Composite Radius Construction, Structured Surface, Power Fiber Jacket Construction, Black UHM C Base

#### PRODUCT DETAILS

LENGTH	130/140/150/160/170
SIDECUT	130/75/110 @ Length 150
RADIUS	9,8 @ Length 150
BINDING	114532 SP 10 GW PM



SKI



#### SHAPE AM R

#### ARTICLE NUMBER

316273 Trackset SP adult 85 316283 LYT PR R Base

#### PRODUCT FEATURES

Wood Composite Core, Graphene, Power Sidewall Jacket Construction, Structured UHM C Base, Allride Rocker

#### PRODUCT DETAILS

	LENGTH	142/149/156/163/170/177
	SIDECUT	126/80/106 @ Length 170
	RADIUS	13,2 @ Length 170
	BINDING	114517 PR 11 GW Brake [G] 85 mm







SKI




## **HOW IT WORKS**

4 sole lengths for all JR BOOT sizes.







#### RAZZLEDAZZLE

#### ARTICLE NUMBER

316994 SP 10 GW

#### PRODUCT FEATURES

SnakeSkin Top Sheet, Full Fiber Jacket, E base black, Pre-mounted SP 10 GW Binding

#### PRODUCT DETAILS

LENGTH	94
SIDECUT	129/90/118 @ Length 94
RADIUS	4,2 @ Length 94
BINDING	114534 SP 10 GW (G3/G4)
	Brake [D] 110 mm

#### SUPERSHAPE TEAM EASY R

#### APTICLE NUMBER

ARTICLE NUMBER
316633 JRS R, Length 67/77/87/97/107/117/
127/137/147/157
316723 HRS ▲, Length 67/77/87
316733 HRS ■, Length 77/87/97
316743 HRS ♠, Length 87/97/107
316753 HRS O, Length 107/117
316643 Length 67/77/87/97/107/
117/127/137/147/157

#### PRODUCT FEATURES

Jr. Power Frame, ERA 2.0, Structured Surface, Black UHM C Base

#### PRODUCT DETAILS

NODOCI	DEINIES
LENGTH	67/77/87/97/107/117/
	127/137/147/157
SIDECUT	103/65/89 @ Length 87
RADIUS	4,1 @ Length 87
BINDING	114475 JRS 4.5 GW CA Brake
	[I] 80 mm



#### ATTACK 14 MN DEMO

#### ARTICLE NUMBER

114454 - solid black, W/O Brake [F] 114455 - solid black, Brake [F] 95 mm 114456 - solid black, Brake [F] 110 mm

#### PRODUCT FEATURES

FR PRO3 Toe, AFS Metal MN, Attack Demo, NX FR Heel

#### PRODUCT DETAILS

STAND HEIGHT	32 mm
DIN	4 - 14
WEIGHT	1115 g/pc.





#### FREEFLEX DEMO 14 GW

#### ARTICLE NUMBER

100909 - matt black/speed blue, Brake [D] 85 mm 114300 - solid black/white, Brake [D] 85 mm

#### PRODUCT FEATURES

RX Toe with TRP System, Full Diagonal, AFS - Anti Friction Slider GW, Freeflex Demo, NX Heel

#### PRODUCT DETAILS

	STAND HEIGHT	21 mm
	DIN	4 - 14
	WEIGHT	1325 g/pc.





#### ATTACK LYT 13 GW DEMO

ARTICLE NUMBER	NEW
114608 - solid black, W/O Brake [F]	
114609 - solid black, Brake [F] 95 mm	
114610 - solid black, Brake [F] 110 mm	

#### PRODUCT FEATURES

FR LYT Toe, AFS - Anti Friction Slider GW, Attack Demo, NX FR Heel

#### PRODUCT DETAILS

STAND HEIGHT	32 mm
DIN	4 - 13
WEIGHT	1220 g/pc.





#### **SP 10 GW**

#### ARTICLE NUMBER

ARTIOLE NOMBER	
114530 - solid black, Brake [D] 85 mm	
114531 - solid black, W/O Brake [D]	
114532 - solid black, PM, W/O Brake [D] (premounted, needs trackset)	
114533 - solid black, PM, W/O Brake [D],	
Multipack 8 pairs (premounted, needs trackset)	
114543 - solid white/black, W/O Brake [D]	

#### PRODUCT FEATURES

TX Toe, Full Diagonal, AFS - Anti Friction Slider GW, SYMPRO, NX Heel

#### PRODUCT DETAILS

STAND HEIGHT	31 mm
DIN	2,5 - 10
WEIGHT	1295 g/pc.





#### ATTACK LYT 11 GW DEMO

ARTICLE NUMBER	NEW
114611 - solid black, W/O Brake [F]	
114612 - solid black, Brake [F] 95 mm	
114613 - solid black, Brake [F] 110 mm	
114614 - solid white/black, W/O Brake [F]	
114615 - solid white/black, Brake [F] 95 mm	
114616 - solid white/black, Brake [F] 110 mm	

#### PRODUCT FEATURES

FR LYT Toe, AFS - Anti Friction Slider GW, Attack Demo, SX FR Heel

#### PRODUCT DETAILS

	I KODOOI D	LIMILO
	STAND HEIGHT	32 mm
	DIN	3 - 11
	WEIGHT	1160 g/pc.





#### **SR 10 GW**

#### ARTICLE NUMBER

114535 - solid black, Brake [D] 85 mm

#### PRODUCT FEATURES

TX Toe, Full Diagonal, AFS - Anti Friction Slider GW, SYMRENT, NX Heel

#### PRODUCT DETAILS

TRODUCT DETRIES	
STAND HEIGHT	22 mm
DIN	2,5 - 10
WEIGHT	1100 g/pc.



DIAMETER 18 mm

LENGTH 110-135



#### JRS 7.5 GW CA SET+

#### ARTICLE NUMBER

114558 - solid black/white, Brake [H] 78 mm, SET+ (incl. JRS Base M, 8 mm + 6 mm screws)

#### PRODUCT FEATURES

SX Junior Toe with TRP System, Full Diagonal, AFS GW AC, JRS, SX Youth Heel

#### PRODUCT DETAILS

STAND HEIGHT	27 mm
DIN	2 - 7,5
WEIGHT	610 g/pc.





#### JRS 4.5 GW CA SET

#### ARTICLE NUMBER

114559 - solid black/white, Brake [I] 80 mm, SET (incl. JRS Base S, 6 mm screws)

#### PRODUCT FEATURES

SX Kid Toe with TRP System, Full Diagonal, AFS GW AC, JRS, SX Youth

#### PRODUCT DETAILS

I KODOOI D	LIXILO
STAND HEIGHT	27 mm
DIN	0,75 - 4,5
WEIGHT	575 g/pc.





#### **ADULT RENTAL JUNIOR RENTAL** ARTICLE NUMBER ARTICLE NUMBER 381425 Color Coded Basket 381435 Color Coded Basket PRODUCT FEATURES PRODUCT FEATURES 7075 Aluminum 7075 Aluminum Cosmetics Screen Printed Cosmetics Screen Printed Length Indication in both cm and Length Indication in both cm and Inch Inch Large Surface Color Coding Large Surface Color Coding Soft Touch Grip Soft Touch Grip PRODUCT DETAILS PRODUCT DETAILS

DIAMETER 16 mm

LENGTH 70-105





ADULT RENTAL SUBLIMA- TED	JUNIOR RENTAL SUBLI- MATED				
ARTICLE NUMBER	ARTICLE NUMBER				
381447 Color Coded Basket	381457 Color Coded Basket				
PRODUCT FEATURES	PRODUCT FEATURES				
7075 Aluminum	7075 Aluminum				
Cosmetics Sublimated and Cus-	Cosmetics Sublimated and Cus-				
tomizable	tomizable				
Length Indication in both cm and Inch	Length Indication in both cm and Inch				
Large Surface and Basket Color	Large Surface and Basket Color				
Coding	Coding				
Soft Touch Grip	Soft Touch Grip				
PRODUCT DETAILS	PRODUCT DETAILS				
DIAMETER 18 mm	DIAMETER 16 mm				
LENGTH 110-135	LENGTH 70-105				





#### FORMULA 12 R MV GW

ARTICLE NUMBER	PRODU	ICT DI	ETA	ILS	
603605 Anthracite	LEVEL		Ex	pert	
	FLEX		130	0/120	
PRODUCT FEATURES	SIZES		25	5305	
Flex tuning, Cuff Alignment,	SHELL		ΡU		
Extended Toe Box, Rear support	LAST		RS	1850cc	
tuning, Interch. Toe and heel	Last	98		100	102
	Size	25.5		26.5	27.5
LINER	ERGO BA	LANCE	Ra	ce balan	ice
Rental Perfect Fit S , Stiffer			Fo	rward le	an: clas-
upper, HP frame footbed, 40mm			sic	method	l 16°,
velcro strap			ne	w metho	od 9°
			Ra	mp angl	e 4°

#### **FORMULA 10 R MV GW**

4 screwed micro-adjustable alloy

buckles, Low profile buckles

**BUCKLES** 

ARTICLE NUMBER	PRODU	ICT DI	ETA	ILS	
603611 Anthracite/red	LEVEL		Ex	pert	
	FLEX		110	/100	
PRODUCT FEATURES	SIZES		25	530	5
Flex tuning, Cuff Alignment,	SHELL		PU	/SL	
Extended Toe Box, Rear support	LAST		RS	1850cc	:
tuning, Interch. Toe and heel	Last	98		100	102
	Size	25.5		26.5	27.5
LINER	ERGO BA	LANCE	Ra	ce bala	nce
Rental Perfect Fit S , Stiffer			Fo	rward le	ean: clas-
upper, HP frame footbed, 40mm			sic	metho	d 16°,
velcro strap			ne	w meth	od 9°
			Ra	mp ang	le 4°
BUCKLES					
4 screwed micro-adjustable alloy					

#### FORMULA 8 W R MV GW

BUCKLES

192

4 screwed micro-adjustable alloy buckles, Low profile buckles

buckles, Low profile buckles

ARTICLE NUMBER	PRODUC	T DE	ETA	ILS	
603616 Anthracite	LEVEL		Ex	pert	
	FLEX		95	/85	
PRODUCT FEATURES	SIZES		23	5275	
Women double adjustable cuff,	SHELL		PU	/SL	
Flex tuning, Cuff Alignment,	LAST		RS	1850cc	
Extended Toe Box, Rear support tuning, Interch. Toe and heel	Last Size	96 24.5		98 25.5	100 26.5
tunning, interent. Toe and neer	ERGO BAL	ANCE	Ra	ce balan	ce
LINER			For	ward lea	an: clas-
Rental Perfect Fit S W, Stiffer			sic	method	16°,
upper, HP frame footbed, 30mm			ne	w metho	d 9°
velcro strap			Ra	mp angle	e 4°













## Sanitized® charcoal footbed, 35mm power strap

Rental Comfort, Stiffer upper,

LINER

# EDGE LYT 7 W R HV GW

ARTICLE NUMBER
603640 Anthracite/turquoise GW
603645 Anthracite/turquoise

# PRODUCT FEATURES

## flex, Easy entry shell design, Women double adjustable cuff

INEK
Rental Comfort W, Stiffer upper,
Vomen auto adaptive tech., San-
tized® charcoal footbed, 35mm
ower strap

#### EDGE 10 R HV GW

LINER

**BUCKLES** 

ARTICLE NUMBER	PRODUCT DETAILS				
603622 Anthracite/white	LEVEL	Expert			
	FLEX	100			
PRODUCT FEATURES	SIZES	255-265305-			
Ski-Walk System, Hi-top tech, Duo		315-325-335-345			
flex, Easy entry shell design	SHELL	PU/SL			
	LAST	C 2100cc			

#### EDGE 8 W R HV GW

ARTIC	LE	NUN	<b>IBE</b>	R	
60362	3 Gr	еу			

Rental Comfort, Stiffer upper,

4 micro-adjustable alloy buckles, 1

35mm power strap

Supermacro ratchet

#### PRODUCT FEATURES Ski-Walk System, Hi-top tech, Duo flex, Easy entry shell design, Women's Adjustable Profile

LINER
Rental Comfort, Stiffer upper,
35mm power strap

#### **BUCKLES**

BUCKLES

Supermacro ratchet

4 micro-adjustable alloy buckles, 1
Supermacro ratchet

DETAILS	
Expert	
85	
235275	
PU/SL	
C 2100cc	
	85 235275 PU/SL

#### EDGE LYT 9 R HV GW

ARTICLE NUMBER	
603630 Anthracite/yellow GW	Ī
603635 Anthracite/yellow	
604605 Speed Blue GW	

Ski-Walk System, Hi-top tech, Duo flex, Easy entry shell design

604605 Speed Blue GW		
	PRODUC	T DETAILS
PRODUCT FEATURES	LEVEL	Interme
011111111011111111111111111111111111111		

LEVEL		Int	erme	dia	te
FLEX		90	90		
SIZES	255305-315-				
		32	5		
SHELL	PU/SL				
LAST		CZ	2100c	С	
Last	100		102		104
Size	25.5		26.5		27.5

4 micro-adjustable alloy buckles, 1

ARTICLE	NUMBER
603640	Anthracite/turquoise GW
603645	Anthracite/turquoise
604606	Dark blue GW

# Smart frame, Hi-Top tech, Duo

omen double adjustable cuff
INER
ental Comfort W, Stiffer upper,

### **BUCKLES**

4 micro-adjustable alloy buckles,	
Supermacro ratchet	

PRODUCT DETAILS					
LEVEL	L Intermediate				
FLEX	75				
SIZES	225275				
SHELL	PU/SL				
LAST	C 2100cc				
Last	98	100	102		
Size	24.5	25.5	26.5		









#### **EDGE LYT XR R HV**

#### ARTICLE NUMBER

603655 Grey-red

#### PRODUCT FEATURES

Smart frame, Hi-Top tech, Duo flex, Easy entry shell design, Single canting, Adjustable rear spoiler

#### LINER

Rental Comfort , Stiffer upper, Sanitized® charcoal footbed, 35mm power strap

#### **BUCKLES**

4 micro-adjustable plastic buckles, 1 Supermacro ratchet,

#### PRODUCT DETAILS

LEVEL		Intermediate			
FLEX		80			
SIZES		255305			
SHELL		PU/SL			
LAST		C 2100cc			
Last	100		102	104	
Size	25.5		26.5	27.5	,

#### **EDGE LYT XR W R HV**

#### ARTICLE NUMBER

603656 Grey

#### PRODUCT FEATURES

Bi-Inj. control frame, Hi-Top tech, Duo flex, Easy entry shell design, Single canting, Women double adjustable cuff

#### LINER

Rental Comfort W, Stiffer upper, Women auto adaptive tech, Sanitized® charcoal footbed, 35mm power strap

#### **BUCKLES**

4 Micro plastic buckles, 1 Supermacro ratchet

#### PRODUCT DETAILS

LEVEL		Intermediate				
FLEX		65				
SIZES		225275				
SHELL		PU/SL				
LAST		C 2100cc				
Last	98		100	10	2	
Size	24.5		25.5	26	5.5	

#### **CUBE3 70 R**

#### ARTICLE NUMBER

608545 Anthracite/black

#### PRODUCT FEATURES

Integrated auto-skiwalk

#### LINER

Rental Comfort quick entry , Sanitized® charcoal footbed, 35 mm velcro strap

#### BUCKLES

2 micro-adjustable plastic buckles, 1 micro-adjustable wide-body alloy buckle, 1 Supermacro ratchet

#### PRODUCT DETAILS

LEVEL		Intermediate				
FLEX		70				
SIZES		250305				
SHELL		PU/SL				
LAST		EC 2200cc				
Last	102		104		106	
Size	25.5		26.5		27.5	

#### CUBE3 60 W R

#### ARTICLE NUMBER

608548 Anthracite/black

#### PRODUCT FEATURES

Integrated auto-skiwalk

#### LINER

Rental Comfort quick entry W, Sanitized® charcoal footbed, 35 mm velcro strap

#### **BUCKLES**

2 micro-adjustable plastic buckles, 1 micro-adjustable wide-body alloy buckle, 1 Supermacro ratchet

#### PRODUCT DETAILS

LEVEL		Intermediate				
FLEX		60				
SIZES		230265				
SHELL		PU/SL				
LAST		EC 2200cc				
Last	100		102		104	
Size	24.5		25.5		26.5	



## ARTICLE NUMBER

## 3 sole lenghts, DIN interface for

#### LINER

Rental Comfort, Sanitized® charcoal footbed, Prepared for heating system

#### BUCKLES

#### EZON 2 BYS HP R

ARTICLE NUMBER	PRODUC	PRODUCT DETAILS			
600680 Black	LEVEL	Beginner			
	SIZES	315-325-335-345			
PRODUCT FEATURES		man constr.			

PU/SL

#### LINER

rental bindings

Rental Comfort , Sanitized® charcoal footbed, Prepared for heating system

1 sole lenght, DIN interface for all SHELL

#### **BUCKLES**

B.Y.S. R

4 micro-adjustable plastic buckles, 1 Supermacro ratchet

AKTICLE NUMBER	
600685 Anthracite/black	

#### PRODUCT FEATURES

all rental bindings

3 micro-adjustable plastic buckles, 1 Supermacro ratchet

#### NEXT EDGE B.Y.S. 80 R

#### ARTICLE NUMBER

600675 Black	
PRODUCT FE	ATURES
Tri-Inj. Energy	frame, Easy entry
shell design, [	ouble canting, 2
sole lenghts	

Rental Comfort, Sanitized® charcoal footbed

4 micro-adjustable plastic buckles, 1 Supermacro ratchet



PRODUCT DETAILS

Beginner

PU/SL

235-...-345

LEVEL

SIZES

SHELL

#### LEVEL Beginner FLEX SIZES 235-245 woman constr. 250-...305 man constr. SHELL PU/SL LAST C 2100cc

**BUCKLES** 





#### RAPTOR 50 R

#### ARTICLE NUMBER

609680 Anthracite/white

#### PRODUCT FEATURES

Jr racing flex tuning, Adult norm (size 220 up)

#### LINER

Junior Team, Self-shaping footbed

#### **BUCKLES**

4 plastic buckles

#### PRODUCT DETAILS

LEVEL	Intermediate
SIZES	205-215-220-225-
	275
SHELL	PU/SL

#### **RAPTOR 40 R**

#### ARTICLE NUMBER

600690 Anthracite/white

#### PRODUCT FEATURES

Jr racing flex tuning, Adult norm

#### LINER

Junior Team , Self-shaping footbed

#### BUCKLES

3 plastic buckles

#### PRODUCT DETAILS

Beginner
185-190235
PU/SL







#### J3 R

RTI	01		MILL	BA I	) F	r
KII	L.I	-	ΝU	MI	56	h

607340 Anthracite/white

#### PRODUCT FEATURES

Jr high top tech, Duo flex, Vario last, Easy entry shell construction, Junior norm, Design your boot stickers

#### LINER

Junior liner, Tongue handle, Comfort footbed

#### **BUCKLES**

3 plastic buckles



LEVEL Beginner 235-245-255-265 SIZES SHELL PU/SL

#### J2 R

#### ARTICLE NUMBER

607342 Anthracite/white

#### PRODUCT FEATURES

Jr high top tech, Duo flex, Vario SHELL last, Easy entry shell construction, Junior norm, Design your boot stickers

#### LINER

Junior liner, Tongue handle, Comfort footbed

#### BUCKLES

2 plastic buckles

## J1 R

#### ARTICLE NUMBER

607344 Anthracite/white

#### PRODUCT FEATURES

Jr high top tech, Duo flex, Vario SHELL last, Easy entry shell construction, Junior norm, Design your boot stickers

#### LINER

Junior liner, Tongue handle, Comfort footbed

1 plastic buckle

PRODUCT DETAILS

PRODUCT DETAILS

Beginner

PU/SL

155-165 (HRS ▲)

175-185 (HRS ■)

LEVEL

SIZES

LEVEL Beginner SIZES 195-205 (HRS ♦) 215-225 (HRS O) PU/SL

**BUCKLES** 



#### **CHARTER EVO SR**

ARTICLE	E NUMBER	PROD
329333	SR black	Hardsl
329343	SR nightblue	360° N
		Microf
SIZES		le, Ren
XS/S	52-55 cm	Coding
M/L	56-59 cm	e Du E DE
XL/XXL	60-63 cm	SPHERE

#### DUCT FEATURES

shell Technology, Textured Shell, Microshell, Thermal Ventilation, fleece, Sphere Fit, Autoadjust Buckental Goggle Retainer, Rental Color ng, EN 1077:2007 Class B





#### RENTAL

329513 S	R black	
329813 J	R white	
SIZES		
ADULT	XS/S	52-55 cm
	M/L	56-58 cm
	XL/XXL	59-64 cm
JUNIOR	XXS	48-51 cm
	XS/S	52-55 cm
	M/L	56-58 cm

#### PRODUCT FEATURES

lardshell Technology, hermal Ventilation, Microfleece, Rental Goggle Retainer, Rental Color Coding, Rental Size Adjustment, EN 077:2007 Class B



## **CHARTER EVO JR**

NUMBER	
JR lime	
JR white	
48-51 cm	
52-55 cm	
	JR lime JR white

#### PRODUCT FEATURES

Hardshell Technology, Textured Shell, 360° Microshell, Thermal Ventilation, Microfleece, Sphere Fit, Autoadjust Buckle, Rental Goggle Retainer, Rental Color Coding, EN 1077:2007 Class B





#### **CLEANIE BEANIE PACK**

#### ARTICLE NUMBER

375399 CLEANIE BEANIE PACK - 60 pcs



#### TRACER



ARTICLE	NUMBER	
329107 S	R black	
329207	JR white	
SIZES		
ADULT	XS/S	52-55 cm
	M/L	56-59 cm
	XL/XXL	60-63 cm
JUNIOR	XXS	48-51 cm
	XS/S	52-55 cm
	M/I	56-59 cm

#### PRODUCT FEATURES

Hardshell Technology, Thermal Ventilation, Microfleece, Speedlock Buckle, Rental Goggle Retainer, Rental Color Coding, SD+D compatible, Rental Size Adjustment, EN 1077:2007 Class B





#### **GAMECHANGER 4D**

Hybrid Camber POP Lightweight Wood Core 4D Compatible Easy Maintenance Die-Cut Base Easy Rent Topsheet FutureDisc pre-mounted



NEW

337124 GAMECHANGER 4D + FutureDisc 337024 GAMECHANGER 4D

#### PRODUCT FEATURES

CAMBER	Hybrid Camber Pop
ARCHITECTURES	Easy Board Architecture
FLEX INDEX	6

#### PRODUCT DETAILS

LENGTH (CM)	WAIST (CM)	EFFEC- TIVE EDGE (CM)	SIDECUT (M)	MED. STANCE (CM)	SET- BACK (CM)
143	24,9	100,8	5,8	46	1,5
147	25,9	104,0	6,0	48	1,5
153	26,0	109,0	6,8	54	1,5
156	26,6	111,5	6,8	56	1,5
161	27,0	112,5	6,8	58	1,5



#### FLEX 2.0 4D

Rocker
Poplar Wood Core
4D Compatible
Easy Maintenance Die-Cut Base
Exchangeable Tip & Tail Protectors
Easy Rent Topsheet
FutureDisc pre-mounted

#### ARTICLE NUMBER

337723 FLEX 2.0 4D + FutureDisc 337863 FLEX 2.0 4D

#### ARTICLE NUMBER

337823 FLEX 2.0 4D JR + FutureDisc 337963 FLEX 2.0 4D JR

#### PRODUCT FEATURES

CAMBER Rocker

#### PRODUCT DETAILS

LENGTH (CM)	(CM)	EFFEC- TIVE EDGE (CM)	SIDECUT (M)	MED. STANCE (CM)	SET- BACK (CM)
138	23,4	105,0	5,5	48	0,0
142	23,5	107,0	5,9	48	0,0
146	23,7	108,0	6,0	50	0,0
149	24,4	111,0	6,7	52	0,0
151	24,3	111,0	6,8	52	0,0
152W	26,2	113,1	7,6	56	0,0
154	25,0	117,0	8,4	56	0,0
158W	26,4	118,5	7,0	58	0,0
159	25,3	120,5	9,3	58	0,0
163W	26,6	121,5	7,4	60	0,0
168W	26,8	127,5	7,6	60	0,0
90	20.0	63,5	5,5	30	0.0
100	21,0	74,0	6,5	32	0,0
110	22,0	83,5	6,5	36	0,0
120	22,0	85,0	5,5	42	0,0
130	23,0	95,0	6,0	44	0,0
135	23,0	101,5	8,0	42	0,0
140	24,0	105,0	7,0	46	0,0



#### FLOCKA LFW 3.0 4D

Flat Rocker
Poplar Wood Core
4D Compatible
Liquid Framewall
UVR Topsheet
Easy Maintenance Base
Retail Inspired Design
FutureDisc pre-mounted



337223 FLOCKA LFW 3.0 4D + FutureDisc 337073 FLOCKA LFW 3.0 4D

#### ARTICLE NUMBER

337323 FLOCKA LFW 4D 3.0 JR + FutureDisc 337173 FLOCKA LFW 4D 3.0 JR

#### PRODUCT FEATURES

CAMBER Flat Rocker

#### PRODUCT DETAILS

LENGTH (CM)	(CM)	EFFEC- TIVE EDGE (CM)	SIDECUT (M)	MED. STANCE (CM)	SET- BACK (CM)
138	23,5	103,5	5,6	48	0,0
142	23,7	106,5	5,9	50	0,0
146	23,9	109,0	6,8	51	0,0
149	24,7	116,5	7,0	52	0,0
151	24,4	111,0	6,2	53	0,0
154	25,0	114,5	6,5	56	0,0
158W	26,4	115,0	5,8	58	0,0
159	25,4	114,5	5,8	58	0,0
163W	26,6	129,0	7,6	60	0,0
168W	26,8	125,0	8,0	60	0,0
90	18,5	62,0	4,0	32	0,0
100	20,0	71,0	5,0	33	0,0
110	21,4	82,0	5,5	33	0,0
120	22,0	93,0	6,4	38	0,0
130	23,0	97,5	6,8	44	0,0
140	24,0	105,5	6,8	46	0,0



# **COLOR CODE SYSTEM**

1. DEFINE THE COLOR CODE PER BOOT SIZE



2. SELECT THE ACCORDING BINDING COLOR




3. SELECT THE ACCORDING BOARD LENGTH, BASED ON ABILITY, LEVEL AND HEIGHT

WATCH THE

INSTRUCTION

**VIDEO** 



Mondo 185 - 250 EU 29 - 39 US 13 - 6,5 JR 18.5-25.0

 Mondo 225 - 250
 EU 35 - 39
 US 4 - 6,5
 S 22.5-25.0
 138 - 151

 Mondo 255 - 280
 EU 39,5 - 43
 US 7 - 10
 M 25.5-28.0
 149 - 159

 Mondo 285 - 325
 EU 44 - 49,5
 US 10,5 - 14,5
 L 28.5-32.5
 152W - 168W




SNOWBOARD

#### RX 4D

#### ARTICLE NUMBER

347104 black



#### PRODUCT FEATURES

Reclining Highback System, 4D Compatible, FT1 Base, LYT-frame ankle strap, 3D Flex Toe Strap





#### **FLATBED 4D**

#### ARTICLE NUMBER

347208

SIZES		
S	22.5-25.0	
М	25.5-28.0	
L	28.5-32.5	

#### PRODUCT FEATURES

Extra Low Volume for Efficient Storage,
Dura Tech Toe Straps, Alu Buckles,
Alu Heelcup, Heavy Duty Baseplate,
Minimum Amount of Parts, All Parts coded
with a Spare Parts Number for simple Reorder,
4D Compatible







#### P THREE 4D

347503

ARTICLE NUMBER

SIZES		
S	22.5-25.0	
М	25.5-28.0	
L	28.5-32.5	

#### PRODUCT FEATURES

Padded Highback, Alu Heelcup, 3D Comfort Strap, 4D Compatible, Toe & Heel Base Pads







#### LYTRENT 4D

#### ARTICLE NUMBER

347323

SIZES		
S	22.5-25.0	
М	25.5-28.0	
L	28.5-32.5	

#### PRODUCT FEATURES

LYT TECH, 4D Compatible,

Extra Low Volume for Efficient Storage, Minimum Amount of Parts, Single Component Straps, Alu Buckles, Padded Highback, Heavy Duty Baseplate, All Parts coded with a Spare Parts Number for simple Reorder







#### LYTRENT 4D JR

ARTICLE NUMBER	NEW	SI
347604		XS

XS	18.5-25.0
S	22.5-25.0

#### PRODUCT FEATURES

LYT TECH, 4D Compatible, Lightweight Base, LYT-frame ankle strap, Easy Grip Buckle, JR Specific Construction, Multiple Size Adjustment





**SNOWBOARD SNOWBOARD** 

#### 650 4D BOA FOCUS

#### ARTICLE NUMBER

357045 650 4D BOA FOCUS

#### PRODUCT FEATURES

Double BOA® Fit System, Heavy Profile Rubber Outsole, Frequency Technology, Full Toe and Heel Protection, Fully covered Lace Protection, 4D Compatible, Pro Fit Liner, Perfect Fit, S.Café® Lining Mesh, FPG Insole, Flex Index 6, Forward Lean 9°

#### SIZES

22.5 - 32.5



#### 500 4D

#### ARTICLE NUMBER

357443 500 4D BOA (+Coiler) 357403 500 4D

#### PRODUCT FEATURES

BOA® Coiler, Explorer Outsole, Injected Heel Section, Rubber Toecap, Rubber Covered Laceguides, 4D Compatible, FPG Insole, Flex Index 5, Forward Lean 7°

#### SIZES

22.5 - 32.5





#### ARTICLE NUMBER

357111 620 4D BOA (+Coiler)

#### PRODUCT FEATURES

BOA® Coiler, Heavy Profile Rubber Outsole, Comfort Cuff, Cuff Cut Construction, Full Toe and Heel Protection, Full rubber quarter, Rubber Toecap, Rubber Covered Laceguides, 4D Compatible, EVA Liner, S.Café® Lining Mesh, FPG Insole, Flex Index 4, Forward Lean 9°

#### SIZES

22.5 - 32.5





#### 400 4D JR BOA

#### ARTICLE NUMBER

357566 400 4D JR BOA

#### PRODUCT FEATURES

BOA®, Explorer Outsole, Full Toe and Heel Protection, Rubber Covered Laceguides, 4D Compatible, Linerless, S.Café® Lining Mesh, FPG Insole, Flex Index 3, Forward Lean 7°

#### SIZES

18.5 - 25.0





#### 600 4D BOA

#### ARTICLE NUMBER

357246 600 4D BOA (+Coiler)

#### SIZES

22.5 - 32.5







#### PRODUCT FEATURES

BOA® Coiler, Explorer Outsole, Full Toe and Heel Protection, Fully covered Lace Protection, 4D Compatible, S.Café® Lining Mesh, FPG Insole, Flex Index 5, Forward Lean 7°



# **TECHNOLOGY FEATURES SKI**

**Allride Rocker:** Rocker that is equally at home on bulletproof snow as it is in powder. This profile uses early rise in the tip with regular camber throughout the rest of the ski. 20% rocker - 80% camber.

**Crossforce Carbon Construction:** Crossforce Carbon Construction is a unique construction method where the top sheet is removed under the binding, exposing a carbon wrap which the binding is mounted directly onto. Better power transmission of forces onto the slopes.

**Diecut UHM C Base:** This durable workhorse base material is dedicated to all forms of skiing. Diecuts are added for flare.

**E** Base black: Basic black never goes out of style, and it's always durable. Easy gliding is everyone's friend.

**EMC:** Energy Management Circuit - converts kinetic energy into electric energy, that then gets used to absorb negative vibrations.

**ERA 3.0 S:** "Sports version" of ERA 3.0 with a multifaceted ski designed with race innovation and inspiration, yet now with the addition of Rocker, Radius and Rebound. Totally new skiing experience with 10% rocker and 90% camber.

**ERA 3.0:** A masterful blend of three independently important technologies to make the ultimate allcountry skis.

Rocker + Radius + Rebound = Rocker Done Right.

**ERA 2.0:** ERA 2.0 is the little brother of ERA 3.0 and is everything 3.0 has to offer as far as design, performance and geometry integration, but without the

addition of "Rebound" with its piezoelectric elements.

curve for perfect flex behaviour.

Full Triaxial Carbon Jacket: Full Triaxial Carbon Jacket is a reinforcement fabric that is optimized to obtain a high strength-to-weight ratio. Carbon fibers weaved in three different directions offer a unique construction method where the top sheet is removed on the full ski, exposing a carbon wrap. Better power transmission of forces onto the slopes, Ultralightweight, Optimum bell

Multilayer Carbon Sandwich Cap Construction: Superlight sandwich construction, triaxle weave of carbon layer combined with Graphene and additional carbon layer for more stability, make KORE one of the lightest ski in its

**Highly transparent UHM Base:** A high-density, determinedly durable base that allows gorgeous graphic details to shine through. The perfect combination of fashion and function.

**ISS - Independent Suspension System:** Elastomeric vibration killers located in the tip, tail and underfoot. The elastomers quiet the vibrations that are commonly associated with rockered skis. Underfoot, the vibrations are dampened to provide the skier with a smooth ride.

**Junior Power Frame:** A geometric ski shape that provides structural strength to the outer edges of the ski through geometric design, as opposed to altering the core material or density of the ski. Also, for kids it looks cool and feels different than a standard flat ski

**LYT Tech Construction:** By developing a ski line with lightweight Karuba wood and Graphene fully embedded we were able to increase performance while making it lighter. A unique weight distribution makes tip and tail thicker and the middle section thinner. The V-shape gives you effortless control for better steering, more stability and control.

**PET-Wood Core Carbon Sandwich Cap Construction:** an eco-driven build which is mindful of sustainability while still delivering superb skiing. Utilizing poplar wood, recycled PET plastics and carbon provides optimal performance which is both weight and environmentally conscious.

**PNP Rocker:** Very subtle tip and tail rise with regular camber construction underfoot. PNP Rocker provides a rider a smother turn initiation as well as reduced edge contact to seamlessly butter into tricks and initiate spins. 30% rocker and 70% camber.

**Power Sidewall Jacket:** An innovation in ski construction that combines the well known fiber jacket construction with ABS sidewalls. A lightweight ski with easy skiing performance including sidewalls for better dampening, shock absorption and edge grip. Performance at its best for its great target group.

Race structured UHM C base: The highest quality, fastest base and finish known to man. The technicians who build the skis for our Worldcup Rebels use the same material and machines to put this scary fast base and structure into your skis.

**RD Racing Top Sheet:** A thinner topsheet material designed to maximize responsiveness. Exclusive to our RD skis.

**Rebel Camber:** Some years ago, it was rebellious to have rocker. Now, it's rebellious to have camber. With Rebel Camber, we feature explosive acceleration and excellent edge grip for the Worldcup Rebel inside you.

Sandwich Cap Construction: We take the basic framework from the Worldcup sandwich and place a cap that just wraps over the top edge of the sidewall to make the ski more suitable for all mountain skiing. Bomber construction with a rounded top edge makes for one incredible allcountry ski.

Sandwich Twintip Construction: We blend a full vertical laminate wood core for durability and add our bomber Independent Suspension System for killing chatter. Pipe, park, big mountains, whatever, bring 'em on and let this construction rip.

**SFC-Snow Free Coating:** The applied coating prevents snow and ice from sticking to the top of the ski. Especially on ski tours, this is an effective remedy against annoying icing and exhausting ascents with skis weighed down by snow loads. But the coating also helps to optimize ski performance on the descent.

**Speed Rocker:** For perfect handling on hardpack – a slight tip rise on a ski with standard camber, which means great performance, easy turn initiation, and high versatility on soft snow. 10% rocker and 90% camber is just enough to take the sting out of the edges, while keeping the bite you need to turn. Speed Rocker turns HEAD performance skis into a weapon of speed with power steering. It's fast. Are you?

**Structured Surface:** An extra-durable topsheet with a structured exterior. Designed to hold up against the most extreme abuse.

**Structured UHM C Base:** The same high quality material used in HEAD's world-leading race skis is used here. Different structured running base for all conditions

**TNT Rocker:** Tip and tail rocker combined with regular camber underfoot. This combination creates a surfy feel in powder while maintaining hard snow versatilty. 40% rocker - 60% camber.

**Tuff-Wall/Base/Edge:** Impact resistant ABS sidewalls. While maintaining responsiveness, Tuffwalls are designed to take a beating. The additional use of thicker edges and running bases ensure that these models can truly be described as bullet proof.

**Twintip Construction:** A vertically laminated wood core, surrounded by a sock of fiberglass and covered by a durable topsheet. This forgiving twintip construction is slightly softer than our sandwich twintip layup, making it better for learning pipe and park tricks.

**UHM C Base:** Our highly durable base material for getting the job done well. Not flashy, but steady and stable. The kind of base that will last for years.

**Wood Core Cap Construction:** A vertically laminated wood core, surrounded by a sock of fiberglass and covered by a durable topsheet. This forgiving construction is slightly softer than our sandwich cap making it ideal for ramping up the learning curve.

**Worldcup Sandwich Construction:** The basic construction invented by Howard Head in the 1940's, perfected and hand built by the finest ski technicians in the modern world. The vertical laminate wood core is embraced by speedfreak phenolic sidewalls and the finest Titanal®. This is the fastest contruction on the planet.

# **TECHNOLOGY FEATURES BINDINGS**

ABS - Anti Blocking System: The exclusive TYROLIA technology of the ABS continuous band allows the boot to move out of the binding almost without any friction, hence delivering maximum safety in case of icing up, dirt and boot wear

AFS - Anti Friction Slider: New weight optimized adapter for gliding insert at Power Bindings for reduced friction, constant release values and maximum safety.

**AFS Junior:** The innovative mechanical Anti Friction Slider (AFS) automatically adjusts to the boot sole height, compensating A/C standards as well as height differences due to icing up, dirt or boot wear.

**AFS Metal:** The 68 mm wide slider plus a stainless steel gliding element provides constant release values and results in a broader contact area to the ski boot sole

**Better Balance PR Base:** Inclined Better Balance PR Base providing a ramp angle of 0.75° for all boot sole sizes. Thus, all skiers benefit from easy turn initiation and high speed stability.

**Brakes:** HEAD offers brakes with different width for optimal fit on wider skis and flat skis up to 150 mm ski width in the brake area. Some binding models are delivered without brake - "w/o brake"- to avoid brake exchange later on.

**Climbing Aid:** The climbing aid with its different climbing positions, which can be operated without stepping out of the binding, provides excellent balance and effortless climbing.

FHR: The innovative Full Heel Release Technology (FHR) delivers intelligent 180° release both horizontally and vertically ensuring maximum safety in forward and backward twisting fall situations. The FHR function can reduce ACL strain by more than 50 %\*.

Freeflex Demo: These racing bindings are for rental purpose. They combine the look and performance of a racing retail binding with the functionality and durability of the rental binding.

**Freeflex Pro:** Best performance enabled by the innovative Freeflex Pro System. The free-gliding heel allows the ski to bend through unimpeded and to retain its natural dynamics. Due to the reduced stand height, the Freeflex band is now much closer to the ski boot. Constant release values reduce the risk of injury and ensure safe ski steering.

**FR LYT Toe:** 15% lighter toe compared to the FR Pro3 Toe, with automatic toe height adjustment for Alpine & GrinWalk boots

FR Pro Toe: The Freeride (FR) Pro Toe can be easily adjusted to different boot sole heights. Its horizontal spring reflects the modern architecture of the

FR PRO<sup>3</sup> Toe: The FR PRO<sup>3</sup> Toe offers improved release kinematic to reduce friction and guarantees constant release values. Thanks to the improved AFD it easily adjusts to different boot sole heights. The optimal height adjustment needs to be tested with a testing device for exact adaptation of the boot-binding system and better performance on skis.

**Full Diagonal:** Intelligent 180° release both horizontally and vertically of the Diagonal Toe.

**GripWalk Compatibility:** Ski Bindings with GW in the product's name are GripWalk compatible and can be adjusted to Adult Alpine (ISO 5355) and GripWalk ski boots (within ISO 9523). Ski bindings with "GW CA" in the product's name can be used with Adult Alpine (TYPE A), Children Alpine (TYPE C), GripWalk ski boots (TYPE A & C).

**GW:** Bindings marked with GW will fit adult Alpine ski boots (ISO 5355 TYPE A) and adult Walk ski boots (ISO 23223 TYPE A). No further adjustment to boot sole height necessary, except ATTACK models. Optimal height shall be tested with the boot height adjustment tester.

**GW CA:** Bindings marked with GW CA will fit Alpine ski boots (both ISO 5355 TYPE A & TYPE C) plus all Walk ski boots (ISO 23223, TYPE A & TYPE C). No further adjustment to boot sole height necessary.

**HR Heel:** The HR Heel offers the innovative Full Heel Release Technology (FHR), a combination of horizontal and vertical release to ensure maximum safety.

**HR Lite Heel:** The HR Lite Heel offers the innovative Full Heel Release Technology (FHR), a combination of horizontal and vertical release to ensure maximum safety. Compared to the HR Heel it is lighter and has a lower stand height.

JOY "BB" SLR Pro Base: Inclined Base providing optimal forward lean. Test sessions with our female test team, have shown that the ideal value is 0.55°, ensuring easy turn initiation and high speed stability.

MN: Bindings marked MN will fit adult Alpine ski boots (ISO 5355 TYPE A), adult Walk ski boots (ISO 23223 TYPE A) and all Touring ski boots (ISO 9523). The height of the AFD needs to be adjusted to the ski boot sole height. Optimal height shall be tested with the boot height adjustment tester.

**NX Heel:** 3-piece heel for easy step in and step out. Better stability and power transmission

**RX-Diagonal Heel:** The RX-Diagonal Heel provides a 150° release. Thus, pressure on the knee and ligaments upon twisting forward falls are reduced.

SuperLiteRail System: In combination with the integrated Freeflex-Function the SLR Base provides better energy transmission without affecting the natural ski flex. During the turn, this SuperLiteRail Base guarantees constant force distribution which leads to flawless control, thus enhancing the on hill experience. The remarkable benefits include highly efficient and agile ski performance.

**RX Toe:** The performance oriented RX toe defines stability and power, much as a strong and tough bull extremely durable and absolutely reliable.

**PowerRail:** The unrivalled technology for retail, demo & rental by the well-received rail system on a modular basis provides easiest handling, maximum flexibility, optimized performance, perfect match, more stability and durability.

Race Diagonal: Diagonal Toe tuned for racing purposes. Due to its higher release force vertically than horizontally, it holds up to the high backward lean forces in racing

Race Pro Heel: The stand height was reduced according to the actual FIS rules. An increased contact area reduces friction and provides constant forward pressure in all skiing situations.

**SLR Pro Base:** The 2-piece base provides an optimized drill pattern and an enlarged adjustment range of 120 mm. It comes in 3 different mounting positions to cover boot sole lengths between 183 mm and 363 mm.

**STREAM toe:** The racing toe features independent spring-loaded pincers for more precise control, two mounting positions of the gliding element for an adjustable pressure point and a steel base plate between the binding and the plate for a better power transmission. Thanks to the aerodynamic design, even faster runs are possible.

**SX Heel:** Based on improved kinematics the ski boot is precisely secure in the binding. This ensures exact and more direct power transmission from boot to edge

**SX Junior Toe:** The innovative kinematics of HEAD's SX adult line provide advantages in performance and stability for the SX Junior line for young speedstars as well

**SX Kid Toe:** With the SX kid toe for up-and-comers and integrated innovative SX kinematics ski steering now requires even less effort.

**SX Lite Heel:** Weight optimized heel for junior and light-weight skiers with proven safety features of the HEAD/TYROLIA binding technology.

**SX Toe:** The kinematic improvements are reflected in the product design of the SX toe as well. With its high cheek bones it reminds of a fox - smart, spry, agile and very clever

**SX Youth Heel:** The SX Youth Heel guarantees an easier step-in and out. Due to the new shape of the sole lug and softer brakes the entry force is reduced by 15%.

**Sympro:** With the Rental Sympro bindings, the length of the toe and heel can be adjusted with only a few easy steps. For fast on-hill adjustment.

**Symrent:** With a mobile heel the Symrent bindings can be simply and very quickly adjusted to almost any size of boot.

**Telescopic Tube:** With only one binding model it is possible to cover the entire range of different sole lengths (from 260 mm up to 350 mm). **TOUR Toe:** Touring toe with Pin technology and an optimized step-in for an

easy and fast entry. The ergonomic toe lever can be operated by hand and pole.

**TOUR Heel:** Touring heel with Pin technology, active heel adaptation (6 mm elastic travel) and 25 mm heel adjustment range. The heel piece provides an intuitive handling of hike & ski mode with an automatic brake lock and an isolated mechanism to prevent icing.

**TRP - TYROLIA Roller Pincer System:** The TYROLIA Roller Pincer Toe System (TRP System) of the HEAD bindings with its four rollers and gliding inserts ensure a 180° release and exact centering of the ski boot. The TRP system reduces the load on knees and ligaments and improves performance considerably.

<sup>\*</sup>finite element model simulations by University of Innsbruck: "Lateral Heel Release Reduces ACL strain in Simulated Backward Twisting Falls"

# **TECHNOLOGY FEATURES BOOTS**

#### **LINERS**

**Auto Adapt Tech / Women Auto Adapt Tech:** Allows the calf of the liner to widen freely. The cuff can move into the space created by the adjustable profile, to comfortably accommodate all calf sizes.

**Double Power Booster Velcro:** The strap of the Double Power Booster Velcro works as a double pulley for better closure and a tighter wrapping on the cuff. The elastic Booster strap allows more dynamic response on the boot. The result is more precise transmission and faster ski reaction.

**HeatFit (HF) Liners:** Multi-component liners with moldable inserts in liner and tongue. 5 minutes of heating, is all that is required, to make the lining adapting and get the perfect precision and comfort.

**Perfect Fit 3D:** Perfect fit is the revolutionary customization system that ensures comfortable, performances-oriented customization in HEAD's superb skiboots. The 3D pre-shaped construction have been developed to provide the maximum comfort and optimal adaptation to the foot shape.

**Perfect Fit (PF):** Perfect Fit is the revolutionary customization system that provides the best level of precision, comfort and durability. The Perfect Fit material allows the liner to adapt to your feet, ensuring maximum power transmission. 5 minutes of heating at 80 degrees, is all that is required, to make the lining adapting and get the perfect precision and comfort.

**Pro Liners:** Pro Series are thin and very supportive liners developed to assure maximum wrapping and extreme high performance. They come with a stretchy upper material, thermo-moldable ankle inserts and a rear sliding insert.

**Quick Entry Liners:** These liners come with a unique easy entry construction in the forefoot. Developed both for skiing and walking, Quick Entry liners always feel extremely comfortable.

**Ratchet Velcro:** The new light velcro, offers high performance, quick and efficient closure.

**CRUX Pro HP:** The customizable liner has been designed to best skiing and hiking performance. ATTENTION: The liner should be customized before skiing.

#### **BUCKLES**

Buckle Lock: Lock the buckle in a open position for an easy hike.

**Double Power Lever:** The Double Power lever reduces the effort needed to close the buckle by 50 %. Developed and patented by HEAD.

Ratchet Lock: Lock the buckle's bail in place for a secure fit while ascending.

**Spineflex Buckle:** A revolutionary buckle concept with a flexible element and a constant closure point. The flexible element allows the buckle to adapt to the shell profile. The constant closure point increases the overlap between the shell flaps and reduces pressure points. The increased comfort and precision results in better performance.

**Superleggera Buckle:** The new light buckles: 90% aluminum, simple, effective and reliable

**Supermacro Ratchet:** An adjustable, ratcheted toothplate that provides 28 mm of calf-adjustment.

**Wide-Body Buckle:** Oversized buckle designed for an extreme ease of use. The fastest way to close the boot cuff.

#### **FEATURES**

Adjustable Rear Spoiler:

Height adjustable spoiler increases rearward support as it's raised.

**Bi-Inj. Frame:** A high performance, multi-density shell that optimizes easy entry, foot wrapping, comfort and energy transmission.

**Double Adjustable Profile:** A double mechanism in the upper rear part of the boot which adapts the circumference of the cuff up to 1cm to fit individual anatomical needs. Located on the either side of the cuff's spine, this mechanism allows the cuff to adjust up to 1cm to better fit the anatomical needs of skier.

**Duo Flex:** Enables a progressive and reactive flex with precise ski control through all phases of the turn.

**Easy Entry Shell Design:** Located in the throat of the boot, 4 channels are cut into the plastic to reduce the thickness of the material and thus provide smoother entry and better wrapping to the foot.

**Extended Toe Box:** The longer toe box has been designed to reduce torsion and increase power transmission.

**EZ Tech Shell:** With Head's EZ-Tech shell design, every skier can enjoy its benefits: EZ-On, EZ-Walk, and EZ-Ski. These new boots are YOUR EDGE TO BETTER SKIING.

**Flex Stance Tuning:** Screw mechanism with a plate support on the spine of the cuff. By adding the screw(s) the link between shell and cuff becomes stronger and the flex of the boot stiffer. It also works as a forward lean adjuster.

**Flex Tuning:** A screw mechanism on the spine of the cuff that links shell and cuff. To get a softer flex, the screw(s) can be replaced by the plastic caps included in the box.

Form Fit: 100% customizable shell fit system. New Form Fit plastic holds modifications better than ever

**Graphene:** The Graphene infused plastic combined with the new Smart Frame shell delivers the perfect balance of performance, comfort and lightweight design.

**Hi-Top Tech:** Direct contact between the boot tongue and shell delivers supreme support for more confident skiing.

**Integrated AutoSkiWalk (ASW):** HEAD patented integrated device which automatically switches between skiing and walking position when stepping in or out of the bindings.

**Liquid Fit:** Material provides the most precise and the quickest customization. The material's density ensures the perfect mold in the most critical area of the boot, the ankle and heel pocket. The performance and precision of a foam liner in 10 easy, comfortable minutes.

**Power Control Frame:** Designed to reinforce the Cube 3 line shell structure in order to give more stability and performance to the boot.

**Power Plate:** HEAD has designed a Velcro spoiler to increase support through the upper cuff, adding a higher level of performance.

 $\label{power_flex:} \textbf{Power Flex:} \ \ \text{enables a progressive and reactive flex with precise ski control throught all phases of the turn.}$ 

Rubber Insert: Designed for enhanced grip when hiking.

**Ski-Hike Mechanism:** provides strong, precise connection between upper and lower boot.

**Smart Frame:** The new lightweight shell construction is specifically designed for a more dynamic rebound that greatly improves performance for the all mountain skiers.

**Stiffer/Softer Flex Adjustment:** It's an adjustment placed on the spine of the cuff to select between a stiffer or softer flex depending on snow condition and level of skiing.

**Vibram Durastep Outsole:** The rubber sole designed for reliability, durability and grip.

Traction Lug: Designed micro elements developed for a better grip.

# CRUX - A NEW BENCHMARK POWER LYT DESIGN



#### **COMFORT SKIN SHELL**

Designed to wrap the foot with a balanced and comfortable 99 mm touring last. The reactive material provides lightweight and precise adaptation to the foot.



#### CONTROL CUFF

Featuring 2 buckles and a high profile for superior ski control even in the most demanding conditions and speeds.



#### LYT DYNAMIC FRAME

Connects the shell, cuff and ski-hike device, providing the direct and powerful energy transmission.

# **YOUR ACCESS**

## DISCOVER OUR WHOLE COLLECTION

Accessing information on current and upcoming product lines has never been easier.

HEAD's online platforms help you place orders efficiently and find the assets you need quickly.

## **BYNDER**

Access all of the latest HEAD Wintersports assets.



## **WEBSITE**

View all current collections at HEAD.com.





## **OMS**

A fast and efficient platform used to place your orders.





#### **HEADQUARTERS**

**HEAD Sport GmbH** Wuhrkopfweg 1 A-6921 Kennelbach Austria T. +43 5574 608 0

**HEAD Sport GmbH** Branch Schwechat Tyroliaplatz 1 A-2320 Schwechat Austria T. +43 1 70 1790 E. marketing@tyrolia.com

**HEAD Skiboot Division** Via Mure, 45/d 31030 Altivole, Treviso Italy

# T. (+39) 0423 527-555

#### **HEAD UNITS**

**AUSTRIA HEAD Austria GmbH** Tyroliaplatz 1 2320 Schwechat Austria T. +43 1 701 79 0 E. info@at.head.com

**BENELUX** HEAD BeNeLux BV. Plesmanstraat 1 3833 LA Leusden The Netherlands T. +31 33 2030 117 E. info.benelux@head.com

CANADA **HEAD Canada Inc.** 935A Southgate Dr. Unit 4 Guelph, ON, N1L OB9 Canada T. +1 800 265 7257 E. info@ca.head.com

CZECH REPUBLIC & SLOVAKIA HEAD Sport s.r.o. Sportovni 457 252 42 Vestec Czech Republic T. +420 267 2811 11 E. info.czechia@head.com

FRANCE **HEAD France SAS** ZA les Condamines Bresson BP 29 38320 Eybens T. +33 476 62 69 00 E. standard@fr.head.com

**GERMANY HEAD Germany GmbH** Velaskostr. 8 85622 Feldkirchen Germany T. +49 89 90 99 95 0 E. info@de.head.com

ITALY Mares S.p.A. Salita Bonsen, 4 16035 Rapallo (GE) T. +39 0185 2011 E. info-head@it.head.com

JAPAN HEAD Japan Co., Ltd. M-City Edogawabashi Building 3F 1-44-10-3F Sekiguchi Bunkyo-ku Tokyo 112-0014 Japan T. +81 3 3528 9810 E. sales@jp.head.com

**HEAD Norway AS** Vollsveien 13H 1366 Lysaker Norway T. +47 971 14 949 E. info.norway@head.com

**OCEANIA HEAD Oceania PTY LTD** Unit 2A 93 Burnside Road Yatala, QLD 4207 Australia T. +61 (0)7 3386 1210 E. headski.au@head.com

POLAND HEAD Poland sp. z o.o. UI. Rydlówka 20 30-363 Kraków Poland T. +48 12 255 44 00 E. info@pl.head.com

SCANDINAVIA (Sweden, Denmark, Finland) HEAD Scandinavia AB Prästvägen 2 837 52 Åre Sweden T. +46 647 50610 E. info.scandinavia@head.com

SPAIN **HEAD Spain SA** Roger 65-67 5a 08028 Barcelona T. +34 93 409 20 80 E. info@es.head.com

SWITZERLAND **HEAD Switzerland AG** Rothusstrasse 17 6331 Hünenberg Switzerland T. +41 41 767 07 07 E. info@ch.head.com

UNITED KINGDOM HEAD UK LTD 2 Beezon Road Kendal, Cumbria LA9 6BW UK T. +44 15 39 72 47 40 E. info@uk.head.com

USA HEAD USA, Inc. 3125 Sterling Circle Suite 101 Boulder, CO 80301 USA T. +1 800 874 3235 E. info@us.head.com

#### HEAD PARTNER

ARGENTINA Sports & Adventure S.A. T. +54 11 4711 6411 E. recepcion@grupovieytes.com

**AZERBAIJAN** Rich Company T. +994 51 742 0089 E. office@richsport.az

BELARUS Shkursky Alexandr Viktorovich T. +375 296206131 E. alex@cast.by

BULGARIA Miras-Krastevi LTD T. +359 88 206 4060 E. office@miras-sport.com

CHILE Inver Tech Ltda T. +56 2 681 23 08 E. pablo.zuninoerlauer@gmail.com

Nanjing B.C. Sports Products T. +86 13838561630 E. xily@halti.com.cn

**CROATIA & BIH** MARINES d.o.o. T. + 385 1 6055 625 E. andrej@marines.hr

Sportland International Group T. +372 6 548 434 E. info@sportland.ee

**GEORGIA** D.V. Sport Ltd. T. +995 32 2518949 E. dvsport@dvsport.ge

GREECE Parnass Ski T. +30 22670 22646 E. info@parnass.gr

HUNGARY WINTERSPORT Co. Ltd. T. +36 70 376 0640 E. wintersport@wintersport.hu

ICFI AND Utivera EHF T/A Everest T. +354 533 44 50 E. everest@everest.is

KAZAKHSTAN MAK ImpEx. Ltd. T. +7 727 2663333 E. makimpex.kz@gmail.com

KOSOVO SINA Ltd. T. +377 44 124 955 E. sinaltd.perparim@gmail.com

**Burusports** T. +371 67317780 E. info@burusports.lv

LEBANON Mike Sport T. +9611888855 E. mispo@mikesport.com

LITHUANIA Baltaura LT T. +370 687 431 82 E. baltaura@baltaura.lt

MACEDONIA Vekon Int Dooel T. +389 7 039 3341 E. r.kochovski@elteh.com.mk

NEW ZEALAND Allsports Distribution Ltd T. +64 7 377 1033 E. info@allsports.co.nz

ROMANIA SC Nevesport SRL T T. +40 (740) 676 586 E. nagynorbertski@gmail.com

Markoni Sport d.o.o. T. +381692628828 E. veleprodaja@markonisport.rs

SOUTH KOREA **Alchemist** T. +82 2 430 8060 E. head@alchemist.kr

**TURKEY SPORTCITY** Hakan Osman Turnaoglu T: +90 532 351 9494 E: hakan@sportcity.com.tr

UKRAINE Extreme Style T. +380 97 511 6510 E. denis@eltrade.com.ua

UZBEKISTAN MEGASHOP LLC T. +998 71 235 91 81 E. buyer.hardgoods@union-space.com





